



CAPSULES 50MG
CAPSULES 50MG
Matrix: N/A

proleve
po box 10531 tampa
fl, USA 33679



SAMPLE:DA90208007-006

METRC/Biotrack# N/A **Harvest/Lot ID: 10002**
Batch#: 10002, Sample Size: N/A -grams
Ordered: 02/08/19 Sampled:02/08/19
Completed: 02/14/19 Expires: 02/14/20
Sampling Method: SOP Client Method

Image



Safety


Pesticides - Tested
Microbials - Tested
Mycotoxins - Tested
Heavy Metals - Tested
Terpenes - NOT Tested
Residual-Solvents - Tested
Filt - Tested
Water Activity - NOT Tested
Moisture - NOT Tested

Cannabinoids

Analyte	Weight(%)	mg/g
D9-THC	ND	ND
THCa	ND	ND
TOTAL THC	ND	ND
CBD	10.29	102.98
CBDa	ND	ND
TOTAL CBD	10.29	102.98
CBN	ND	ND
CBDV	ND	ND
D8-THC	ND	ND
THCV	ND	ND
CBG	ND	ND
CBGa	ND	ND
CBC	ND	ND
TOTAL CANNABINOIDS	10.29	102.98

Cannabinoids

0.00% Total THC	10.29% Total CBD
----------------------------------	-----------------------------------



This report shall not be reproduced, unless in its entirety, without written approval from EVIO Labs. This report is an EVIO Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation.



CAPSULES 50MG
CAPSULES 50MG
Matrix: N/A

proleve

po box 10531 tampa
fl, USA 33679
(727) 459-7085
barney@proleve.com



SAMPLE:DA90208007-006

METRC/Biotrack#N/A Harvest/Lot ID: 10002
Batch#: 10002, Sample Size: N/A -grams
Ordered: 02/08/19 Sampled:02/08/19
Completed: 02/14/19 Expires: 02/14/20
Sampling Method: SOP Client Method

Pesticides	LOQ	Action Level	Result	Units	Type
Daminozide	0.02	1	ND	ppm	Plant growth regulator
Acephate	0.01	0.4	ND	ppm	Insecticide
Fonicamid	0.01	1	ND	ppm	Pyridine Insecticide, Aphicide
Oxamyl	0.01	1	ND	ppm	Carbamate Insecticide, Acaricide, Nematicide
Methomyl	0.01	0.4	ND	ppm	Carbamate Insecticide, Acaricide, Metabolite
Thiamethoxam	0.01	0.2	ND	ppm	Neonicotinoid Insecticide
Imidacloprid	0.01	0.4	ND	ppm	Neonicotinoid Insecticide
Dimethoate	0.01	0.2	ND	ppm	Organophosphate Insecticide, Acaricide, Metabolite
Acetamiprid	0.01	0.2	ND	ppm	Insecticide
Thiacloprid	0.01	0.2	ND	ppm	Neonicotinoid Insecticide, Molluscicide
Aldicarb	0.02	0.4	ND	ppm	Insecticide, Nematicide
Dichlorvos	0.05	0.1	ND	ppm	Organophosphate Insecticide, Acaricide, Metabolite
Propoxur	0.01	0.2	ND	ppm	Carbamate Insecticide, Acaricide
Carbofuran	0.01	0.2	ND	ppm	Insecticide, Nematicide
Carbaryl	0.01	0.2	ND	ppm	Insecticide
Imazail	0.01	0.2	ND	ppm	Imidazole Fungicide
Metalaxyl	0.01	0.2	ND	ppm	Phenylamide Fungicide
Chlorantranilprole	0.01	0.2	ND	ppm	Insecticide
Phosmet	0.01	0.2	ND	ppm	Organophosphate Insecticide, Acaricide
Spiroxamine	0.01	0.4	ND	ppm	Morpholine Fungicide
Naled	0.01	0.5	ND	ppm	Organophosphate Insecticide, Acaricide
Methiocarb	0.01	0.2	ND	ppm	Carbamate Insecticide, Molluscicide, Bird repellent
Azoxystrobin	0.01	0.2	ND	ppm	Fungicide
Paclobutrazol	0.01	0.4	ND	ppm	Triazole Plant growth regulator; Fungicide
Malathion	0.01	0.2	ND	ppm	Organophosphate Insecticide, Acaricide
Myclobutanil	0.01	0.2	ND	ppm	Triazole Fungicide
Bifenazate	0.01	0.2	ND	ppm	Insecticide
Spirotetramat	0.02	0.2	ND	ppm	Tetramic acid Insecticide
Ethoprophos	0.01	0.2	ND	ppm	Insecticide, Nematicide
Fenoxycarb	0.01	0.2	ND	ppm	Carbamate Insecticide
Kresoxim-methyl	0.01	0.4	ND	ppm	Strobilurin Fungicide, Bactericide
Tebuconazole	0.01	0.4	ND	ppm	Triazole Fungicide
Diazanone	0.01	0.2	ND	ppm	Organophosphate Insecticide, Acaricide, Repellent



CAPSULES 50MG
CAPSULES 50MG
Matrix: N/A

proleve

po box 10531 tampa
fl, USA 33679
(727) 459-7085
barney@proleve.com



SAMPLE:DA90208007-006

METRC/Biotrack#N/A **Harvest/Lot ID: 10002**
Batch#: 10002, Sample Size: N/A -grams
Ordered: 02/08/19 Sampled:02/08/19
Completed: 02/14/19 Expires: 02/14/20
Sampling Method: SOP Client Method

Pesticides	LOQ	Action Level	Result	Units	Type
Propiconazole	0.00	0.00	ND	ppm	Triazole Fungicide
Clofentazine	0.01	0.2	ND	ppm	Tetrazine Acaricide
Spinosad (Spinosyn A)	0.01	0.2	ND	ppm	Insecticide
Prallethrin	0.05	0.2	ND	ppm	Synthetic pyrethroid Insecticide
Trifloxystrobin	0.01	0.2	ND	ppm	Strobilurin Fungicide
Piperonyl butoxide	0.01	3	ND	ppm	Cyclic aromatic; Performance enhancer, Synergist
Chlorpyrifos	0.01	0.2	ND	ppm	Organophosphate Insecticide
Hexythiazox	0.01	1	ND	ppm	Carboxamide Acaricide
Etoxazole	0.01	0.2	ND	ppm	Diphenyl oxazoline Acaricide
Spiromesfen	0.01	0.2	ND	ppm	Tetronic acid Insecticide
Pyrethrins (Pyrethrin I)	0.01	1	ND	ppm	Insecticide
Fenpyroximate	0.01	0.4	ND	ppm	Pyrazolium Acaricide, Insecticide
Pyridaben	0.01	0.2	ND	ppm	Pyridazinone Insecticide, Acaricide
Permethrins	0.05	0.2	ND	ppm	Pyrethroid Insecticide
Abamectin B1a	0.02	0.5	ND	ppm	Insecticide
Etofenprox	0.01	0.4	ND	ppm	Pyrethroid Insecticide
Bifenthrin	0.01	0.2	ND	ppm	Acaricide, Insecticide
Fludioxonil	0.01	0.4	ND	ppm	Phenylpyrrole Fungicide
Fipronil	0.02	0.4	ND	ppm	Phenylpyrazole Insecticide
Cypermethrin	0.02	1	ND	ppm	Pyrethroid Insecticide, Veterinary substance
Mevinphos	0.01	0.1	ND	ppm	Organophosphate Insecticide, Acaricide
Dimethomorph	0.01	0.1	ND	ppm	Morpholine Fungicide
Fenhexamid	0.01	0.1	ND	ppm	Hydroxanilide Fungicide
Coumaphos	0.01	0.2	ND	ppm	Insecticide
Spinosad (Spinosyn D)	0.01	0.2	ND	ppm	Insecticide



proleve

po box 10531 tampa
fl, USA 33679
(727) 459-7085
barney@proleve.com



SAMPLE:DA90208007-006

METRC/Biotrack# N/A **Harvest/Lot ID: 10002**
Batch#: 10002, Sample Size: N/A -grams
Ordered: 02/08/19 Sampled:02/08/19
Completed: 02/14/19 Expires: 02/14/20
Sampling Method: SOP Client Method

Residual solvent	Action Level(ppm)	Pass/Fail	Results(ppm)
Hexanes (2,3-dimethylbutane)	290	Pass	ND
1,4-Dioxane	380	Pass	ND
Pentanes (iso-pentane)	5000	Pass	ND
Pentanes (neo-pentane)	5000	Pass	ND
Butanes (iso-butane)	5000	Pass	ND
2-Butanol	5000	Pass	ND
2-Ethoxyethanol	160	Pass	ND
2-Propanol	5000	Pass	ND
Acetone	5000	Pass	ND
Acetonitrile	410	Pass	ND
Benzene	2	Pass	ND
Butanes (n-butane)	5000	Pass	ND
Cyclohexane	3880	Pass	ND
Dichloromethane	600	Pass	ND
Hexanes (2,2-dimethylbutane)	290	Pass	ND
Xylenes-O (1,2-dimethylbenzene)	2170	Pass	ND
Xylenes-M (1,3-dimethylbenzene)	2170	Pass	ND
Xylenes-P (1,4-dimethylbenzene)	2170	Pass	ND
Ethanol	5000	Pass	ND
Ethyl acetate	5000	Pass	ND
Ethylbenzene	2170	Pass	ND
Ethyl ether	5000	Pass	ND
Ethylene Oxide	50	Pass	ND
Heptane	5000	Pass	ND
n-Hexane	290	Pass	ND
Isopropyl acetate	5000	Pass	ND
Methanol	3000	Pass	ND
Hexanes (2-methylpentane)	290	Pass	ND
Hexanes (3-methylpentane)	290	Pass	ND
Pentanes (n-pentane)	5000	Pass	ND
Propane	5000	Pass	ND
Tetrahydrofuran	720	Pass	ND
Toluene	1068	Pass	ND
Xylenes	2170	Pass	ND



CAPSULES 50MG
CAPSULES 50MG
Matrix: N/A

proleve
po box 10531 tampa
fl, USA 33679
(727) 459-7085
barney@proleve.com



SAMPLE:DA90208007-006

METRC/Biotrack# N/A **Harvest/Lot ID: 10002**
Batch#: 10002, Sample Size: N/A -grams
Ordered: 02/08/19 Sampled:02/08/19
Completed: 02/14/19 Expires: 02/14/20
Sampling Method: SOP Client Method

Cannabinoid Profile Test Result-Analysis Method :SOP.T.40.020, SOP.T.30.050

Reagent LOT ID	Dilution
010219.R03	10
012319.R04	
012419.R03	
020819.R14	
021119.R02	

Analytical Batch:DA001536

Consumables Id

Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection (HPLC-UV). (Method: SOP.T.30.050 for sample prep and Shimadzu High Sensitivity Method SOP.T.40.020 for analysis. LOQ for all cannabinoids is 1 mg/L).

Filth and foreign Materials-Analysis Method :SOP.T.40.013

This includes but is not limited to hair, insects, feces, packaging contaminants, and manufacturing waste and by-products. An SH-28/T Stereo Microscope is use for inspection.

Mycotoxin Analysis-Analysis Method :SOP.T.30.065, SOP.T.40.065

Analytical Batch:DA001543

Analyte	Results	Action Level
Aflatoxin G2	ND	0.02
Aflatoxin G1	ND	0.02
Aflatoxin B2	ND	0.02
Aflatoxin B1	ND	0.02
Ochratoxin A+	ND	0.02

Aflatoxins B1, B2, G1, G2, and Ochratoxins A testing using LC-MS. (Method: SOP.T.30.065 for Sample Preparation and SOP.T40.065 Procedure for Mycotoxins Quantification Using LCMS. LOQ 1.0 ppb). Total Aflatoxins (Aflatoxin B1, B2, G1, G2) must be <20µg/Kg. Ochratoxins must be <20µg/Kg.

Micro Analysis-Analysis method :SOP.T.40.043

Analytical Batch: DA001526

Pathogens

Pathogens	Results
Aspergillus_terreus_1J2	not present in 1 gram.
Aspergillus_niger	not present in 1 gram.
Aspergillus_fumigatus	not present in 1 gram.
Aspergillus_flavus	not present in 1 gram.
Salmonella_specific_gene	not present in 1 gram.
Escherichia_coli_Shigella_spp_	not present in 1 gram.

Microbiological testing for Fungal and Bacterial Identification via Polymerase Chain Reaction (PCR) method consisting of sample DNA amplified via tandem Polymerase Chain Reaction (PCR) as a crude lysate which avoids purification. (Method SOP.T.40.043) If a pathogenic Escherichia Coli, Salmonella, Aspergillus fumigatus, Aspergillus flavus, Aspergillus niger, or Aspergillus terreus is detected in 1g of a sample, the sample fails the microbiological-impurity testing.

This report shall not be reproduced, unless in its entirety, without written approval from EVIO Labs. This report is an EVIO Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation.





CAPSULES 50MG
CAPSULES 50MG
Matrix: N/A

proleve

po box 10531 tampa
fl, USA 33679
(727) 459-7085
barney@proleve.com



SAMPLE:DA90208007-006

METRC/Biotrack#N/A **Harvest/Lot ID: 10002**
Batch#: 10002, Sample Size: N/A -grams
Ordered: 02/08/19 Sampled:02/08/19
Completed: 02/14/19 Expires: 02/14/20
Sampling Method: SOP Client Method

Pesticide Analysis-Analysis Method:SOP.T.30.065, SOP.T.40.065

Reagent LOT/ID	Dilution
021119.R03	1

Pesticide screen is performed using LC-MS which can screen down to below single digit ppb concentrations for regulated Pesticides. Currently we analyze for 57 Pesticides. (Method: SOP.T.30.065 Sample Preparation for Pesticides Analysis via LCMSMS and SOP.T40.065 Procedure for Pesticide Quantification Using LCMS).

Heavy Metals Analysis-Analysis-Method:SOP.T.40.050, SOP.T.30.052

Reagent LOT/ID	Dilution
112918.01	50
020519.R13	
020719.R13	
020819.R04	

Heavy Metals screening is performed using ICP-MS (Inductively Coupled Plasma – Mass Spectrometer) which can screen down to below single digit ppb concentrations for regulated heavy metals using Method SOP.T.30.052 Sample Preparation for Heavy Metals Analysis via ICP-MS and SOP.T.40.050 Heavy Metals Analysis via ICP-MS.

Metal	Result	Action-Level
Arsenic	ND	1.500
Cadmium	ND	0.500
Lead	ND	0.500
Mercury	ND	3

Abbreviation:ppm=Parts Per Million

Residual SolventsAnalysis Method:SOP.T.40.032

Residual solvents screening is performed using GC-MS which can detect below single digit ppm concentrations. Currently we analyze for 34 Residual solvents. (Method: SOP.T.30.042 Residual Solvents Analysis via GC-MS).

Analytical Batch :DA001515



4131 SW 47th AVENUE SUITE
1408
DAVIE, FL 33314
1-954-368-7664
info@eviolabsfl.com

Jorge Segredo
Lab Director

State License # n/a
ISO Accreditation #
97164

This report shall not be reproduced, unless in its entirety, without written approval from EVIO Labs. This report is an EVIO Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation.





CAPSULES 50MG
CAPSULES 50MG
Matrix: N/A

proleve

po box 10531 tampa
fl, USA 33679
(727) 459-7085
barney@proleve.com



SAMPLE:DA90208007-006

METRC/Biotrack#N/A **Harvest/Lot ID: 10002**
Batch#: 10002, Sample Size: N/A -grams
Ordered: 02/08/19 Sampled:02/08/19
Completed: 02/14/19 Expires: 02/14/20
Sampling Method: SOP Client Method

Pesticide Analysis-Analysis Method:SOP.T.30.065, SOP.T.40.065

Reagent LOT/ID	Dilution
021119.R03	1

Pesticide screen is performed using LC-MS which can screen down to below single digit ppb concentrations for regulated Pesticides. Currently we analyze for 57 Pesticides. (Method: SOP.T.30.065 Sample Preparation for Pesticides Analysis via LCMSMS and SOP.T40.065 Procedure for Pesticide Quantification Using LCMS).

Analytical Batch :DA001542

Consumables ID
A83449360

Heavy Metals Analysis-Analysis-Method:SOP.T.40.050, SOP.T.30.052

Reagent LOT/ID	Dilution
112918.01	50

020519.R13
020719.R13
020819.R04

Analytical Batch: DA001558

Consumables ID

Heavy Metals screening is performed using ICP-MS (Inductively Coupled Plasma – Mass Spectrometer) which can screen down to below single digit ppb concentrations for regulated heavy metals using Method SOP.T.30.052 Sample Preparation for Heavy Metals Analysis via ICP-MS and SOP.T.40.050 Heavy Metals Analysis via ICP-MS.

Metal	Result	Action-Level
Arsenic	ND	1.500
Cadmium	ND	0.500
Lead	ND	0.500
Mercury	ND	3

Abbreviation:ppm=Parts Per Million

Residual SolventsAnalysis Method:SOP.T.40.032

Residual solvents screening is performed using GC-MS which can detect below single digit ppm concentrations. Currently we analyze for 34 Residual solvents. (Method: SOP.T.30.042 Residual Solvents Analysis via GC-MS).

Analytical Batch :DA001515



4131 SW 47th AVENUE SUITE
1408
DAVIE, FL 33314
1-954-368-7664
info@eviolabsfl.com

Jorge Segredo
Lab Director

State License # n/a
ISO Accreditation #
97164

This report shall not be reproduced, unless in its entirety, without written approval from EVIO Labs. This report is an EVIO Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation.

