HEMP LABORATORY TEST

CERTIFICATE OF ANALYSIS



Hemp Analysis - Summary


Tested by high-performance liquid chromatography with ultraviolet detection (HPLC-UV).

TOTAL THC1

0.1382%²

CANNABINOID PROFILE

85.1639% Total CBD¹ **86.2685**% Total Cannabinoids³ **Terpenes** Not Tested



- 1) Total THC/CBD is calculated using the following formulas to take into account the loss of a carboxyl group during decarboxylation step: Total THC = Δ 9THC + (THCa (0.877)) and Total CBD = CBD + (CBDa (0.877)).
- 2) As defined by the 2018 Farm Bill, hemp must contain no more than 0.3% Total THC, defined as the concentration of delta-9 tetrahydrocannabinol (Δ-9-THC) post-decarboxylation see formula above.
- 3) Total Cannabinoids result reflects the absolute sum of all cannabinoids detected.

Additional Testing

Pass/Fail defined at action limits set by California Code of Regulations Title 16. Effective date: January 16, 2019. Authority: Section 26013, Business Professions Code. Reference: Sections 26100, 26104, and 26110, Business Professions Code.

RESIDUAL PESTICIDES

PASSED

RESIDUAL SOLVENTS

PASSED

HEAVY METALS PASSED

MICROBIAL IMPURITIES

PASSED

PH-20106-BS-1M

Tested for: Apothecary Rx

Address: 4920 Atlanta Highway Suite 132

Alpharetta, GA 30004

Batch #: 20106

Sample ID: Date 200423N004

Collected: Date 04/23/2020

Received: 04/23/2020

Final Approval

Danielle Deschene, LQC Verified By

Date: 04/27/2020

Josh Wurzer, President Date: 04/27/2020 These results relate only to the sample included on this report. This report shall not be reproduced except in full, without written approval of the laboratory. The uncertainty of measurement associated with the measurement result reported in this certificate is available from SC Laboratories upon request.

SC Laboratories, LLC 100 Pioneer Street, Suite E Santa Cruz, CA 95060 (866) 435-0709 | sclabs.com

Sample Name: PH-20106-BS-1M

LIMS Sample ID: 200423N004

Batch #:

Source METRC UID:

Sample Type: Concentrate, Product Inhalable

Batch Count:

Sample Count: 20.0 Unit(s)

Unit Mass: Serving Mass:

Density:

Moisture Test Results

Results (%)

Cannabinoid Test Results

04/24/2020

Cannabinoid analysis utilizing High Performance Liquid Chromatography (HPLC, QSP 5-4-4-4)

AOTUC	mg/g	% 0.1202	LOD / LOQ mg/g
Δ9THC	1.382	0.1382	0.052 / 0.158
Δ8THC	ND	ND	0.053 / 0.162
THCa	ND	ND	0.052 / 0.156
THCV	ND	ND	0.023 / 0.069
THCVa	ND	ND	0.091 / 0.276
CBD	851.639	85.1639	0.052 / 0.158
CBDa	ND	ND	0.052 / 0.156
CBDV	5.106	0.5106	0.021 / 0.063
CBDVa	ND	ND	0.037 / 0.111
CBG	0.662	0.0662	0.03 / 0.092
CBGa	ND	ND	0.044 / 0.133
CBL	2.295	0.2295	0.13 / 0.393
CBN	ND	ND	0.052 / 0.157
CBC	1.601	0.1601	0.031 / 0.094
CBCa	ND	ND	0.129 / 0.392
Sum of Cannabinoids:	862.685	86.2685	
Total THC (Δ9THC+0.877*THCa)	1.382	0.1382	
Total CBD (CBD+0.877*CBDa)	851.639	85.1639	

851.639 Action Limit mg

 Δ 9THC per Unit Δ 9THC per Serving

Batch Photo



Date Collected: 04/23/2020 Date Received: 04/23/2020 Tested for: Apothecary Rx

License #: Address:

Produced by:

License #: Address:

Terpene Test Results

Terpene analysis utilizing Gas Chromatography - Flame Ionization Detection (GC - FID)

Detection (GC - FID)		•	100 (100 /
	mg/g	%	LOD / LOQ mg/g
	NT		
Valencene	NT		
Menthol	NT		
	NT		
	NT		
Eucalyptol	NT		
	NT		
	NT		
	NT		
Myrcene	NT		
	NT		
	NT		
	NT NT		
Caryophyllene Oxide	NT		
	NT		
R-(+)-Pulegone	NT		
Geranyl Acetate	NT		

Sample Certification

California Code of Regulations Title 16 Effect Date January 16, 2019
Authority: Section 26013, Business and Professions Code.
Reference: Sections 26100, 26104 and 26110, Business and Professions Code.

Danielle Deschene, LQC Verified By Date: 04/27/2020

Josh Wurzer, President Date: 04/27/2020

Scan to verify at sclabs.com Sample must be marked as public to be viewable



SC Laboratories, LLC 100 Pioneer Street, Suite E Santa Cruz, CA 95060 (866) 435-0709 | sclabs.com

Sample Name: PH-20106-BS-1M

LIMS Sample ID: 200423N004

Batch #:

Source METRC UID:

Sample Type: Concentrate, Product Inhalable

Batch Count:

Sample Count: 20.0 Unit(s)

Unit Mass: Serving Mass: Density:

Date Collected: 04/23/2020 Date Received: 04/23/2020 Tested for: Apothecary Rx License #: Address: Produced by: License #:

Pesticide Test Results - Pass

04/25/2020

Pesticide and plant growth regulator analysis utilizing HPLC-Mass

Spectrometry

opecaromeary		Results (µg/g)	Action Limit µg/g	Reporting Limit µg/g
Azoxystrobin	Pass	ND	0.1	0.047
Etoxazole	Pass	ND	0.1	0.022
Abamectin	Pass	ND	0.1	0.091
Cypermethrin	Pass	ND	1.0	0.091
Imidacloprid	Pass	ND	5.0	0.050
Tebuconazole	Pass	ND	0.1	0.018
Hexythiazox	Pass	ND	0.1	0.027
Trifloxystrobin	Pass	0.026	0.1	0.020
Spiromesifen	Pass	ND	0.1	0.015
Chlorpyrifos	Pass	ND	ND	0.089
Bifenazate	Pass	ND	0.1	0.035
Boscalid	Pass	ND	0.1	0.023
Propiconazole	Pass	ND	0.1	0.013
Malathion	Pass	ND	0.5	0.019
Permethrin	Pass	ND	0.5	0.082
Myclobutanil	Pass	ND	0.1	0.044
Bifenthrin	Pass	ND	3.0	0.038
Piperonylbutoxide	Pass	ND	3.0	0.020

Mycotoxin Test Results

Mycotoxin analysis utilizing HPLC-Mass Spectrometry
Results (μg/kg) Action Limit μg/kg

LOD / LOQ µg/kg

Address:

Sample Certification

California Code of Regulations Title 16 Effect Date January 16, 2019
Authority: Section 26013, Business and Professions Code.
Reference: Sections 26100, 26104 and 26110, Business and Professions Code.

Danielle Deschene, LQC Verified By Date: 04/27/2020

Josh Wurzer, President

Date: 04/27/2020

Scan to verify at sclabs.com Sample must be marked as public to be viewable



SC Laboratories, LLC 100 Pioneer Street, Suite E Santa Cruz, CA 95060 (866) 435-0709 | sclabs.com

Sample Name: PH-20106-BS-1M

LIMS Sample ID: 200423N004

Batch #:

Source METRC UID:

Sample Type:

Concentrate, Product Inhalable

Batch Count:

Sample Count: 20.0 Unit(s)

Unit Mass: Serving Mass:

Density:

Residual Solvent Test Results - Pass

04/24/2020

04/26/2020

Action Limit

ND

ND

Residual Solvent analysis utilizing Gas Chromatography - Mass Spectrometry (GC - MS)

opecaronneary (or	3 1113)	Results (µg/g)	Action Limit µg/g	LOD / LOQ µq/q
1,2-Dichloroethane	Pass	ND	1.0	0.111 / 0.336
Benzene	Pass	ND	1.0	0.043 / 0.132
Chloroform	Pass	ND	1.0	0.064 / 0.195
Ethylene Oxide	Pass	ND	1.0	0.136 / 0.413
Methylene chloride	Pass	ND	1.0	0.172 / 0.521
Trichloroethylene	Pass	ND	1.0	0.040 / 0.120
Acetone	Pass	ND	5000.0	14.703 / <mark>44</mark> .549
Acetonitrile	Pass	ND	410.0	2.727 / 8.262
Butane	Pass	ND	5000.0	5.672 / 17.185
Ethanol	Pass	ND	5000.0	11.775 / 35.679
Ethyl acetate	Pass	ND	5000.0	16.227 / 49.169
Ethyl ether	Pass	ND	5000.0	11.608 / 35.172
Heptane	Pass	ND	5000.0	12.982 / 39.336
Hexane	Pass	ND	290.0	1.816 / 5.502
Isopropyl Alcohol	Pass	ND	5000.0	15.358 / 46.536
Methanol	Pass	ND	3000.0	15.584 / 47.220
Pentane	Pass	ND	5000.0	12.355 / 37.434
Propane	Pass	ND	5000.0	1.359 / 4.117
Toluene	Pass	ND	890.0	7.174 / 21.736
Total Xylenes	Pass	ND	2170.0	34.438 / 104.347

Microbiological Test Results - Pass

PCR and fluorescence detection of microbiological impurities

Resúlts
Shiga toxin-producing Escherichia coli Pass ND
Salmonella spp. Pass ND
Aspergillus fumigatus NT
Aspergillus flavus NT
Aspergillus niger

3M Petrifilm and plate counts for microbiological contamination Results (cfu/g)

Aerobic Plate Count ND

Total Yeast and Mold ND

Foreign Material Test Results

NT

Date Collected: 04/23/2020
Date Received: 04/23/2020
Tested for: Apothecary Rx

License #:
Address:

Produced by:

License #:

Address:

Water Activity Test Results

Results (Aw) Action Limit Aw

Heavy Metal Test Results - Pass

04/24/2020

Heavy metal analysis utilizing Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

		Results (µg/g)	Action Limit µg/g	LOD / LOQ µg/g
Cadmium	Pass	ND	0.2	0.012 / 0.035
Lead	Pass	ND	0.5	0.031 / 0.095
Arsenic	Pass	ND	0.2	0.013 / 0.039
Mercury	Pass	ND	0.1	0.002 / 0.005

Posulte (um/m) Astion Limit um/m

Note

Sample Certification

California Code of Regulations Title 16 Effect Date January 16, 2019
Authority: Section 26013, Business and Professions Code.
Reference: Sections 26100, 26104 and 26110, Business and Professions Code.

Danielle Deschene, LQC Verified By Date: 04/27/2020

Josh Wurzer, President Date: 04/27/2020

Scan to verify at sclabs.com Sample must be marked as public to be viewable