



Certificate of Analysis Summary

Laboratory Certificate: Nova Analytic Labs		
Manufacturing Date: 5/21	Best By Date: 11/22	PAO: 12 months
Lab Analysis Date: 5/21	Batch # PD0044	Hemp License State: Maine
All results collected in accordance with the requirements of ISO/IEC 17025:2017.		

Brand	Bonne et Filou
Product Name	CBD Pet Drops
Product Type	Tincture
Flavor	Filet Mignon
Total CBD	600 mg
CBD per Serving	20 mg/ml
Size	30 ml (1 fl oz)

Cannabinoid Analysis	Results	Notes
Total THC*	0.073%	PASS
Total CBD	639 mg	PASS


* Under 0.3% in Dry weight basis measurement for Federal Compliancy

CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

600 SERIES (TINCTURE) // PRODUCED: MAY 26, 2021

CLIENT: PROSPECT FARMS // BATCH: PASSED AS MAINE INDUSTRIAL HEMP



MATRIX: TINCTURE
DENSITY: 0.923 g/ml
SAMPLE ID: NAL-210524-009
COLLECTED ON: MAY 24, 2021
RECEIVED ON: MAY 24, 2021
SAMPLE SIZE: 30 ML
SERVING SIZE: 0.923 G

CANNABINOID OVERVIEW

Δ⁹-THC PER SERVING: 0.67 mg
CBD PER SERVING: 21.3 mg
TOTAL CANNABINOIDS: 23.31 mg

CULTIVATOR INFO

CULTIVATOR
PROSPECT FARMS INDUSTRIAL HEMP GROUP, LLC
6 PARTRIDGE ROAD
PROSPECT, MAINE 04915
(44.5423967, -68.8806647)

LICENSE
1472
INDUSTRIAL HEMP

MANUFACTURER INFO

MANUFACTURER
PROSPECT FARMS INDUSTRIAL HEMP GROUP, LLC
6 PARTRIDGE ROAD
PROSPECT, MAINE 04915

LICENSE
1472
INDUSTRIAL HEMP

BATCH RESULT: PASSED AS MAINE INDUSTRIAL HEMP

POTENCY PASS

CAN. 1: POTENCY & CANNABINOID PROFILE BY HPLC-UV PREPARATION: MAY 25, 2021 // ANALYSIS: MAY 26, 2021

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (mg/ml)	PASS/FAIL
CBC	0.143 %	1.32 mg/ml		0.0997/0.500	N/A
CBCA	ND	ND		0.0997/0.500	N/A
CBD	2.31 %	21.3 mg/ml		0.0997/0.500	N/A
CBDA	ND	ND		0.0997/0.500	N/A
CBDV	< LOQ	< LOQ		0.0997/0.500	N/A
CBDVA	ND	ND		0.0997/0.500	N/A
CBG	< LOQ	< LOQ		0.0997/0.500	N/A
CBGA	ND	ND		0.0997/0.500	N/A
CBL	ND	ND		0.0997/0.500	N/A
CBLA	ND	ND		0.0997/0.500	N/A
CBN	ND	ND		0.0997/0.500	N/A
CBNA	ND	ND		0.0997/0.500	N/A

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (mg/ml)	PASS/FAIL
Δ ⁸ -THC		ND	ND	0.0997/0.500	N/A
Δ ⁹ -THC	0.0727 %	0.671 mg/ml		0.0997/0.500	N/A
Δ ¹⁰ -THC		ND	ND	0.0997/0.500	N/A
EXO-THC		ND	ND	0.0997/0.500	N/A
THCA		ND	ND	0.0997/0.500	N/A
THCV		ND	ND	0.0997/0.500	N/A
THCVA		ND	ND	0.0997/0.500	N/A
TOTAL THC **	0.0727 %	0.671 mg/ml			N/A
TOTAL CBD **	2.31 %	21.3 mg/ml			N/A
CBD/SRV		21.3 mg			N/A
Δ ⁹ -THC/SRV		0.670 mg			PASS

** TOTAL THC = (THCA X 0.877) + THC

** TOTAL CBD = (CBDA X 0.877) + CBD

Reported on an as received basis

1000 µg/g = 1 mg/g



RESULTS CERTIFIED BY:
BARRY CHAFFIN
COO, NOVA ANALYTIC LABS
MAY 26, 2021

RESULTS CERTIFIED BY:
GREG NEWLAND
CSO, NOVA ANALYTIC LABS
MAY 26, 2021

RESULTS CERTIFIED BY:
CHRIS ALTOMARE
CEO, NOVA ANALYTIC LABS
MAY 26, 2021

https://lims.tagleaf.com/coa_r5VajaOSvU

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OMP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED.

END OF REPORT