




# Dope Vape Cartridge .5g

<b>Sample ID:</b> 2005CCT1624.4101	<b>Produced:</b>	<b>Client</b>	
<b>Strain:</b> Dope Vape Cartridge .5g	<b>Collected:</b> 05/26/2020	<b>DOPE</b>	<b>CCTL-RD-3400 3401 3402 3403 3404</b>
<b>Matrix:</b> Concentrates & Extracts	<b>Received:</b> 05/26/2020	<b>Lic. #</b>	<b>3405 3406 3407 3408 3409</b>
<b>Type:</b> Distillate	<b>Completed:</b> 05/28/2020	<b>454 N Fairfax Ave,</b>	
<b>Sample Size:</b> 2 units; Batch:	<b>Batch#:</b> CCTL-RD-3400	<b>Los Angeles, CA 90036</b>	




## Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	05/27/2020	Complete
Residual Solvents	05/28/2020	Complete
Microbials	05/28/2020	Complete
Mycotoxins	05/28/2020	Complete
Pesticides	05/28/2020	Pass
Heavy Metals	05/28/2020	Complete
Foreign Matter	05/28/2020	Complete

## Cannabinoids

Complete



Analyte	LOQ	LOD	Result	Result
	%	%	%	mg/g
THCa	0.0054	0.0018	ND	ND
Δ9-THC	0.0070	0.0023	0.051	0.51
Δ8-THC	0.0064	0.0021	0.073	0.73
THCV	0.0062	0.0021	0.121	1.21
CBDa	0.0054	0.0018	ND	ND
CBD	0.0062	0.0021	46.268	462.68
CBDV	0.0066	0.0022	0.173	1.73
CBN	0.0058	0.0019	ND	ND
CBGa	0.0066	0.0022	ND	ND
CBG	0.0061	0.0020	ND	ND
CBC	0.0068	0.0022	0.273	2.73
<b>Total THC</b>			<b>0.051</b>	<b>0.51</b>
<b>Total CBD</b>			<b>46.268</b>	<b>462.68</b>
<b>Total</b>			<b>46.960</b>	<b>469.60</b>

Total THC = THCa \* 0.877 + Δ9-THC; Total CBD = CBDa \* 0.877 + CBD; LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Instrument: HPLC UV-DAD; Method: CCTL-PM002.

<b>Not Required</b> Moisture Content Moisture Analyzer	<b>Not Required</b> Water Activity Rotronic AwTherm	<b>Complete</b> Foreign Matter Intertek Magnifier Lamp
--------------------------------------------------------------	-----------------------------------------------------------	--------------------------------------------------------------



*S. M. Anigeri*

Satish Anigeri  
Scientific Director  
05/28/2020

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com





# Dope Vape Cartridge .5g

<b>Sample ID:</b> 2005CCT1624.4101	<b>Produced:</b>	<b>Client</b>
<b>Strain:</b> Dope Vape Cartridge .5g	<b>Collected:</b> 05/26/2020	<b>DOPE</b>
<b>Matrix:</b> Concentrates & Extracts	<b>Received:</b> 05/26/2020	<b>CCTL-RD-3400 3401 3402 3403 3404</b>
<b>Type:</b> Distillate	<b>Completed:</b> 05/28/2020	<b>3405 3406 3407 3408 3409</b>
<b>Sample Size:</b> 2 units; Batch:	<b>Batch#:</b> CCTL-RD-3400	<b>454 N Fairfax Ave,</b>
		<b>Los Angeles, CA 90036</b>

## Pesticides

Pass

Analyte	LOD	LOQ	Limit	Mass	Status	Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.04	0.078	0.1	NR	NT	Fludioxonil	0.02	0.078	0.1	NR	NT
Acephate	0.005	0.078	0.1	NR	NT	Hexythiazox	0.005	0.078	0.1	NR	NT
Acequinocyl	0.04	0.078	0.1	NR	NT	Imazalil	0.005	0.078	0.005	NR	NT
Acetamiprid	0.005	0.078	0.1	NR	NT	Imidacloprid	0.005	0.078	5	NR	NT
Aldicarb	0.005	0.078	0.005	NR	NT	Kresoxim Methyl	0.005	0.078	0.1	NR	NT
Azoxystrobin	0.02	0.078	0.1	NR	NT	Malathion	0.039	0.078	0.5	NR	NT
Bifenazate	0.005	0.078	0.1	NR	NT	Metalaxyl	0.005	0.078	2	NR	NT
Bifenthrin	0.01	0.078	3	NR	NT	Methiocarb	0.005	0.078	0.005	NR	NT
Boscalid	0.005	0.078	0.1	NR	NT	Methomyl	0.005	0.078	1	NR	NT
Captan	0.3	0.4	0.7	NR	NT	Mevinphos	0.005	0.078	0.005	NR	NT
Carbaryl	0.005	0.078	0.5	NR	NT	Myclobutanil	0.005	0.078	0.1	NR	NT
Carbofuran	0.005	0.078	0.005	NR	NT	Naled	0.005	0.078	0.1	NR	NT
Chlorantraniliprole	0.005	0.078	10	NR	NT	Oxamyl	0.005	0.078	0.5	NR	NT
Chlordane	0.005	0.078	0.005	NR	NT	Paclobutrazol	0.005	0.078	0.005	NR	NT
Chlorfenapyr	0.01	0.078	0.01	NR	NT	Parathion Methyl	0.02	0.078	0.02	NR	NT
Chlorpyrifos	0.02	0.078	0.02	NR	NT	Pentachloronitrobenzene	0.005	0.078	0.1	NR	NT
Clofentazine	0.005	0.078	0.1	NR	NT	Permethrin	0.02	0.078	0.5	NR	NT
Coumaphos	0.01	0.078	0.01	NR	NT	Phosmet	0.005	0.078	0.1	NR	NT
Cyfluthrin	0.3	0.6	2	NR	NT	Piperonyl Butoxide	0.005	0.078	3	NR	NT
Cypermethrin	0.15	0.3	1	NR	NT	Prallethrin	0.03	0.078	0.1	NR	NT
Daminozide	0.036	0.078	0.036	NR	NT	Propiconazole	0.005	0.078	0.1	NR	NT
Diazinon	0.005	0.078	0.1	NR	NT	Propoxur	0.005	0.078	0.005	NR	NT
Dichlorvos	0.039	0.078	0.039	NR	NT	Pyrethrins	0.05	0.1	0.5	ND	Pass
Dimethoate	0.005	0.078	0.005	NR	NT	Pyridaben	0.005	0.078	0.1	NR	NT
Dimethomorph	0.078	0.313	2	NR	NT	Spinetoram	0.005	0.078	0.1	NR	NT
Ethoprophos	0.005	0.078	0.005	NR	NT	Spinosad	0.005	0.078	0.1	ND	Pass
Etofenprox	0.005	0.078	0.005	NR	NT	Spiromesifen	0.005	0.078	0.1	NR	NT
Etoxazole	0.005	0.078	0.1	NR	NT	Spirotetramat	0.005	0.078	0.1	NR	NT
Fenhexamid	0.015	0.078	0.1	NR	NT	Spiroxamine	0.005	0.078	0.005	NR	NT
Fenoxycarb	0.005	0.078	0.005	NR	NT	Tebuconazole	0.005	0.078	0.1	NR	NT
Fenpyroximate	0.005	0.078	0.1	NR	NT	Thiacloprid	0.005	0.078	0.005	NR	NT
Fipronil	0.005	0.078	0.005	NR	NT	Thiamethoxam	0.005	0.078	5	NR	NT
Flonicamid	0.005	0.078	0.1	NR	NT	Trifloxystrobin	0.005	0.078	0.1	NR	NT

Date Tested: 05/28/2020

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Instrument: LC/MS, GC/MS; Method: CCTL-PM020 (LC/MS), CCTL-PM030 (GC/MS).



*P. M. Anigeri*

Satish Anigeri  
Scientific Director  
05/28/2020

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com





## Dope Vape Cartridge .5g

<b>Sample ID:</b> 2005CCT1624.4101	<b>Produced:</b>	<b>Client</b>	
<b>Strain:</b> Dope Vape Cartridge .5g	<b>Collected:</b> 05/26/2020	<b>DOPE</b>	<b>CCTL-RD-3400 3401 3402 3403 3404</b>
<b>Matrix:</b> Concentrates & Extracts	<b>Received:</b> 05/26/2020	<b>Lic. #</b>	<b>3405 3406 3407 3408 3409</b>
<b>Type:</b> Distillate	<b>Completed:</b> 05/28/2020	<b>454 N Fairfax Ave,</b>	
<b>Sample Size:</b> 2 units; Batch:	<b>Batch#:</b> CCTL-RD-3400	<b>Los Angeles, CA 90036</b>	

### Microbials

Complete

Analyte	Result	Status
Aspergillus flavus	NR	NT
Aspergillus fumigatus	NR	NT
Aspergillus niger	NR	NT
Aspergillus terreus	NR	NT
Shiga toxin-producing E. Coli	NR	NT
Salmonella SPP	NR	NT

Date Tested: 05/28/2020

TNTC = Too Numerous to Count; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Instrument: qPCR; Method: CCTL-QC-0010, CCTL-QC-0011, CCTL-QC-0012.

### Mycotoxins

Complete

Analyte	LOD	LOQ	Limit	Units	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
B1	0.0049	0.0098	20	NR	NT
B2	0.0049	0.0098	20	NR	NT
G1	0.0049	0.0098	20	NR	NT
G2	0.0049	0.0098	20	NR	NT
Total Aflatoxins	0.0049	0.0098	20	NR	NT
Ochratoxin A	0.0049	0.039	20	NR	NT

Date Tested: 05/28/2020

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Instrument: LC/MS; Method: CCTL-PM020.

### Heavy Metals

Complete

Analyte	LOD	LOQ	Limit	Units	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.0000218	0.00006606	0.2	NR	NT
Cadmium	0.000008009	0.00002427	0.2	NR	NT
Lead	0.000004141	0.00001255	0.5	NR	NT
Mercury	0.000002323	0.00000704	0.1	NR	NT

Date Tested: 05/28/2020

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Instrument: ICP-MS; Method: CCTL-PM005.



*S. M. Anigeri*

Satish Anigeri  
Scientific Director  
05/28/2020

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com





## Dope Vape Cartridge .5g

<b>Sample ID:</b> 2005CCT1624.4101	<b>Produced:</b>	<b>Client</b>	
<b>Strain:</b> Dope Vape Cartridge .5g	<b>Collected:</b> 05/26/2020	<b>DOPE</b>	<b>CCTL-RD-3400 3401 3402 3403 3404</b>
<b>Matrix:</b> Concentrates & Extracts	<b>Received:</b> 05/26/2020	<b>Lic. #</b>	<b>3405 3406 3407 3408 3409</b>
<b>Type:</b> Distillate	<b>Completed:</b> 05/28/2020	<b>454 N Fairfax Ave,</b>	
<b>Sample Size:</b> 2 units; Batch:	<b>Batch#:</b> CCTL-RD-3400	<b>Los Angeles, CA 90036</b>	

### Residual Solvents

Complete

Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	0.05	0.1	1	NR	NT
Acetone	0.1	0.2	5000	NR	NT
Acetonitrile	0.1	0.2	410	NR	NT
Benzene	0.05	0.1	1	NR	NT
Butane	0.25	0.625	5000	NR	NT
Chloroform	0.125	0.25	1	NR	NT
Ethanol	0.1	0.2	5000	NR	NT
Ethyl-Acetate	0.1	0.2	5000	NR	NT
Ethyl-Ether	0.1	0.2	5000	NR	NT
Ethylene Oxide	0.1	0.2	1	NR	NT
Heptane	0.25	0.625	5000	NR	NT
Isopropanol	0.1	0.2	5000	NR	NT
Methanol	0.1	0.2	3000	NR	NT
Methylene-Chloride	0.125	0.25	1	NR	NT
n-Hexane	0.125	0.25	290	NR	NT
Pentane	0.25	0.625	5000	NR	NT
Propane	1	5	5000	NR	NT
Toluene	1	5	890	NR	NT
Trichloroethene	0.05	0.1	1	NR	NT
Xylenes	0.25	0.625	2170	NR	NT

Date Tested: 05/28/2020

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Instrument: GC; Method: CCTL-PM010.



*P. M. Anz*

Satish Annigeri  
Scientific Director  
05/28/2020

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com

