

Dixie Kicks - Mango Citrus

Cannabinoid Concentration

Test Date: 12/04/2018

Analysis	Method	MDL Specification	Result	Units
CBD	HPLC	1.685 Report	3.85	mg/unit
CBDA	HPLC	1.685 Report	ND	mg/unit
Δ9-THC	HPLC	1.685 Report	ND	mg/unit
THCA	HPLC	1.685 Report	ND	mg/unit
Δ8-THC	HPLC	1.685 Report	ND	mg/unit
THCV	HPLC	1.685 Report	ND	mg/unit
CBDV	HPLC	1.685 Report	ND	mg/unit
CBDVA	HPLC	1.685 Report	ND	mg/unit
CBGA	HPLC	1.685 Report	ND	mg/unit
CBG	HPLC	1.685 Report	ND	mg/unit
CBC	HPLC	1.685 Report	ND	mg/unit
CBL	HPLC	1.685 Report	ND	mg/unit

1 Unit = 1 Chew (4.53 grams)

ND = None Detected

Total CBD = CBD + (CBDA*0.877)

Total THC = Δ9-THC

3.85 % Total CBD

Complete Micro

Test Date: 12/4/2018

Analysis	Method	MDL Specification	Result	Units
Total Plate Count	USP <2021>	100 Report	<100	cfu/g
Total Coliforms	BAM CH.4	10 Report	<10	cfu/g
E. Coli	USP <2022>	Report	Negative	
Salmonella	USP <2022>	Report	Negative	
Staph. aureus	USP <2022>	Report	Negative	
Yeast & Mold	USP <2021>	100 report	<100	cf/g

ND = None Detected

Specifications provided by the Customer. Results with an asterisk (*) denote Specifications should be reviewed by the Customer. This Certificate of Analysis represents data for the sample submitted and does not constitute a guarantee of quality for the entire product from which it was taken. These results are provided for the benefit of the Customer. MDL = Machine Detection Limit.

CERTIFICATE OF ANALYSIS

LOT#: C5D36100317

HempMedsp.com

13831 Danielson Street, Poway, CA 92064 • info@hempmeds.com • +1 866-273-8502

Page 1 of 2

Dixie Kicks - Mango Citrus

Heavy Metals

Test Date: 12/04/2018

Analysis	Method	MDL Specification	Result	Units
Arsenic	USP <2232>	0.001 Report	0.052	ppm
Cadmium	USP <2232>	0.001 Report	0.001	ppm
Lead	USP <2232>	0.001 Report	0.005	ppm
Mercury	USP <2232>	0.001 Report	0.001	ppm

END REPORT

Specifications provided by the Customer. Results with an asterisk (*) denote Specifications should be reviewed by the Customer. This Certificate of Analysis represents data for the sample submitted and does not constitute a guarantee of quality for the entire product from which it was taken. These results are provided for the benefit of the Customer. MDL = Machine Detection Limit.

CERTIFICATE OF ANALYSIS

LOT#: C5D36100317