

Certificate of Analysis

Produced: Feb 25, 2026

Sample: CBD FX - Tincture - Ultimate Chill 1500mg (Tincture) • Client: CBDfx • Batch: Pass



Batch No.: 126UC1K
 Matrix: Tincture
 Density: 0.93 g/ml
 Sample ID: ICC-260218-27-002
 Collected on: Feb 18, 2026
 Received on: Feb 18, 2026
 Sample Size:
 Package Size: 30.64 g

Batch Result: **Pass**

Potency	Tested	Mycotoxins	Pass
Solvents	Pass	Pesticides	Pass
Metals	Pass	Foreign	Pass
Microbial	Pass		

Cannabinoid Overview

Total THC:	87.0 mg/pkg
Total CBD:	1490 mg/pkg
Total Cannabinoids:	1690 mg/pkg
Sum of Cannabinoids:	1690 mg/pkg

POT-INST-005: POT-INST-005: Potency • Feb 20, 2026 14:54:00 PST

Analyte	Amt (mg/pkg)	Amt (%)	Amt (mg/ml)	LOD/LOQ (mg/ml)	Pass/Fail	Analyte	Amt (mg/pkg)	Amt (%)	Amt (mg/ml)	LOD/LOQ (mg/ml)	Pass/Fail
CBC	36.5	0.119	1.11	0.114/0.343	N/A	CBT	22.6	0.0736	0.684	0.0497/0.174	N/A
CBD	1490	4.86	45.2	0.0350/0.174	N/A	Δ ⁸ -THC	ND	ND	ND	0.0281/0.174	N/A
CBDA	ND	ND	ND	0.0837/0.251	N/A	Δ ⁹ -THC	87.0	0.284	2.64	0.0463/0.174	N/A
CBDV	12.8	0.0418	0.389	0.0277/0.174	N/A	THCA	ND	ND	ND	0.0637/0.191	N/A
CBG	32.5	0.106	0.986	0.0395/0.174	N/A	THCV	ND	ND	ND	0.0214/0.174	N/A
CBGA	ND	ND	ND	0.0617/0.185	N/A	Total THC**	87.0	0.284	2.64		N/A
CBL	ND	ND	ND	0.0273/0.174	N/A	Total CBD**	1490	4.86	45.2		N/A
CBN	6.86	0.0224	0.208	0.0395/0.174	N/A	Total Cannabinoids**	1690	5.51	51.2		N/A

** Total Cannabinoids = Neutral Cannabinoids + (Acidic Cannabinoids * 0.877)

** Total THC = Delta-10-THC + Delta-8-THC + (Delta-8-THCA x 0.877) + Delta-9-THC + THC-O-acetate + (THCA x 0.877)

** Total CBD = CBD + (CBDA x 0.877)

NR= Not Reported, ND= Not Detected, *Reported by Dry Mass*; *analytical instrumentation used Cannabinoids: UHPLC-DAD, Moisture: Mass by Drying, Water Activity: Water Activity Meter, Foreign: Microscope*

*Density tested at a temperature range between 19-24 °C, *Water Activity tested at a humidity range between 0-90% Relative Humidity. All OA samples are sampled by the client, All California State Compliant samples sampled using SAMPL-SOP-001.



RS-INST-003, RS-PREP-001: RS-INST-003, RS-PREP-001: Residual Solvents by GC-MS • Feb 25, 2026 13:10:00 PST

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
1,2-Dichloroethane	1	ND	0.167/0.510	Pass	Hexane	290	ND	0.0661/0.281	Pass
Acetone	5000	ND	17.1/51.3	Pass	Isopropyl alcohol	5000	ND	1.28/3.84	Pass
Acetonitrile	410	ND	0.120/0.359	Pass	Methanol	3000	ND	2.98/8.93	Pass
Benzene	1	ND	0.0210/0.0640	Pass	Methylene chloride	1	ND	0.127/0.730	Pass
Butane	5000	ND	0.972/4.85	Pass	Pentane	5000	ND	0.963/4.28	Pass
Chloroform	1	ND	0.0360/0.108	Pass	Propane	5000	ND	4.44/13.3	Pass
Ethanol	5000	ND	2.62/7.85	Pass	Toluene	890	ND	0.0881/0.865	Pass
Ethyl acetate	5000	5.23	0.313/2.29	Pass	Trichloroethylene	1	ND	0.0180/0.145	Pass
Ethylene oxide	1	ND	0.153/0.580	Pass	o-Xylene		ND	0.101/0.858	N/A
Ethyl ether	5000	ND	1.18/3.55	Pass	p- and m-Xylene		ND	0.116/1.72	N/A
Heptane	5000	ND	0.688/2.86	Pass	Total xylenes	2170	ND	0.101/0.859	Pass

HM-INST-003, HM-PREP-001: HM-INST-003, HM-PREP-001: Heavy Metals Testing by ICP-MS • Feb 24, 2026 14:37:00 PST

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Arsenic	1.5	ND	0.00300/0.00900	Pass	Lead	0.5	ND	0.00100/0.00400	Pass
Cadmium	0.5	ND	0.00100/0.00200	Pass	Mercury	3	ND	0.00500/0.0140	Pass

MICRO-008, MICRO-INST-001, MICRO-PREP-001: MICRO-008, MICRO-INST-001, MICRO-PREP-001: PCR-Microbial (noninhalable) • Feb 25, 2026 13:00:00 PST

Analyte	Limit	Amt	Pass/Fail	Analyte	Limit	Amt	Pass/Fail
Salmonella spp.	Any amt in 1 gram	ND	Pass	Shiga toxin-producing E. coli	Any amt in 1 gram	ND	Pass

PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Mycotoxin Analysis by LC-MS/MS • Feb 25, 2026 14:52:00 PST

Analyte	Limit (µg/kg)	Amt (µg/kg)	LOD/LOQ (µg/kg)	Pass/Fail	Analyte	Limit (µg/kg)	Amt (µg/kg)	LOD/LOQ (µg/kg)	Pass/Fail
Aflatoxin B1		ND	2.05/6.20	N/A	Aflatoxin G2		ND	1.02/5.00	N/A
Aflatoxin B2		ND	1.63/5.00	N/A	Aflatoxins	20	ND		Pass
Aflatoxin G1		ND	1.77/5.38	N/A	Ochratoxin A	20	ND	5.42/16.4	Pass

PEST-GC-INST-003, PEST-GC-PREP-001: PEST-GC-INST-003, PEST-GC-PREP-001: Pesticide Analysis by GC-MS/MS • Feb 25, 2026 20:40:00 PST

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Captan	5	ND	0.120/0.358	Pass	Cypermethrin	1	ND	0.0145/0.0435	Pass
Chlordane	Any amt	ND	0.0249/0.0747	Pass	Methyl parathion	Any amt	ND	0.00811/0.0243	Pass
Chlorfenapyr	Any amt	ND	0.0251/0.0753	Pass	Pentachloronitrobenzene	0.2	ND	0.0182/0.0545	Pass
Cyfluthrin	1	ND	0.0186/0.0558	Pass					




DM

Erik Paulson

PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Pesticide Analysis by LC-MS/MS • Feb 25, 2026 14:53:00 PST

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Abamectin	0.3	ND	0.0500/0.100	Pass	Methiocarb	Any amt	ND	0.00542/0.0300	Pass
Abamectin Ba		ND	0.0330/0.0990	N/A	Methomyl	0.1	ND	0.00645/0.0300	Pass
Acephate	5	ND	0.0209/0.0635	Pass	Mevinphos	Any amt	ND	0.0105/0.0319	Pass
Acequinocyl	4	ND	0.0115/0.0347	Pass	Myclobutanil	9	ND	0.00735/0.0300	Pass
Acetamiprid	5	ND	0.00581/0.0300	Pass	Naled	0.5	ND	0.00459/0.0300	Pass
Aldicarb	Any amt	ND	0.00935/0.0300	Pass	Oxamyl	0.2	ND	0.00850/0.0300	Pass
Azoxystrobin	40	ND	0.00322/0.0300	Pass	Pacllobutrazol	Any amt	ND	0.00577/0.0300	Pass
Bifenazate	5	ND	0.00473/0.0300	Pass	Permethrin	20	ND	0.00178/0.0300	Pass
Bifenthrin	0.5	ND	0.00583/0.0300	Pass	Permethrin cis		ND	0.0200/0.0300	N/A
Boscalid	10	ND	0.00747/0.0300	Pass	Permethrin trans		ND	0.0200/0.0300	N/A
Carbaryl	0.5	ND	0.00404/0.0300	Pass	Phosmet	0.2	ND	0.00527/0.0300	Pass
Carbofuran	Any amt	ND	0.00239/0.0300	Pass	Piperonylbutoxide	8	ND	0.00635/0.0300	Pass
Chlorantraniliprole	40	ND	0.00563/0.0300	Pass	Prallethrin	0.4	ND	0.0180/0.0546	Pass
Chlorpyrifos	Any amt	ND	0.00807/0.0300	Pass	Propiconazole	20	ND	0.0124/0.0375	Pass
Clofentezine	0.5	ND	0.00464/0.0300	Pass	Propoxur	Any amt	ND	0.00524/0.0300	Pass
Coumaphos	Any amt	ND	0.00463/0.0300	Pass	Pyrethrins	1	ND	0.00192/0.0300	Pass
Daminozide	Any amt	ND	0.0107/0.0325	Pass	Pyrethrins Cinerin I		ND		N/A
Diazinon	0.2	ND	0.00926/0.0300	Pass	Pyrethrins Cinerin II		ND		N/A
Dichlorvos	Any amt	ND	0.00728/0.0300	Pass	Pyrethrins Jasmolin I		ND		N/A
Dimethoate	Any amt	ND	0.00650/0.0300	Pass	Pyrethrins Jasmolin II		ND		N/A
Dimethomorph	20	ND	0.00871/0.0300	Pass	Pyrethrins Pyrethrin I		ND	0.0100/0.0450	N/A
Ethoprophos	Any amt	ND	0.00391/0.0300	Pass	Pyrethrins Pyrethrin II		ND	0.0100/0.0300	N/A
Etofenprox	Any amt	ND	0.00550/0.0300	Pass	Pyridaben	3	ND	0.00547/0.0300	Pass
Etoxazole	1.5	ND	0.00349/0.0300	Pass	Spinetoram	3	ND	0.00295/0.0300	Pass
Fenhexamid	10	ND	0.00833/0.0300	Pass	Spinetoram J		ND	0.00500/0.0100	N/A
Fenoxycarb	Any amt	ND	0.00572/0.0300	Pass	Spinetoram L		ND	0.00500/0.0100	N/A
Fenpyroximate	2	ND	0.00549/0.0300	Pass	Spinosad	3	ND	0.00275/0.0300	Pass
Fipronil	Any amt	ND	0.00771/0.0300	Pass	Spinosad A		ND	0.00500/0.0100	N/A
Fonicamid	2	ND	0.0151/0.0458	Pass	Spinosad D		ND	0.00500/0.0100	N/A
Fludioxonil	30	ND	0.0158/0.0478	Pass	Spiromesifen	12	ND	0.00540/0.0300	Pass
Hexythiazox	2	ND	0.0102/0.0308	Pass	Spirotetramat	13	ND	0.00648/0.0300	Pass
Imazalil	Any amt	ND	0.00863/0.0300	Pass	Spiroxamine	Any amt	ND	0.00264/0.0300	Pass
Imidacloprid	3	ND	0.00861/0.0300	Pass	Tebuconazole	2	ND	0.00895/0.0300	Pass
Kresoxim-methyl	1	ND	0.00703/0.0300	Pass	Thiacloprid	Any amt	ND	0.00177/0.0300	Pass
Malathion	5	ND	0.00485/0.0300	Pass	Thiamethoxam	4.5	ND	0.00553/0.0300	Pass
Metalaxyl	15	ND	0.00340/0.0300	Pass	Trifloxystrobin	30	ND	0.00234/0.0300	Pass



DM

Erik Paulson