

Customer: Diamond CBD
3531 Griffin Road Suite #100
Fort Lauderdale, FL 33312



Report Issue Date
12/1/2021

Sample ID: 1111345
Laboratory Number: ATL-2968

Extraction Technician: HP
Analytical Chemist: HP

Sample Description/Size: CBD Oil Tincture
3500mg CBD Isolate



Hernan Prieto

CANNABINOID PROFILE

Order Date: 11/23/2021
Analysis Date: 12/1/2021

Cannabinoids (HPLC)	Results	Cannabinoid (%)								
		LOD (mg/g)	mg/bottle	%	0	20	40	60	80	100
Cannabidiol (CBD)	<0.05	0	0							
Cannabidiolic Acid (as CBD)	<0.04	0	0							
Cannabigerolic Acid (as CBG)	<0.04	0	0							
Cannabigerol (CBG)	<0.05	0	0							
Cannabidiol (CBD)	<0.05	3857.4	12.9	██████████						
Cannabinol (CBN)	<0.05	0	0							
Delta 9-Tetrahydrocannabinol (THC)	<0.05	0	0							
Delta 8-Tetrahydrocannabinol	<0.05	0	0							
Delta 10-Tetrahydrocannabinol (THC)	<0.05	0	0							
Cannabichromene (CBC)	<0.05	0	0							
Delta 8-Tetrahydrocannabinolic Acid (as THC)	<0.04	0	0							

Cannabinoids Total	mg/bottle	%							
			0	20	40	60	80	100	
Max Active THC	0	0							
Max Active CBD	3857.4	12.9	██████████						
Total Active Cannabinoids	3857.4	12.9	██████████						
Total Cannabinoids	3857.4	12.9	██████████						

Analysis Method: ATL-PLC-001

Following USDA guidelines on uncertainty, Accurate Test Lab's uncertainty are calculated for CBDa and CBD at +/- 4%. The uncertainty for THCa and THC are +/- 5%. This implies the range for a 10% value of CBD to be 9.5-10.4%. The uncertainty range for a 0.30% value of THC would be 0.28-0.32%. The measurement uncertainty is calculated using a coverage factor of 2.

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduced except in full without approval of Accurate Test Lab, LLC.

ND = Not Detected

