

Customer: Diamond CBD.
3531 Griffin Road Suite #100
Fort Lauderdale, FL 33312



Report Issue Date
10/14/2021

Sample ID: 1111121
Laboratory Number: ATL-1977

Extraction Technician: HP
Analytical Chemist: HP

Sample Description/Size: D10 Gelatin Gummy
Fruit Mix - 25mg per gummy

Unit Weight: 4.5g



Hernan Prieto

CANNABINOID PROFILE

Order Date
10/14/2021

Analysis Date
10/14/2021

Cannabinoids (HPLC)	Results			Cannabinoid (%)					
	LOD (ng/g)	mg/gummy	%	0	20	40	60	80	100
Cannabidiarin (CBDV)	<0.5	0	0						
Cannabidiolic Acid (as CBD)	<0.4	0	0						
Cannabigerolic Acid (as CBG)	<0.4	0	0						
Cannabigerol (CBG)	<0.5	0	0						
Cannabidiol (CBD)	<0.5	11.0	0.24						
Cannabinol (CBN)	<0.5	3.0	0.06						
Delta 9-Tetrahydrocannabinol (THC)	<0.5	0.8	0.01						
Delta 8-Tetrahydrocannabinol	<0.5	15.9	0.34						
Delta 10-Tetrahydrocannabinol (THC)	<0.5	8.7	0.21						
Cannabichromene(CBC)	<0.5	0	0						
Delta-8-Tetrahydrocannabinolic Acid (as THC)	<0.4	0	0						

Cannabinoids Total				0	20	40	60	80	100
Test	mg/gummy	%							
Max Active THC	0.8	0.1							
Max Active CBD	11.0	0.24							
T.Active Cannabinoids	40.4	0.88							
Total Cannabinoids	40.4	0.88							

Analysis Method: ATL-PLC-001

Following USDA guidelines on uncertainty, Accurate Test Lab's uncertainty are calculated for CBDa and CBD at +/- 4%. The uncertainty for THCa and THC are +/- 5%. This implies the range for a 10% value of CBD to be 9.5-10.4%. The uncertainty range for a 0.30% value of THC would be 0.28-0.32%. The measurement uncertainty is calculated using a coverage factor of 2.

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduced except in full without approval of Accurate Test Lab, LLC.

ND = Not Detected

