

BlueLeaf Laboratory 673 N. Bardstown Rd. Mount Washington, KY, 40047 (502) 444-2044 www.blueleaflaboratory.com Lic # 19-05-02P



750mg CBD Capsules Matrix: Edible

Harvest/Lot ID: 01 Seed to Sale: *

Batch Date: 11/12/21 Batch #: 11122103

Ordered: 11/22/21 Completed: 11/30/21 Expires: 11/29/22

Sample Size Received: 1 units Retail Product Size: 30 units

Accession Number: 112221UD0001


Sampling Method: SOP Client Method

Certificate of Analysis

Nov 30,2021 | Cornbread Hemp CORNBREAD

Louisville, KENTUCKY, (502) 554-6857

CANNABINOID RESULTS



Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection (HPLC-PDA). SOP.KY.02.005 for sample prep and SOP.KY.02.012 for analysis. % = %w/w = Percent (Weight of Analyte/Weight Product) Total Cannabinoids result reflects the absolute sum of all cannabinoids detected. **Total Potential THC/CBD is calculated using the following formulas to take into account the loss of a carboxyl group during decarboxylation Total THC = THC + (THCa*0.877) Total CBD = CBD + (CBDa*0.877)

PASSED

Filth & Foreign Matter

Analyzed by		Date	Instrument used	Analysis Method
	DB	11/24/2021	Microscope (Amscope)	SOP.KY.02.011

This includes but is not limited to hair, insects, feces, packaging contaminants, and manufacturing waste and byproducts. An SH-2B/T Stereo Microscope is used for inspection. (Method: SOP.KY.02.011)

This report shall not be reproduced, unless in its entirety, without written approval from BlueLeaf Laboratory. This report is an BlueLeaf Laboratory certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly aviewed otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation. The result >99% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

Daniel Burriss

Lab Director State License # 19-05-02P ISO/IEC 17025:2017

> PJLA Testing

Accreditation 113856

Danf Bris

11/30/21

Signature

Signed On

Page 1 of 3



BlueLeaf Laboratory 673 N. Bardstown Rd. Mount Washington, KY, 40047

(502) 444-2044 www.blueleaflaboratory.com Lic # 19-05-02P



750mg CBD Capsules

Certificate of Analysis

Cornbread Hemp

Louisville, KENTUCKY, Telephone: (502) 554-6857 Email: jim@cornbreadhemp.com



CORNBREAD

Matrix: Edible Accession Number: 112221UD0001 Harvest/Lot ID: 01 Seed to Sale: * Batch Date: 11/12/21 Batch #: 11122103 Sample Size Received: 1 units Retail Product Size: 30 units Ordered: 11/22/21 Completed: 11/30/21 Expires: 11/29/22 Sampling Method: SOP Client Method

Pesticides

Pesticides									Ρ	AS:	SED
Pesticides	LLOQ	Result	Units	Action Level	Pass / Fail	Pesticides	LLOQ	Result	Units	Action Level	Pass / Fail
Abamectin B1a	0.02	ND	ppm	0.5	PASS	Acephate	0.01	ND	ppm	0.4	PASS
Acequinocyl	0.05	ND	ppm	2	PASS	Acetamiprid	0.01	ND	ppm	0.2	PASS
Aldicarb	0.02	ND	ppm	0.4	PASS	Azoxystrobin	0.01	ND	ppm	0.2	PASS
Bifenazate	0.01	ND	ppm	3.0	PASS	Bifenthrin	0.01	ND	ppm	0.2	PASS
Boscalid	0.01	ND	ppm	0.4	PASS	Carbaryl	0.01	ND	ppm	0.2	PASS
Carbofuran	0.01	ND	ppm	0.2	PASS	Chlorantraniliprole	0.01	ND	ppm	0.2	PASS
Chlorpyrifos	0.01	ND	ppm	0.2	PASS	cis-Permethrin	0.0041	ND	ppm	0.4	PASS
Clofentezine	0.01	ND	ppm	0.2	PASS	Coumaphos	0.01	ND	ppm	0.2	PASS
Cypermethrin	0.02	ND	ppm	1	PASS	Daminozide	0.02	ND	ppm	1	PASS
Diazanon	0.01	ND	ppm	0.2	PASS	Dichlorvos	0.05	ND	ppm	0.1	PASS
Dimethoate	0.01	ND	ppm	0.2	PASS	Dimethomorph	0.005	ND	ppm	0.1	PASS
Ethoprophos	0.01	ND	ppm	0.2	PASS	Etofenprox	0.01	ND	ppm	0.4	PASS
Etoxazole	0.01	ND	ppm	0.2	PASS	Fenhexamid	0.005	ND	ppm	0.1	PASS
Fenoxycarb	0.01	ND	ppm	0.2	PASS	Fenpyroximate	0.01	ND	ppm	0.4	PASS
Fipronil	0.02	ND	ppm	0.4	PASS	Flonicamid	0.01	ND	ppm	1	PASS
Fludioxonil	0.01	ND	ppm	0.4	PASS	Hexythiazox	0.01	ND	ppm	1	PASS
Imazalil	0.01	ND	ppm	0.2	PASS	Imidacloprid	0.01	ND	ppm	0.4	PASS
Kresoxim-Methyl	0.01	ND	ppm	0.4	PASS	Malathion	0.01	ND	ppm	0.2	PASS
Metalaxyl	0.01	ND	ppm	0.2	PASS	Methiocarb	0.01	ND	ppm	0.2	PASS
Methomyl	0.01	ND	ppm	0.4	PASS	Mevinphos	0.01	ND	ppm	0.1	PASS
Myclobutanil	0.01	ND	ppm	0.2	PASS	Naled	0.01	ND	ppm	0.5	PASS
Oxamyl	0.01	ND	ppm	1	PASS	Paclobutrazol	0.01	ND	ppm	0.4	PASS
Permethrins (sum)	0.05	ND	ppm	1	PASS	Phosmet	0.01	ND	ppm	0.2	PASS
Piperonyl Butoxide	0.01	ND	ppm	2	PASS	Prallethrin	0.05	ND	ppm	0.2	PASS
Propiconazole	0.01	ND	ppm	0.4	PASS	Propoxur	0.01	ND	ppm	0.2	PASS
Pyrethrin I	0.01	ND	ppm	1	PASS	Pyridaben	0.01	ND	ppm	0.2	PASS
Spinetoram	0.01	ND	ppm	0.5	PASS	Spinosad (Spinosyn A)	0.01	ND	ppm	0.2	PASS
Spinosad (Spinosyn D)	0.01	ND	ppm	0.2	PASS	Spiromesifen	0.01	ND	ppm	0.2	PASS
Spirotetramat	0.02	ND	ppm	0.2	PASS	Spiroxamine	0.01	ND	ppm	0.2	PASS
Tebuconazole	0.01	ND	ppm	0.4	PASS	Thiacloprid	0.01	ND	ppm	0.2	PASS
Thiamethoxam	0.01	ND	ppm	0.2	PASS	trans-Permethrin	0.0118	ND	ppm	0.4	PASS
Trifloxystrobin	0.01	ND	ppm	0.2	PASS						
Analyzed by Da		9	Instrum	ent used		Analysis Metho	d				
DB 11/24/2021		2021	Shimadzu LCM	1SMS 8060		SOP.KY.02.022					

Pesticide screening is performed using LC/MS/MS which can screen down to below single digit ppb concentrations for the 57 pesticides analyzed. (Method: SOP.KY.02.022)

This report shall not be reproduced, unless in its entirety, without written approval from BlueLeaf Laboratory. This report is an BlueLeaf Laboratory certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation. The result >99% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

Daniel Burriss

Lab Director State License # 19-05-02P ISO/IEC 17025:2017

> PJLA Testing

Accreditation 113856

Danf Brins

11/30/21

Signature


Signed On

Page 2 of 3



BlueLeaf Laboratory 673 N. Bardstown Rd. Mount Washington, KY, 40047 (502) 444-2044 www.blueleaflaboratory.com Lic # 19-05-02P





This report shall not be reproduced, unless in its entirety, without written approval from BlueLeaf Laboratory. This report is an BlueLeaf Laboratory certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation. The result >99% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request.The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

Daniel Burriss

Lab Director State License # 19-05-02P ISO/IEC 17025:2017

> PJLA Testing

Accreditation 113856

Danf Bris

11/30/21

Signature

Signed On

Page 3 of 3