



Customer Sample ID: **Apple**  
 Laboratory Number: **20L0438-03**  
 Servings per Container: **4.0259**



## Cannabinoid Profile

Extraction Technician: DF  
 Analytical Chemist: CB

Extraction Date(s)	Analysis Date(s)
12/22/2020	12/22/2020

Cannabinoids (HPLC)		Results		
	LOD (mg/g)	%	mg/g	mg/gummy
Cannabidivarin (CBDV)	<0.007			
Cannabidiolic Acid (CBD-A)	<0.007			
Cannabigerolic Acid (CBG-A)	<0.007			
Cannabigerol (CBG)	<0.007			
Cannabidiol (CBD)	<0.007			
Tetrahydrocannabivarin (THCV)	<0.007			
Cannabinol (CBN)	<0.007			
delta 9-Tetrahydrocannabinol (THC)	<0.007			
delta 8-Tetrahydrocannabidol		0.58	5.81	23.4
Cannabichromene (CBC)	<0.007			
delta-9-Tetrahydrocannabinolic Acid (THC-A)	<0.007			
Cannabinoids Total		%	mg/g	
Max Active THC		0.00	0.00	
Max Active CBD		0.00	0.00	
T.Active Cannabinoids		0.00	0.00	
Total Cannabinoids		0.58	5.81	

Following USDA guidelines on uncertainty, Altitude Consulting's uncertainty are calculated for CBDa and CBD at +/- 4%. The uncertainty for THCa and THC are +/- 5%. This implies the range for a 10% value of CBD to be 9.6-10.4%. The uncertainty range for a 0.30% value of THC would be 0.28-0.32%. The measurement uncertainty is calculated using a coverage factor of 2.

### Cannabinoid (mg/g)



<span style="color: blue;">■</span> Cannabichromene (CBC)	<span style="color: orange;">■</span> Cannabidiol (CBD)	<span style="color: green;">■</span> Cannabidiolic Acid (CBD-A)	<span style="color: red;">■</span> Cannabidivarin (CBDV)	<span style="color: purple;">■</span> Cannabigerol (CBG)
<span style="color: yellow;">■</span> Cannabigerolic Acid (CBG-A)	<span style="color: teal;">■</span> Cannabinol (CBN)	<span style="color: brown;">■</span> delta 8-Tetrahydrocannabidol	<span style="color: darkgreen;">■</span> delta 9-Tetrahydrocannabinol (THC)	<span style="color: darkred;">■</span> delta-9-Tetrahydrocannabinolic Acid (THC-A)
<span style="color: purple;">■</span> Tetrahydrocannabivarin (THCV)				

Reporting Limits will vary based on sample extraction weight used for the analysis.

Altitude Consulting, LLC utilizes NIST traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced.