

SAMPLE NAME: Broad Spectrum - Fruit Punch - 3000mg

Infused, Non-Inhalable

CULTIVATOR / MANUFACTURER

Business Name:

License Number:

Address:

DISTRIBUTOR / TESTED FOR

Business Name: Erth, LLC

License Number:

Address:
 CA

SAMPLE DETAIL

Batch Number:

Sample ID: 220512W011

Date Collected: 05/12/2022

Date Received: 05/12/2022

Batch Size:

Sample Size: 30.0 units

Unit Mass: 30 milliliters per Unit

Serving Size: 1 milliliters per Serving



Scan QR code to verify authenticity of results.

CANNABINOID ANALYSIS - SUMMARY

Total THC: Not Detected

Total CBD: 3235.410 mg/unit

Sum of Cannabinoids: 3329.190 mg/unit

Total Cannabinoids: 3329.190 mg/unit

Total THC/CBD is calculated using the following formulas to take into account the loss of a carboxyl group during the decarboxylation step:
 Total THC = Δ^9 -THC + (THCa (0.877))
 Total CBD = CBD + (CBDa (0.877))
 Sum of Cannabinoids = Δ^9 -THC + THCa + CBD + CBDa + CBG + CBGa + THCV + THCVa + CBC + CBCa + CBDV + CBDVa + Δ^8 -THC + CBL + CBN
 Total Cannabinoids = (Δ^9 -THC+0.877*THCa) + (CBD+0.877*CBDa) + (CBG+0.877*CBGa) + (THCV+0.877*THCVa) + (CBC+0.877*CBCa) + (CBDV+0.877*CBDVa) + Δ^8 -THC + CBL + CBN

Density: 0.953 g/mL

SAFETY ANALYSIS - SUMMARY


Δ^9 -THC per Unit: ✔ PASS

For quality assurance purposes. Not a Regulatory Hemp Lab Test Report. These results relate only to the sample included on this report. This report shall not be reproduced, except in full, without written approval of the laboratory.

Sample Certification: California Code of Regulations Title 16 Effect Date January 16, 2019. Authority: Section 26013, Business and Professions Code. Reference: Sections 26100, 26104 and 26110, Business and Professions Code.

Decision Rule: Statements of conformity (e.g. Pass/Fail) to specifications are made in this report without taking measurement uncertainty into account. Where statements of conformity are made in this report, the following decision rules are applied: PASS - Results within limits/specifications, FAIL - Results exceed limits/specifications.

References: limit of detection (LOD), limit of quantification (LOQ), not detected (ND), not tested (NT)


 Approved by: Josh Wurzer, President
 Date: 05/16/2022



Cannabinoid Analysis

Tested by high-performance liquid chromatography with diode-array detection (HPLC-DAD).

Method: QSP 1157 - Analysis of Cannabinoids by HPLC-DAD

TOTAL THC: **Not Detected**

Total THC (Δ^9 -THC+0.877*THCa)

TOTAL CBD: **3235.410 mg/unit**

Total CBD (CBD+0.877*CBDA)

TOTAL CANNABINOIDS: **3329.190 mg/unit**

Total Cannabinoids (Total THC) + (Total CBD) + (Total CBG) + (Total THCV) + (Total CBC) + (Total CBDV) + Δ^8 -THC + CBL + CBN

TOTAL CBG: **72.390 mg/unit**

Total CBG (CBG+0.877*CBGa)

TOTAL THCV: **ND**

Total THCV (THCV+0.877*THCVa)

TOTAL CBC: **ND**

Total CBC (CBC+0.877*CBCa)

TOTAL CBDV: **<LOQ**

Total CBDV (CBDV+0.877*CBDVa)

CANNABINOID TEST RESULTS - 05/14/2022

COMPOUND	LOD/LOQ (mg/mL)	MEASUREMENT UNCERTAINTY (mg/mL)	RESULT (mg/mL)	RESULT (%)
CBD	0.080 / 0.220	±4.0227	107.847	11.3166
CBG	0.040 / 0.120	±0.1170	2.413	0.2532
CBN	0.020 / 0.140	±0.0205	0.713	0.0748
CBDV	0.040 / 0.240	N/A	<LOQ	<LOQ
Δ^9 -THC	0.040 / 0.280	N/A	ND	ND
Δ^8 -THC	0.20 / 0.40	N/A	ND	ND
THCa	0.020 / 0.100	N/A	ND	ND
THCV	0.040 / 0.240	N/A	ND	ND
THCVa	0.040 / 0.380	N/A	ND	ND
CBDA	0.020 / 0.520	N/A	ND	ND
CBDVa	0.020 / 0.360	N/A	ND	ND
CBGa	0.040 / 0.140	N/A	ND	ND
CBL	0.060 / 0.200	N/A	ND	ND
CBC	0.060 / 0.200	N/A	ND	ND
CBCa	0.020 / 0.300	N/A	ND	ND
SUM OF CANNABINOIDS			110.973 mg/mL	11.6446%

Unit Mass: 30 milliliters per Unit / Serving Size: 1 milliliters per Serving

Δ^9 -THC per Unit	1100 per-package limit	ND	PASS
Δ^9 -THC per Serving		ND	
Total THC per Unit		ND	
Total THC per Serving		ND	
CBD per Unit		3235.410 mg/unit	
CBD per Serving		107.847 mg/serving	
Total CBD per Unit		3235.410 mg/unit	
Total CBD per Serving		107.847 mg/serving	
Sum of Cannabinoids per Unit		3329.190 mg/unit	
Sum of Cannabinoids per Serving		110.973 mg/serving	
Total Cannabinoids per Unit		3329.190 mg/unit	
Total Cannabinoids per Serving		110.973 mg/serving	

DENSITY TEST RESULT

0.953 g/mL

Tested 05/14/2022

Method: QSP 7870 - Sample Preparation

NOTES

CoA amended Update: Order Details-Dilution