

CV Sciences Certificate of Analysis



This document is to certify that units of the lot number below were tested and found to comply with CV Sciences finished product specifications.

SAMPLE ID: FP-21-0298

PRODUCT NAME: PlusCBD Reserve Liquid - Dark Chocolate Mint

Strength: 1.84 fl. oz 3000mg CBD 150mg THC - 50mg CBD 2.5 mg THC per serving

Lot Number: 211036

Expiration Date: 11/23

| CANNABINOIDS* | MG/UNIT | METHOD |
|---------------|---------|---------|
| CBD | 3003.84 | HPLC-UV |
| CBDA | <LOQ | HPLC-UV |
| d9-THC | 118.54 | HPLC-UV |
| THCA-A | <LOQ | HPLC-UV |
| d8-THC | <LOQ | HPLC-UV |
| THCV | <LOQ | HPLC-UV |
| CBDV | <LOQ | HPLC-UV |
| CBDVA | <LOQ | HPLC-UV |
| CBGA | <LOQ | HPLC-UV |
| CBG | <LOQ | HPLC-UV |
| CBN | <LOQ | HPLC-UV |
| CBC | <LOQ | HPLC-UV |
| CBL | <LOQ | HPLC-UV |

Total Cannabinoids 3122.38 mg/unit

Sample Size 50.00 g

THC by Mass 0.24%

<LOQ = Below Limit of Quantitation; LOQ = 0.06%

| HEAVY METALS* | STATUS (PASS/FAIL) | METHOD |
|---------------|--------------------|--------|
| Arsenic | PASS | ICP-MS |
| Cadmium | PASS | ICP-MS |
| Mercury | PASS | ICP-MS |
| Lead | PASS | ICP-MS |

CV Sciences Certificate of Analysis



| MICROBIOLOGY* | STATUS (PASS/FAIL) | METHOD |
|-------------------|--------------------|------------------------------|
| Mold/Mildew/Yeast | PASS | Petrifilm or Agar Plates |
| Aerobic Bacteria | PASS | Petrifilm |
| Coliforms | PASS | Petrifilm |
| E. Coli | PASS | Blood Agar and PCR |
| Salmonella | PASS | Salmonella Petrifilm and PCR |
| Pseudomonas | PASS | Centrimide Selective Agar |

| PESTICIDES** | STATUS (PASS/FAIL) | METHOD |
|------------------|--------------------|---------|
| Total Pesticides | PASS | HPLC-MS |

| RESIDUAL SOLVENTS** | STATUS (PASS/FAIL) | METHOD |
|-------------------------|--------------------|--------|
| Total Residual Solvents | PASS | HS-GC |

1. The hemp extract is the product of a batch tested by the independent testing laboratory;
2. The batch contained a total delta-9-tetrahydrocannabinol concentration that did not exceed 0.3 percent pursuant to the testing of random sample of the batch; and
3. The batch does not contain contaminants unsafe for human consumption.†

†Tested analytes and limits were set by CV Sciences, Inc.

DB Labs Sample ID #: 2112DBL0122.11528

*Actual analytical results obtained by DB Labs (Las Vegas, NV), CV Sciences' third-party testing laboratory.

Anresco Laboratories Sample ID #: 1105003

**Actual analytical results obtained by Anresco Laboratories (San Francisco, CA), CV Sciences' third-party testing laboratory.

QUALITY APPROVAL

Prepared By / Date

Approved By / Date

Status

Hayley Palmer
Hayley Palmer (Dec 17, 2021 07:46 PST)

Ryan Santiago
Ryan Santiago (Dec 17, 2021 08:42 PST)

PASS