

CERTIFICATE OF ANALYSIS

Certificate Date	09/18/2019	Supplier/Manufacturer	Garcoa Laboratories, inc.
Product Item #	ST-FAMO	Date of Manufacture	08/2019
Product Name	Face Cream 34g/1.2oz	Batch/lot #	9233H064
		Expiry Date	n/a

The undersigned hereby certifies the following data to be true specification of the obtained results of tests and assays.

Test	Results	Specification
CBD	0.86 mg/g	1.03 mg/g
Δ9-THC	ND	ND
Pesticides	ND	ND
Residual Solvents	ND	ND
Arsenic	ND	<1.5 µg/g
Lead	0.037 µg/g	<0.5 µg/g
Cadmium	ND	<0.5 µg/g
Mercury	ND	<3.0 µg/g
pH @ 25°C	6.09	5.0-7.0
Odor	Lemon/Lavender/Bergamot	Lemon/Lavender/Bergamot
Appearance	Cream	Cream
Viscosity RVD @10rpm @25°C	15,000 cPs	15,000-35,000 cPs
Microbial Total Plate Count	<100 CFU/ml	<100 CFU/ml
Mold and Yeast Count	<10 CFU/ml	<10 CFU/ml

NT = Not Tested; ND = Not Detected.

09/18/2019

DATE OF RELEASE

Max King

QUALITY CONTROL, SOJI HEALTH

Face Cream Moisturizer #2

Sample ID: 1909CSALA7475.5531

Strain: FC Moisturizer #2

Matrix: Topical

Type: Other

Sample Size: 1 units

Batch Size:

Produced: N/A

Collected: 09/09/2019

Received: 09/09/2019

Completed: 09/09/2019

Batch#:

Client

Soji Health Sciences

Lic. #

N Hollywood, CA 91601


ND

Total THC

0.86 mg/g

Total CBD

0.86 mg/g

Total Cannabinoids

Cannabinoids

Testing method: HPLC-SOP 101

Pass

Analyte	LOD	LOQ	Mass	Mass
	mg/g	mg/g	mg/g	%
CBD	0.00037	0.001	0.86	0.09
CBC	0.00014	0.001	ND	ND
CBDa	0.0002	0.001	ND	ND
CBDV	0.0001	0.001	ND	ND
CBG	0.00037	0.001	ND	ND
CBGa	0.0002	0.001	ND	ND
CBN	0.00016	0.001	ND	ND
THCa	0.00022	0.001	ND	ND
THCV	0.00039	0.001	ND	ND
Δ8-THC	0.00042	0.001	ND	ND
Δ9-THC	0.00042	0.001	ND	ND
Total			0.86	0.09

1 serving = 1 Jar, 34.0 grams; 1.0 servings per package; 0.0 mg/package Total THC; 29.24 mg/package Total CBD;

Date Tested: 09/09/2019

Total THC = THCa * 0.877 + d9-THC

Total CBD = CBDa * 0.877 + CBD

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED LABORATORY
 Accreditation No. 73653

 Mallory Speakman
 Laboratory Director - LA
 09/09/2019

 Anya Engen
 Quality Review
 09/09/2019

 Alexander Kiddle
 COA Review
 09/09/2019

Face Cream Moisturizer

Sample ID: 1909CSALA7743.6224

Strain: Face Cream Moisturizer

Matrix: Topical

Type: Lotion

Sample Size: 1 units

Batch Size:

Produced: N/A

Collected: 09/16/2019

Received: 09/16/2019

Completed: 09/16/2019

Batch#:

Client

Soji Health Sciences

Lic. #

N Hollywood, CA 91601

Pesticides

Testing method: LCMS & GCMS-SOP 301 and 302

Pass

Analyte	LOD	LOQ	Limit	Mass	Status	Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.0009	0.003	0.3	ND	Pass	Fludioxonil	0.0143	0.048	30.0	ND	Pass
Acephate	0.005	0.017	5.0	ND	Pass	Hexythiazox	0.0237	0.079	2.0	ND	Pass
Acequinocyl	0.0193	0.064	4.0	ND	Pass	Imazalil *	0.0077	0.026	0.0077	ND	Pass
Acetamiprid	0.0073	0.024	5.0	ND	Pass	Imidacloprid	0.0053	0.018	3.0	ND	Pass
Aldicarb *	0.0094	0.031	0.0094	ND	Pass	Kresoxim Methyl	0.0182	0.061	1.0	ND	Pass
Azoxystrobin	0.015	0.05	40.0	ND	Pass	Malathion	0.015	0.05	5.0	ND	Pass
Bifenazate	0.0129	0.043	5.0	ND	Pass	Metaxyl	0.0076	0.025	15.0	ND	Pass
Bifenthrin	0.029	0.097	0.5	ND	Pass	Methiocarb *	0.0103	0.034	0.0103	ND	Pass
Boscalid	0.0172	0.058	10.0	ND	Pass	Methomyl	0.0109	0.036	0.1	ND	Pass
Captan	0.036	0.12	5.0	ND	Pass	Methyl Parathion *	0.0091	0.0303	0.0091	ND	Pass
Carbaryl	0.0542	0.181	0.5	ND	Pass	Mevinphos *	0.0041	0.014	0.0041	ND	Pass
Carbofuran *	0.0077	0.026	0.0077	ND	Pass	Myclobutanil	0.01	0.033	9.0	ND	Pass
Chlorantraniliprole	0.0095	0.032	40.0	ND	Pass	Naled	0.0107	0.036	0.5	ND	Pass
Chlordane *	0.0055	0.0182	0.0055	ND	Pass	Oxamyl	0.0071	0.024	0.2	ND	Pass
Chlorfenapyr *	0.0048	0.0159	0.0048	ND	Pass	Paclobutrazol *	0.0092	0.031	0.0092	ND	Pass
Chlorpyrifos *	0.0197	0.066	0.0197	ND	Pass	Pentachloronitrobenzene	0.0084	0.0279	0.2	ND	Pass
Clofentezine	0.0216	0.072	0.5	ND	Pass	Permethrin	0.0142	0.048	20.0	ND	Pass
Coumaphos *	0.0196	0.065	0.0196	ND	Pass	Phosmet	0.0138	0.046	0.2	ND	Pass
Cyfluthrin	0.0107	0.036	1.0	ND	Pass	Piperonyl Butoxide	0.0156	0.052	8.0	ND	Pass
Cypermethrin	0.0105	0.035	1.0	ND	Pass	Prallethrin	0.018	0.06	0.4	ND	Pass
Daminozide *	0.0052	0.017	0.0052	ND	Pass	Propiconazole	0.013	0.043	20.0	ND	Pass
DDVP *	0.0081	0.027	0.0081	ND	Pass	Propoxur *	0.0097	0.033	0.0097	ND	Pass
Diazinon	0.0134	0.045	0.2	ND	Pass	Pyrethrins	0.0025	0.008	1.0	ND	Pass
Dimethoate *	0.0083	0.028	0.0083	ND	Pass	Pyridaben	0.0236	0.079	3.0	ND	Pass
Dimethomorph	0.0025	0.008	20.0	ND	Pass	Spinetoram	0.0042	0.014	3.0	ND	Pass
Ethoprophos *	0.0112	0.037	0.0112	ND	Pass	Spinosad	0.0002	0.001	3.0	ND	Pass
Etofenprox *	0.0247	0.082	0.0247	ND	Pass	Spiromesifen	0.0199	0.066	12.0	ND	Pass
Etoxazole	0.0269	0.09	1.5	ND	Pass	Spirotetramat	0.0068	0.023	13.0	ND	Pass
Fenhexamid	0.0215	0.072	10.0	ND	Pass	Spiroxamine *	0.0065	0.022	0.0065	ND	Pass
Fenoxycarb *	0.0186	0.062	0.0186	ND	Pass	Tebuconazole	0.0099	0.033	2.0	ND	Pass
Fenpyroximate	0.0253	0.084	2.0	ND	Pass	Thiacloprid *	0.0094	0.031	0.0094	ND	Pass
Fipronil *	0.0228	0.076	0.0228	ND	Pass	Thiamethoxam	0.005	0.017	4.5	ND	Pass
Flonicamid	0.0073	0.024	2.0	ND	Pass	Trifloxystrobin	0.0192	0.064	30.0	ND	Pass

Date Tested: 09/16/2019

* Denotes Category I pesticides, which fail when detected; LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED LABORATORY
 Accreditation No. 73653

 Mallory Speakman
 Laboratory Director - LA
 09/16/2019

 Anya Engen
 Quality Review
 09/16/2019

 Austin Russell
 COA Review
 09/16/2019

Face Cream Moisturizer

Sample ID: 1909CSALA7743.6224

Strain: Face Cream Moisturizer

Matrix: Topical

Type: Lotion

Sample Size: 1 units

Batch Size:

Produced: N/A

Collected: 09/16/2019

Received: 09/16/2019

Completed: 09/16/2019

Batch#:

Client

Soji Health Sciences

Lic. #

N Hollywood, CA 91601

Heavy Metals

Testing method: ICPMS-SOP 502

Pass

Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.02	0.06	1.5	ND	Pass
Cadmium	0.03	0.1	0.5	ND	Pass
Lead	0.002	0.005	0.5	0.037	Pass
Mercury	0.02	0.06	3.0	ND	Pass

Date Tested: 09/16/2019

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED LABORATORY
 Accreditation No. 73653

 Mallory Speakman
 Laboratory Director - LA
 09/16/2019

 Anya Engen
 Quality Review
 09/16/2019

 Austin Russell
 COA Review
 09/16/2019

Face Cream Moisturizer

Sample ID: 1909CSALA7743.6224

Strain: Face Cream Moisturizer

Matrix: Topical

Type: Lotion

Sample Size: 1 units

Batch Size:

Produced: N/A

Collected: 09/16/2019

Received: 09/16/2019

Completed: 09/16/2019

Batch#:

Client

Soji Health Sciences

Lic. #

N Hollywood, CA 91601

Residual Solvents

Testing method: HSGCMS-SOP 202

Pass

Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	0.024	0.24	1	ND	Pass
Acetone	0.112	1.12	5000	ND	Pass
Acetonitrile	0.0196	0.196	410	ND	Pass
Benzene	0.0096	0.096	1	ND	Pass
Butane	0.2	2.0	5000	ND	Pass
Chloroform	0.0288	0.288	1	ND	Pass
Ethanol	0.112	1.12		ND	Tested
Ethyl-Acetate	0.112	1.12	5000	ND	Pass
Ethylene Oxide	0.024	0.24	1	ND	Pass
Ethyl-Ether	0.112	1.12	5000	ND	Pass
Heptane	0.112	1.12	5000	ND	Pass
Isopropanol	0.112	1.12		ND	Tested
Methanol	0.144	1.44	3000	ND	Pass
Methylene-Chloride	0.0288	0.288	1	ND	Pass
n-Hexane	0.1392	1.392	290	ND	Pass
Pentane	0.112	1.12	5000	ND	Pass
Propane	0.08	0.8	5000	ND	Pass
Toluene	0.4272	4.272	890	ND	Pass
Trichloroethene	0.0384	0.384	1	ND	Pass
Xylenes	1.0416	10.416	2170	ND	Pass

Date Tested: 09/16/2019

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED LABORATORY
 Accreditation No. 73653

 Mallory Speakman
 Laboratory Director - LA
 09/16/2019

 Anya Engen
 Quality Review
 09/16/2019

 Austin Russell
 COA Review
 09/16/2019



CERTIFICATE OF ANALYSIS

Part #: 1ST-FAMO

Product Name: Soji Health Anti-Aging Daily Moisturizer

Lot #: 9233H064

Test	Method	Specification	Results
Color	SA-QC-038	White to Off White	Conforms
Odor	SA-QC-038	Lemon/Lavender/Bergamot	Conforms
Appearance	SA-QC-038	Cream	Conforms
pH @ 25°C	SA-QC-039	5.80-6.50	6.09
Viscosity RVT 6 /20 rpm @ 25°C	SA-QC-041	15,000-35,000 cps	15,000 cps
Microbial Total Plate Count	USP <61>	<100 CFU/g	<100 CFU/g
Microbial Mold & Yeast Count	USP <61>	<10 CFU/g	<10 CFU/g

Prepared by: Steven Whigan

Date: 8-28-19

Reviewed by: Nicholas Malone

Date: 8-28-19