

PharmLabs San Diego Certificate of Analysis



Sample CR+ FS Pain - Natural - CRB251211-05

Delta9 THC	0.16%	THCa	ND	Total THC (THCa * 0.877 + THC)	0.16%	Delta8 THC	ND
------------	-------	------	----	--------------------------------	-------	------------	----

Sample ID	SD260112-076 (131151)	Matrix	Tincture
Tested for	Canna River	Received	Jan 12, 2026
Sampled	-	Reported	Jan 23, 2026
Analyses executed	FP-NI	Unit Mass (g)	120.0
		Density (g/mL)	0.91

CAN+ - Cannabinoids

Analyzed Jan 13, 2026 | Instrument HPLC-VWD | Method SOP-001
 The expanded Uncertainty of the Cannabinoids analysis is approximately ±7.81% at the 95% Confidence Level

Analyte	LOD mg/g	LOQ mg/g	Result %	Result mg/g	Result mg/Unit
Cannabidiol (CBD)	0.039	0.16	0.04	0.39	46.80
Cannabidivarin (CBDv)	0.011	0.03	ND	ND	ND
Cannabidibutol (CBDdb)	0.033	0.16	ND	ND	ND
Cannabidiolic Acid (CBDA)	0.033	0.16	ND	ND	ND
Cannabigerol Acid (CBGA)	0.048	0.16	4.09	40.93	4911.60
Cannabigerol (CBG)	0.069	0.229	8.66	86.63	10395.60
Cannabidiol (CBD)	0.049	0.16	ND	ND	ND
Tetrahydrocannabinol (THCV)	0.047	0.16	0.02	0.20	24.00
Cannabinol (CBN)	0.092	0.307	0.16	1.60	192.00
Tetrahydrocannabinol (Δ9-THC)	0.044	0.16	ND	ND	ND
Δ8-tetrahydrocannabinol (Δ8-THC)	0.0012	0.16	ND	ND	ND
Cannabicyclol (CBL)	0.13	0.432	0.15	1.53	183.60
Cannabichromene (CBC)	0.117	0.389	ND	ND	ND
Tetrahydrocannabinolic Acid (THCA)			0.16	1.60	192.00
Total THC (THCa * 0.877 + Δ9THC)			0.16	1.60	192.00
Total THC + Δ8THC (THCa * 0.877 + Δ9THC + Δ8THC)			0.16	1.60	192.00
Total CBD (CBDa * 0.877 + CBD)			8.66	86.63	10395.60
Total CBG (CBGa * 0.877 + CBG)			4.09	40.93	4911.60
Total Cannabinoids Analyzed			13.13	131.28	15753.60

HME - Heavy Metals

Analyzed Jan 15, 2026 | Instrument ICP/MSMS | Method SOP-005

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Arsenic (As)	0.0009	0.0027	ND	1.5
Cadmium (Cd)	0.0005	0.0015	0.00	0.5
Mercury (Hg)	0.0058	0.0174	0.00	3
Lead (Pb)	0.0006	0.0018	0.00	0.5

MIBNIG - Microbial

Analyzed Jan 20, 2026 | Instrument Plating | Method SOP-007

Analyte	LOD CFU/g	LOQ CFU/g	Result CFU/g	Limit CFU/g
Shiga toxin-producing Escherichia Coli	1.0	1.0	ND	1
Salmonella spp.	1.0	1.0	ND	1

MTO - Mycotoxin

Analyzed Jan 16, 2026 | Instrument LC/MSMS | Method SOP-004

Analyte	LOD ug/kg	LOQ ug/kg	Result ug/kg	Limit ug/kg	Analyte	LOD ug/kg	LOQ ug/kg	Result ug/kg	Limit ug/kg
Ochratoxin A	5.0	20.0	ND	20	Aflatoxin B1	2.5	5.0	ND	-
Aflatoxin B2	2.5	5.0	ND	-	Aflatoxin G1	2.5	5.0	ND	-
Aflatoxin G2	2.5	5.0	ND	-	Total Aflatoxins	10.0	20.0	ND	20

UI Unidentified
 ND Not Detected
 N/A Not Applicable
 NT Not Reported
 LOD Limit of Detection
 LOQ Limit of Quantification
 <LOQ Detected
 >ULOL Above upper limit of linearity
 CFU/g Colony Forming Units per 1 gram
 TNTC Too Numerous to Count



DEA license: RP0611043
 ISO/IEC 17025:2017 Acc. 85368



Scan the QR code to verify authenticity.

Authorized Signature

Brandon Starr

Brandon Starr, Quality Assurance Manager
 Fri, 23 Jan 2026 16:03:25 -0800

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. 85368



PharmLabs hereby states that its Certificates of Analysis (COA) do not certify compliance with any federal, state, or local law or regulation, including but not limited to the 2019 Form Bill. This COA is provided solely for informational purposes and is not intended for reliance by consumers or purchasers of a product. This report shall not be reproduced, except in full, without the prior written approval of PharmLabs. This report is not intended to diagnose, treat, cure, or prevent any disease. Results apply only to the specific sample(s) and batch(es) identified on this COA and do not represent any other lot, batch, or product from the client. Measurement of uncertainty is available upon request and, when legally required, has been reported on the certificate. PharmLabs makes no representation or warranty, express or implied, regarding the tested product's safety, efficacy, quality, merchantability, or fitness for a particular purpose. PharmLabs expressly disclaims any liability for damages, claims, costs, or expenses arising out of the use, misuse, or reliance upon this COA by any party. PharmLabs relies on information provided by the client regarding the identity, sampling, and chain of custody of the submitted material. PharmLabs assumes no responsibility for errors, omissions, or misrepresentations in such information. It is the sole responsibility of the client to determine and ensure the compliance of their product(s) with all applicable federal, state, and local laws and regulations. This COA may not be used in whole or in part for marketing, advertising, promotional, or labeling purposes without the prior written consent of PharmLabs. This COA is valid only as of the date of issuance and does not guarantee the stability or continued conformity of the tested product beyond that date. Any dispute arising out of or related to this COA shall be governed by the laws of the State of California, without regard to its conflict of laws principles.

PES - Pesticides

Analyzed Jan 16, 2026 | Instrument LC/MSMS GC/MSMS | Method SOP-003

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g	Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Aldicarb	0.01	0.02	ND		Carbafuran	0.01	0.02	ND	
Dimethoate	0.01	0.02	ND		Etofenprox	0.02	0.1	ND	
Fenoxycarb	0.01	0.02	ND		Thiachloprid	0.01	0.02	ND	
Daminozide	0.01	0.03	<LOQ		Dichlorvos	0.02	0.07	ND	
Imazalil	0.02	0.07	ND		Methiocarb	0.01	0.02	ND	
Spiroxamine	0.01	0.02	ND		Coumaphos	0.01	0.02	ND	
Fipronil	0.01	0.1	ND		Pacllobutrazol	0.01	0.03	ND	
Chlorpyrifos	0.01	0.04	ND		Ethoprophos (Prophos)	0.01	0.02	ND	
Baygon (Propoxur)	0.01	0.02	ND		Chlordane	0.04	0.1	ND	
Chlorfenapyr	0.03	0.1	ND		Methyl Parathion	0.02	0.1	ND	
Mevinphos	0.03	0.08	ND		Acephate	0.02	0.05	ND	
Acetamiprid	0.01	0.05	ND		Azoxystrobin	0.01	0.02	ND	
Bifenazate	0.01	0.05	ND		Bifenthrin	0.02	0.35	ND	
Boscalid	0.01	0.03	ND		Carbaryl	0.01	0.02	ND	
Chlorantraniliprole	0.01	0.04	ND		Clofentezine	0.01	0.03	ND	
Diazinon	0.01	0.02	ND		Dimethomorph	0.02	0.06	ND	
Etoxazole	0.01	0.05	ND		Fenpyroximate	0.02	0.1	ND	
Flonicamid	0.01	0.02	ND		Fludioxonil	0.01	0.05	ND	
Hexythiazox	0.01	0.03	ND		Imidacloprid	0.01	0.05	ND	
Kresoxim-methyl	0.01	0.03	ND		Malathion	0.01	0.05	ND	
Metalaxyl	0.01	0.02	ND		Methomyl	0.02	0.05	ND	
Myclobutanil	0.02	0.07	ND		Naled	0.01	0.02	ND	
Oxamyl	0.01	0.02	ND		Permethrin	0.01	0.02	ND	
Phosmet	0.01	0.02	ND		Piperonyl Butoxide	0.02	0.06	ND	
Propiconazole	0.03	0.08	ND		Prallethrin	0.02	0.05	ND	
Pyrethrin	0.05	0.41	ND		Pyridaben	0.02	0.07	ND	
Spinosad A	0.01	0.05	ND		Spinosad D	0.01	0.05	ND	
Spiromesifen	0.02	0.06	ND		Spirotetramat	0.01	0.02	ND	
Tebuconazole	0.01	0.02	ND		Thiamethoxam	0.01	0.02	ND	
Trifloxystrobin	0.01	0.02	ND		Acequinocyl	0.02	0.09	ND	
Captan	0.01	0.02	ND		Cypermethrin	0.02	0.1	ND	
Cyfluthrin	0.04	0.1	ND		Fenhexamid	0.02	0.07	ND	
Spinetoram J.L	0.02	0.07	ND		Pentachloronitrobenzene	0.01	0.1	ND	

RES - Residual Solvents

Analyzed Jan 15, 2026 | Instrument GC/FID with Headspace Analyzer | Method SOP-006

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g	Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Propane (Prop)	0.044	0.4	ND	5000	Butane (But)	0.02	0.4	ND	5000
Methanol (Metha)	1.176	3.92	ND	3000	Ethylene Oxide (EthOx)	0.08	0.4	ND	1
Pentane (Pen)	0.024	0.4	ND	5000	Ethanol (Ethan)	0.048	0.4	ND	5000
Ethyl Ether (EthEt)	0.036	0.4	ND	5000	Acetone (Acet)	0.044	0.4	<LOQ	5000
Isopropanol (2-Pro)	1.16	3.868	<LOQ	5000	Acetonitrile (Acetonit)	0.888	2.952	ND	410
Methylene Chloride (MetCh)	0.04	0.4	ND	1	Hexane (Hex)	0.012	0.4	52.6	290
Ethyl Acetate (EthAc)	0.032	0.4	ND	5000	Chloroform (Clo)	0.028	0.4	ND	1
Benzene (Ben)	0.012	0.4	ND	1	1-2-Dichloroethane (12-Dich)	0.024	0.4	ND	1
Heptane (Hep)	0.012	0.4	<LOQ	5000	Trichloroethylene (TriClEth)	0.072	0.4	ND	1
Toluene	0.036	0.4	ND	890	Xylenes (Xyl)	0.012	0.4	ND	2170

FVI - Filth & Foreign Material Inspection

Analyzed Jan 13, 2026 | Instrument Microscope | Method SOP-010

Analyte / Limit	Result	Analyte / Limit	Result
> 1/4 of the total sample area covered by sand, soil, cinders, or dirt	ND	> 1/4 of the total sample area covered by mold	ND
> 1 insect fragment, 1 hair, or 1 count mammalian excreta per 3g	ND	> 1/4 of the total sample area covered by an imbedded foreign material	ND

UI Unidentified
 ND Not Detected
 N/A Not Applicable
 NT Not Reported
 LOD Limit of Detection
 LOQ Limit of Quantification
 <LOQ Detected
 >ULOL Above upper limit of linearity
 CFU/g Colony Forming Units per 1 gram
 TNTC Too Numerous to Count



DEA license: RP0611043
 ISO/IEC 17025:2017 Acc. 85368



Scan the QR code to verify authenticity.

Authorized Signature

Brandon Starr

Brandon Starr, Quality Assurance Manager
 Fri, 23 Jan 2026 16:03:25 -0800

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. 85368



PharmLabs hereby states that its Certificates of Analysis (COA) do not certify compliance with any federal, state, or local law or regulation, including but not limited to the 209 Form Bill. This COA is provided solely for informational purposes and is not intended for reliance by consumers or purchasers of a product. This report shall not be reproduced, except in full, without the prior written approval of PharmLabs. This report is not intended to diagnose, treat, cure, or prevent any disease. Results apply only to the specific sample(s) and batch(es) identified on this COA and do not represent any other lot, batch, or product from the client. Measurement of uncertainty is available upon request and, when legally required, has been reported on the certificate. PharmLabs makes no representation or warranty, express or implied, regarding the tested product's safety, efficacy, quality, merchantability, or fitness for a particular purpose. PharmLabs expressly disclaims any liability for damages, claims, costs, or expenses arising out of the use, misuse, or reliance upon this COA by any party. PharmLabs relies on information provided by the client regarding the identity, sampling, and chain of custody of the submitted material. PharmLabs assumes no responsibility for errors, omissions, or misrepresentations in such information. It is the sole responsibility of the client to determine and ensure the compliance of their product(s) with all applicable federal, state, and local laws and regulations. This COA may not be used in whole or in part for marketing, advertising, promotional, or labeling purposes without the prior written consent of PharmLabs. This COA is valid only as of the date of issuance and does not guarantee the stability or continued conformity of the tested product beyond that date. Any dispute arising out of or related to this COA shall be governed by the laws of the State of California, without regard to its conflict of laws principles.