



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30614008-001
Harvest/Lot ID: FSWSA2423

Batch#: FSWSA2423

Sample Size Received: 126 gram

Total Amount: 126 gram

Retail Product Size: 6 gram

Ordered: 06/14/23

Sampled: 06/14/23

Completed: 06/16/23

Sampling Method: SOP.T.20.010.FL

PASSED

Jun 16, 2023 | HIGH ROLLER PRIVATE LABEL LLC

4095N 28TH WAY
HOLLYWOOD, FL, 33020, US



Pages 1 of 5


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
NOT TESTED



Moisture
NOT TESTED



Terpenes
NOT TESTED

MISC.



Cannabinoid

PASSED



Total THC
0.049%

Total THC/Gummy : 2.94 mg



Total CBD
0.565%

Total CBD/Gummy : 33.9 mg



Total Cannabinoids
0.719%

Total Cannabinoids/Gummy : 43.14 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.049	ND	0.565	ND	0.083	ND	ND	ND	ND	0.002	0.019
mg/g	0.49	ND	5.65	ND	0.83	ND	ND	ND	ND	0.02	0.19
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1663, 585, 1440

Weight:
6.2556g

Extraction date:
06/14/23 11:33:45

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA061338POT
Instrument Used : DA-LC-007
Analyzed Date : 06/14/23 11:03:34

Reviewed On : 06/15/23 09:50:47
Batch Date : 06/14/23 09:03:34

Dilution : 40
Reagent : 050123.01; 060723.R50; 071222.35; 071222.01; 060823.R03
Consumables : 947.109; 15021042; 250350; CE0123; 115C4-1151; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
06/16/23



Certificate of Analysis

PASSED

HIGH ROLLER PRIVATE LABEL LLC

Sample : DA30614008-001
Harvest/Lot ID: FSWSA2423

4095N 28TH WAY
HOLLYWOOD, FL, 33020, US
Telephone: (954) 505-4481
Email: admin@highrollerllc.com

Batch# : FSWSA2423
Sample Size Received : 126 gram
Total Amount : 126 gram
Completed : 06/16/23 Expires: 06/16/24
Sample Method : SOP Client Method

Page 2 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET	0.01	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	3	PASS	ND	PRALLETHRIN	0.01	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.01	ppm	3	PASS	ND	PROPICONAZOLE	0.01	ppm	1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.3	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	3	PASS	ND	PYRIDABEN	0.01	ppm	3	PASS	ND
ACEQUINOCLYL	0.01	ppm	2	PASS	ND	SPIROMESIFEN	0.01	ppm	3	PASS	ND
ACETAMIPRID	0.01	ppm	3	PASS	ND	SPIROTETRAMAT	0.01	ppm	3	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	3	PASS	ND	TEBUCONAZOLE	0.01	ppm	1	PASS	ND
BIFENAZATE	0.01	ppm	3	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01	ppm	1	PASS	ND
BOSCALID	0.01	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	3	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.2	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	3	PASS	ND	CAPTAN *	0.07	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.05	PPM	1	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	3	PASS	ND	Analyzed by: 3379, 585, 1440	Weight: 1.0638g	Extraction date: 06/14/23 15:28:05	Extracted by: 450,585		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA061363PES				Reviewed On : 06/15/23 11:21:18	
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)				Batch Date : 06/14/23 11:31:08	
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analyzed Date : 06/14/23 17:43:28					
ETOXAZOLE	0.01	ppm	1.5	PASS	ND	Dilution : 250					
FENHEXAMID	0.01	ppm	3	PASS	ND	Reagent : 061223.R02; 061223.R03; 061423.R23; 061223.R04; 060523.R26; 061423.R08; 040521.11					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FENPYROXIMATE	0.01	ppm	2	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.01	ppm	2	PASS	ND	Analyzed by: 450, 585, 1440	Weight: 1.0638g	Extraction date: 06/14/23 15:28:05	Extracted by: 450,585		
FLUDIOXONIL	0.01	ppm	3	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.01	ppm	2	PASS	ND	Analytical Batch : DA061366VOL				Reviewed On : 06/15/23 11:19:56	
IMAZALIL	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001				Batch Date : 06/14/23 11:31:57	
IMIDACLOPRID	0.01	ppm	1	PASS	ND	Analyzed Date : 06/14/23 15:46:51					
KRESOXIM-METHYL	0.01	ppm	1	PASS	ND	Dilution : 250					
MALATHION	0.01	ppm	2	PASS	ND	Reagent : 061423.R23; 040521.11; 061223.R25; 061223.R24					
METALAXYL	0.01	ppm	3	PASS	ND	Consumables : 6697075-02; 14725401					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	3	PASS	ND						
NALED	0.01	ppm	0.5	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
06/16/23



Certificate of Analysis

PASSED

HIGH ROLLER PRIVATE LABEL LLC

4095N 28TH WAY
HOLLYWOOD, FL, 33020, US
Telephone: (954) 505-4481
Email: admin@highrollerllc.com

Sample : DA30614008-001
Harvest/Lot ID: FSWSA2423
Batch# : FSWSA2423
Sampled : 06/14/23
Ordered : 06/14/23

Sample Size Received : 126 gram
Total Amount : 126 gram
Completed : 06/16/23 Expires: 06/16/24
Sample Method : SOP Client Method

Page 3 of 5



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm		TESTED	<2500
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by: 850, 585, 1440	Weight: 0.0239g	Extraction date: 06/15/23 12:53:48	Extracted by: 850
--------------------------------	--------------------	---------------------------------------	----------------------

Analysis Method : SOP.T.40.041.FL	Reviewed On : 06/15/23 16:30:34
Analytical Batch : DA061387SOL	Batch Date : 06/14/23 16:12:44
Instrument Used : DA-GCMS-002	
Analyzed Date : 06/15/23 12:57:15	

Dilution : 1
Reagent : N/A
Consumables : N/A
Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.





Certificate of Analysis

PASSED

HIGH ROLLER PRIVATE LABEL LLC

4095N 28TH WAY
HOLLYWOOD, FL, 33020, US
Telephone: (954) 505-4481
Email: admin@highrollerllc.com

Sample : DA30614008-001
Harvest/Lot ID: FSWSA2423
Batch# : FSWSA2423
Sampled : 06/14/23
Ordered : 06/14/23

Sample Size Received : 126 gram
Total Amount : 126 gram
Completed : 06/16/23 Expires: 06/16/24
Sample Method : SOP Client Method

Page 4 of 5

	Microbial	PASSED
	Mycotoxins	PASSED

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: 3621, 3702, 585, 1440 Weight: 1.1954g Extraction date: 06/14/23 11:34:20 Extracted by: 3621 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA061332MIC Reviewed On : 06/15/23 22:04:57 Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems Thermocycler DA-010, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021 Batch Date : 06/14/23 08:05:11 Analyzed Date : 06/14/23 12:09:43 Dilution : N/A Reagent : 031523.17; 052323.R22; 020823.16; 092122.09 Consumables : 7562002013 Pipette : N/A					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 3379, 585, 1440 Weight: 1.0638g Extraction date: 06/14/23 15:28:05 Extracted by: 450,585 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA061365MYC Reviewed On : 06/15/23 11:20:10 Instrument Used : N/A Batch Date : 06/14/23 11:31:55 Analyzed Date : 06/14/23 17:43:46 Dilution : 250 Reagent : 061223.R02; 061223.R03; 061423.R23; 061223.R04; 060523.R26; 061423.R08; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	5
ARSENIC	0.02	ppm	ND	PASS	1.5
CADMIUM	0.02	ppm	ND	PASS	0.5
MERCURY	0.02	ppm	ND	PASS	3
LEAD	0.02	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440 Weight: 1.1954g Extraction date: N/A Extracted by: 3621 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA061349TYM Reviewed On : 06/16/23 18:00:58 Instrument Used : Incubator (25-27C) DA-096 Batch Date : 06/14/23 10:02:45 Analyzed Date : 06/14/23 12:10:35 Dilution : 10 Reagent : 031523.17; 060723.R45 Consumables : N/A Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	5
ARSENIC	0.02	ppm	ND	PASS	1.5
CADMIUM	0.02	ppm	ND	PASS	0.5
MERCURY	0.02	ppm	ND	PASS	3
LEAD	0.02	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440 Weight: 0.2511g Extraction date: 06/14/23 12:33:50 Extracted by: 1022,3619 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA061337HEA Reviewed On : 06/15/23 11:15:00 Instrument Used : DA-ICPMS-003 Batch Date : 06/14/23 09:03:16 Analyzed Date : 06/14/23 14:29:21 Dilution : 50 Reagent : 050923.R24; 042623.R82; 060923.R13; 060823.R04; 060923.R11; 060923.R12; 052523.R15; 051823.R28 Consumables : 179436; 15021042; 210508058 Pipette : DA-061; DA-191; DA-215 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
06/16/23



Certificate of Analysis

PASSED

HIGH ROLLER PRIVATE LABEL LLC

4095N 28TH WAY
HOLLYWOOD, FL, 33020, US
Telephone: (954) 505-4481
Email: admin@highrollerllc.com

Sample : DA30614008-001
Harvest/Lot ID: FSWSA2423
Batch# : FSWSA2423
Sampled : 06/14/23
Ordered : 06/14/23

Sample Size Received : 126 gram
Total Amount : 126 gram
Completed : 06/16/23 Expires: 06/16/24
Sample Method : SOP Client Method

Page 5 of 5



**Filth/Foreign
Material**

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

Analyzed by:	Weight:	Extraction date:	Extracted by:
1879, 1440	NA	N/A	N/A

Analysis Method : SOP.T.40.090
Analytical Batch : DA061370FIL
Instrument Used : Filth/Foreign Material Microscope
Analyzed Date : 06/14/23 21:01:32
Reviewed On : 06/14/23 21:12:27
Batch Date : 06/14/23 11:54:31

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

