

Upstate Beverage Consultants

6 Whitlee Court
Greenville, SC 29607
billy@drinkrebelrabbit.com
(864) 434-9011
Lic. #

Sample: 2503CWB0057.0217


Strain: Amigos Key Lime Margarita 10mg MGOKEY10_Lot02
Batch#: ; Batch Size: g
Sample Received: 03/03/2025; Report Created: 03/07/2025

Sampling: ; Environment:

Amigos Key Lime Margarita 10mg MGOKEY10_Lot02

Ingestible, Beverage
Harvest Process Lot: ; METRC Batch: ; METRC Sample:



	0.003% Δ9 THC	ND Total CBD	NR Moisture
	10.06 mg/unit Total THC	10.06 mg/unit Total Cannabinoids	

Cannabinoids


Analyte	LOQ mg/unit	Result mg/unit	Result mg/mL
THCa	3.40	ND	ND
Δ9-THC	3.40	10.06	0.03
Δ8-THC	3.40	ND	ND
THCV	3.40	ND	ND
CBDa	3.40	ND	ND
CBD	3.40	ND	ND
CBDVa	3.40	ND	ND
CBDV	3.40	ND	ND
CBN	3.40	ND	ND
CBGa	3.40	ND	ND
CBG	3.40	ND	ND
CBC	3.40	ND	ND
Total		10.06	0.03

1 mL = 1.0075g.

Total THC = THCa * 0.877 + d9-THC; Total CBD = CBDa * 0.877 + CBD; Total Cannabinoids = Sum of quantifiable cannabinoids
LOQ = Limit of Quantitation; ND = Not Detected; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. The estimated level of uncertainty for these results is 0.05%. Analysis Method: SOP017, SOP030

1327 Miller Rd Suite G
Greenville, SC
(864) 568-8940
http://www.clearwaterbiotech.com
Lic# 100737 L21-505




Lindsey Contella
Certifying Scientist

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by Clearwater Biotech using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Clearwater Biotech Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Clearwater Biotech.

Upstate Beverage Consultants

6 Whitlee Court
Greenville, SC 29607
billy@drinkrebelrabbit.com
(864) 434-9011
Lic. #

Sample: 2503CWB0057.0217

Strain: Amigos Key Lime Margarita 10mg MGOKEY10_Lot02
Batch#: ; Batch Size: g
Sample Received: 03/03/2025; Report Created: 03/07/2025

Sampling: ; Environment:

Amigos Key Lime Margarita 10mg MGOKEY10_Lot02

Ingestible, Beverage
Harvest Process Lot: ; METRC Batch: ; METRC Sample:



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Classification: HEMP/CBD FLORIDA - FOOD - HEMP RULES FOR ALL PRODUCTS
OTHER THAN TOPICAL, FLOWER, AND SUPPOSITORIES.
Type: Beverage

Kaycha Labs

2503CWB0057.0217

Matrix: Edible

Production Method: Other - Not Listed

Harvest/Lot ID: MGOKEY10_Lot02

Batch#: -

Harvest Date: 03/03/25

Sample Size Received: 11 units

Total Amount: 1 units

Retail Product Size: 1 gram

Retail Serving Size: 1 gram

Servings: 1

Ordered: 03/03/25

Sampled: 03/04/25

Completed: 03/06/25

Sampling Method: KP

Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50304014-003



Mar 06, 2025 | Clearwater Biotech, LLC
1327 Miller Road
Greenville, SC, 29607, US



PASSED

Pages 1 of 4

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
PASSED



Filtration
NOT TESTED



Water Activity
NOT TESTED



Moisture
NOT TESTED

MISC.



Terpenes
NOT TESTED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation, Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64E20-39 and F.S. Rule 56-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL 0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation # 17025-2017 Accredited


Signature
03/06/25

1327 Miller Rd Suite G
Greenville, SC
(864) 568-8940
<http://www.clearwaterbiotech.com>
Lic# 100737 L21-505



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by Clearwater Biotech using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Clearwater Biotech Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Clearwater Biotech.

Upstate Beverage Consultants

6 Whitlee Court
Greenville, SC 29607
billy@drinkrebelrabbit.com
(864) 434-9011
Lic. #

Sample: 2503CWB0057.0217

Strain: Amigos Key Lime Margarita 10mg MGOKEY10_Lot02

Batch#: ; Batch Size: g

Sample Received: 03/03/2025; Report Created: 03/07/2025

Sampling: ; Environment:

Amigos Key Lime Margarita 10mg MGOKEY10_Lot02

Ingestible, Beverage
Harvest Process Lot: ; METRC Batch: ; METRC Sample:

Notes:



Certificate of Analysis

PASSED

Clearwater Biotech, LLC

1327 Miller Road
Greenville, SC 29607, US
Telephone: (864) 568-8940
Email: info@clearwaterbiotech.com

Sample: DAS0304014-003
Harvest/Lot ID: MGOKEY10_Lot02
Batch#: ;
Sample Size Received: 11 units
Sampled: 03/04/25
Total Amount: 1 units
Completed: 03/06/25 Expires: 03/06/26
Sample Method: ;

Page 2 of 4

Pesticides										PASSED									
Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result		
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	30	PASS	NO	OXYMETHOXY	0.010	ppm	0.5	PASS	NO	THIOPHOS	0.010	ppm	0.5	PASS	NO		
TOTAL DITHIONOXY	0.010	ppm	3	PASS	NO	PACLOTRAZOL	0.010	ppm	0.1	PASS	NO	THIOPHOS	0.010	ppm	0.5	PASS	NO		
TOTAL PERMETHRIN	0.010	ppm	1	PASS	NO	PHOSMET	0.010	ppm	0.2	PASS	NO	THIOPHOS	0.010	ppm	0.5	PASS	NO		
TOTAL SPINETHRIN	0.010	ppm	1	PASS	NO	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	NO	THIOPHOS	0.010	ppm	0.5	PASS	NO		
TOTAL SPINOSAD	0.010	ppm	3	PASS	NO	PRALLETHRIN	0.010	ppm	0.4	PASS	NO	THIOPHOS	0.010	ppm	0.5	PASS	NO		
ABAMECTIN B1A	0.010	ppm	0.3	PASS	NO	PROPIONAZOLE	0.010	ppm	1	PASS	NO	THIOPHOS	0.010	ppm	0.5	PASS	NO		
ACEPHATE	0.010	ppm	3	PASS	NO	PROPOUR	0.010	ppm	0.1	PASS	NO	THIOPHOS	0.010	ppm	0.5	PASS	NO		
ACETOPHOS	0.010	ppm	2	PASS	NO	PYRIDABEN	0.010	ppm	3	PASS	NO	THIOPHOS	0.010	ppm	0.5	PASS	NO		
ACETOPHOS	0.010	ppm	3	PASS	NO	SPINOSAD	0.010	ppm	3	PASS	NO	THIOPHOS	0.010	ppm	0.5	PASS	NO		
ALDICARB	0.010	ppm	0.1	PASS	NO	SPINOTHRATON	0.010	ppm	3	PASS	NO	THIOPHOS	0.010	ppm	0.5	PASS	NO		
ACETOPHOS	0.010	ppm	3	PASS	NO	SPINOSAD	0.010	ppm	3	PASS	NO	THIOPHOS	0.010	ppm	0.5	PASS	NO		
BIFENTHRIN	0.010	ppm	3	PASS	NO	TERBUCLADOL	0.010	ppm	1	PASS	NO	THIOPHOS	0.010	ppm	0.5	PASS	NO		
BOSCALID	0.010	ppm	3	PASS	NO	THIACLOPRID	0.010	ppm	0.1	PASS	NO	THIOPHOS	0.010	ppm	0.5	PASS	NO		
CARBARYL	0.010	ppm	0.5	PASS	NO	THIOMETHOXY	0.010	ppm	1	PASS	NO	THIOPHOS	0.010	ppm	0.5	PASS	NO		
CARBENDAZIM	0.010	ppm	1.1	PASS	NO	TRIFLUOROTRIBIN	0.010	ppm	3	PASS	NO	THIOPHOS	0.010	ppm	0.5	PASS	NO		
CHLORANTHRAZOL	0.010	ppm	3	PASS	NO	PENTACHLORODIBENZOIC ACID	0.010	ppm	0.01	PASS	NO	THIOPHOS	0.010	ppm	0.5	PASS	NO		
CHLORANTHRAZOL	0.010	ppm	3	PASS	NO	PASATON-HEXITOL	0.010	ppm	3	PASS	NO	THIOPHOS	0.010	ppm	0.5	PASS	NO		
CHLOROPYRIFOS	0.010	ppm	0.1	PASS	NO	CAPTAN	0.070	ppm	3	PASS	NO	THIOPHOS	0.010	ppm	0.5	PASS	NO		
CHLOROPYRIFOS	0.010	ppm	0.5	PASS	NO	CHLORANIL	0.010	ppm	0.1	PASS	NO	THIOPHOS	0.010	ppm	0.5	PASS	NO		
CYFOPHOS	0.010	ppm	0.1	PASS	NO	CHLOROMIPHOS	0.010	ppm	0.1	PASS	NO	THIOPHOS	0.010	ppm	0.5	PASS	NO		
CYFOPHOS	0.010	ppm	0.1	PASS	NO	CYFLUTHRIN	0.050	ppm	1	PASS	NO	THIOPHOS	0.010	ppm	0.5	PASS	NO		
DIAZINON	0.010	ppm	3	PASS	NO	CYPERMETHRIN	0.050	ppm	0.1	PASS	NO	THIOPHOS	0.010	ppm	0.5	PASS	NO		
DICHLORDAN	0.010	ppm	0.1	PASS	NO	DAZINOT	0.010	ppm	0.1	PASS	NO	THIOPHOS	0.010	ppm	0.5	PASS	NO		
DICHLORDAN	0.010	ppm	0.1	PASS	NO	DAZINOT	0.010	ppm	0.1	PASS	NO	THIOPHOS	0.010	ppm	0.5	PASS	NO		
ETHIOFENPHOS	0.010	ppm	0.1	PASS	NO	ANALYSIS METHOD (SQP 7.15, SQP 7.15, SQP 10.12, SQP 10.12)	Extraction date: 03/04/25 12:30:01				Extracted by: 3001-365								
ETHIOFENPHOS	0.010	ppm	0.1	PASS	NO	ANALYSIS METHOD (SQP 7.15, SQP 7.15, SQP 10.12, SQP 10.12)	Batch Date: 03/04/25 10:11:56												
ETOXACLO	0.010	ppm	1.5	PASS	NO	INSTRUMENT LOAD (SQP 1.04, SQP 1.04, SQP 1.04)													
FLUTHRIN	0.010	ppm	3	PASS	NO	Dilution: 1/50													
FLUTHRIN	0.010	ppm	3	PASS	NO	Reagent: 03/03/25 8.01; 03/24/25 8.01; 03/25/25 8.01; 03/26/25 8.01; 03/27/25 8.01; 03/28/25 8.01													
FLUTHRIN	0.010	ppm	0.1	PASS	NO	Consumables: 12/23/2020													
FLUTHRIN	0.010	ppm	0.1	PASS	NO	Pesticide 12-10-2020 10:28:46 28-29													
FLUTHRIN	0.010	ppm	0.1	PASS	NO	Consumables: 12/23/2020													
FLUTHRIN	0.010	ppm	0.1	PASS	NO	Consumables: 12/23/2020													
FLUTHRIN	0.010	ppm	0.1	PASS	NO	Consumables: 12/23/2020													
FLUTHRIN	0.010	ppm	0.1	PASS	NO	Consumables: 12/23/2020													
FLUTHRIN	0.010	ppm	0.1	PASS	NO	Consumables: 12/23/2020													
FLUTHRIN	0.010	ppm	0.1	PASS	NO	Consumables: 12/23/2020													
FLUTHRIN	0.010	ppm	0.1	PASS	NO	Consumables: 12/23/2020													
FLUTHRIN	0.010	ppm	0.1	PASS	NO	Consumables: 12/23/2020													
FLUTHRIN	0.010	ppm	0.1	PASS	NO	Consumables: 12/23/2020													
FLUTHRIN	0.010	ppm	0.1	PASS	NO	Consumables: 12/23/2020													
FLUTHRIN	0.010	ppm	0.1	PASS	NO	Consumables: 12/23/2020													
FLUTHRIN	0.010	ppm	0.1	PASS	NO	Consumables: 12/23/2020													
FLUTHRIN	0.010	ppm	0.1	PASS	NO	Consumables: 12/23/2020													
FLUTHRIN	0.010	ppm	0.1	PASS	NO	Consumables: 12/23/2020													
FLUTHRIN	0.010	ppm	0.1	PASS	NO	Consumables: 12/23/2020													
FLUTHRIN	0.010	ppm	0.1	PASS	NO	Consumables: 12/23/2020													
FLUTHRIN	0.010	ppm	0.1	PASS	NO	Consumables: 12/23/2020													
FLUTHRIN	0.010	ppm	0.1	PASS	NO	Consumables: 12/23/2020													
FLUTHRIN	0.010	ppm	0.1	PASS	NO	Consumables: 12/23/2020													
FLUTHRIN	0.010	ppm	0.1	PASS	NO	Consumables: 12/23/2020													
FLUTHRIN	0.010	ppm	0.1	PASS	NO	Consumables: 12/23/2020													
FLUTHRIN	0.010	ppm	0.1	PASS	NO	Consumables: 12/23/2020													
FLUTHRIN	0.010	ppm	0.1	PASS	NO	Consumables: 12/23/2020													
FLUTHRIN	0.010	ppm	0.1	PASS	NO	Consumables: 12/23/2020													
FLUTHRIN	0.010	ppm	0.1	PASS	NO	Consumables: 12/23/2020													
FLUTHRIN	0.010	ppm	0.1	PASS	NO	Consumables: 12/23/2020													
FLUTHRIN	0.010	ppm	0.1	PASS	NO	Consumables: 12/23/2020													
FLUTHRIN	0.010	ppm	0.1	PASS	NO	Consumables: 12/23/2020													
FLUTHRIN	0.010	ppm	0.1	PASS	NO	Consumables: 12/23/2020													
FLUTHRIN	0.010	ppm	0.1	PASS	NO	Consumables: 12/23/2020													
FLUTHRIN	0.010	ppm	0.1	PASS	NO	Consumables: 12/23/2020													
FLUTHRIN	0.010	ppm	0.1	PASS	NO	Consumables: 12/23/2020													
FLUTHRIN	0.010	ppm	0.1	PASS	NO	Consumables: 12/23/2020													
FLUTHRIN	0.010	ppm	0.1	PASS	NO	Consumables: 12/23/2020													
FLUTHRIN	0.010	ppm	0.1	PASS	NO	Consumables: 12/23/2020													
FLUTHRIN	0.010	ppm	0.1	PASS	NO	Consumables: 12/23/2020													
FLUTHRIN	0.010	ppm	0.1	PASS	NO	Consumables: 12/23/2020													
FLUTHRIN	0.010	ppm	0.1	PASS	NO	Consumables: 12/23/2020													
FLUTHRIN	0.010	ppm	0.1	PASS	NO	Consumables: 12/23/2020													
FLUTHRIN	0.010	ppm	0.1	PASS	NO	Consumables: 12/23/2020													
FLUTHRIN	0.010	ppm	0.1	PASS	NO														



Upstate Beverage Consultants

6 Whitlee Court
Greenville, SC 29607
billy@drinkrebelrabbit.com
(864) 434-9011
Lic. #

Sample: 2503CWB0057.0217

Strain: Amigos Key Lime Margarita 10mg MGOKEY10_Lot02
Batch#: ; Batch Size: g
Sample Received: 03/03/2025; Report Created: 03/07/2025

Sampling: ; Environment:

Amigos Key Lime Margarita 10mg MGOKEY10_Lot02

Ingestible, Beverage
Harvest Process Lot: ; METRC Batch: ; METRC Sample:

Notes:



Certificate of Analysis

PASSED

Clearwater Biotech, LLC

1327 Miller Road
Greenville, SC 29607, US
Telephone: (864) 256-5419
Email: info@clearwaterbiotech.com

Sample: DA50304014-003
Harvest/Lot ID: MGOKEY10_Lot02
Batch#: ; Sample Size Received: 11 units
Sampled: 03/04/25 Total Amount: 1 units
Ordered: 03/04/25 Completed: 03/06/25 Expires: 03/06/26
Sample Method: 197

Page 4 of 4

Microbial						Mycotoxins					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OGRASTOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 4531, 4520, 585, 1440 Weight: 1.1315g Extraction date: 03/04/25 11:40:44 Analysis Method: SOP T.40.056C, SOP T.40.058 FL, SOP T.40.209 FL Analytical Batch: DA083947MTC Instrument Used: PathogenDx Scanner DA-111, Applied Biosystems 2720 Thermocycler DA-010 Fisher Scientific, Heating Heat Block (95°C) DA-049, DA-402 Thermo Scientific Heat Block (55°C) Analyzed Date: 03/05/25 11:32:37 Dilution: 10 Reagent: 013025.10; 013025.15; 021925.R61; 101624.13 Consumables: 7580002041 Pipette: N/A						Analyzed by: 5021, 585, 1440 Weight: 0.2625g Extraction date: N/A Analysis Method: SOP T.30.102 FL, SOP T.40.102 FL Analytical Batch: DA083927MTC Instrument Used: DA-ICMS-004 (HPLC) Analyzed Date: 03/05/25 08:20:04 Batch Date: 03/04/25 10:13:06 Dilution: 250 Reagent: 030325.R04, 022625.R32, 030325.R01, 022625.R36, 012925.R01, 022625.R03, 081023.01 Consumables: 22102100 Pipette: DA-093, DA-094, DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Heavy Metals						PASSED					
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	5						
ARSENIC	0.020	ppm	ND	PASS	1.5						
CADMIUM	0.020	ppm	ND	PASS	0.5						
MERCURY	0.020	ppm	ND	PASS	1						
LEAD	0.020	ppm	ND	PASS	0.5						
Analyzed by: 5021, 585, 1440 Weight: 0.2041g Extraction date: 03/04/25 13:48:26 Analysis Method: SOP T.30.082 FL, SOP T.40.082 FL Analytical Batch: DA083962HEA Instrument Used: DA-ICPMS-004 Analyzed Date: 03/05/25 10:45:42 Batch Date: 03/04/25 10:31:02 Dilution: 50 Reagent: 012925.R32; 022425.R19; 030325.R08; 022425.R11; 030325.R06; 030325.R07; 120524.07; 022425.R18 Consumables: 040724CH01; 9509879-0193; 179436 Pipette: DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation, Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 56-K. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL 0002
ISO 17025 Accreditation # 0501EC
17025:2017 Accreditation # PLA-
Testing 97164

Signature
03/06/25

1327 Miller Rd Suite G
Greenville, SC
(864) 568-8940
http://www.clearwaterbiotech.com
Lic# 100737 L21-505



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(864) 506-5866
www.confidentlims.com



This product has been tested by Clearwater Biotech using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Clearwater Biotech Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Clearwater Biotech.