

Upstate Beverage Consultants

6 Whitlee Court
Greenville, SC 29607
billy@drinkrebelrabbit.com
(864) 434-9011
Lic. #

Sample: 2503CWB0057.0218


Strain: Amigos Strawberry 50mg MGOSTRA50_Lot02
Batch#: ; Batch Size: g
Sample Received: 03/03/2025; Report Created: 03/07/2025
Sampling: ; Environment:

Amigos Strawberry 50mg MGOSTRA50_Lot02

Ingestible, Beverage
Harvest Process Lot: ; METRC Batch: ; METRC Sample:

Notes:



	0.011% Δ9 THC	ND Total CBD	NR Moisture
	50.61 mg/unit Total THC	50.61 mg/unit Total Cannabinoids	

Cannabinoids


Analyte	LOQ mg/unit	Result mg/unit	Result mg/mL
THCa	4.54	ND	ND
Δ9-THC	4.54	50.61	0.11
Δ8-THC	4.54	ND	ND
THCV	4.54	ND	ND
CBDa	4.54	ND	ND
CBD	4.54	ND	ND
CBDVa	4.54	ND	ND
CBDV	4.54	ND	ND
CBN	4.54	<LOQ	<LOQ
CBGa	4.54	ND	ND
CBG	4.54	<LOQ	<LOQ
CBC	4.54	ND	ND
Total		50.61	0.11

1 mL = 1.0015g.

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; Total Cannabinoids = Sum of quantifiable cannabinoids
LOQ = Limit of Quantitation; ND = Not Detected; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. The estimated level of uncertainty for these results is 0.05%. Analysis Method: SOP017, SOP030

1327 Miller Rd Suite G
Greenville, SC
(864) 568-8940
http://www.clearwaterbiotech.com
Lic# 100737 L21-505




Lindsey Contella
Certifying Scientist

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by Clearwater Biotech using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Clearwater Biotech Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Clearwater Biotech.

Upstate Beverage Consultants

6 Whitlee Court
Greenville, SC 29607
billy@drinkrebelrabbit.com
(864) 434-9011
Lic. #

Sample: 2503CWB0057.0218

Strain: Amigos Strawberry 50mg MGOSTRA50_Lot02

Batch#: ; Batch Size: g

Sample Received: 03/03/2025; Report Created: 03/07/2025

Sampling: ; Environment:

Amigos Strawberry 50mg MGOSTRA50_Lot02

Ingestible, Beverage

Harvest Process Lot: ; METRC Batch: ; METRC Sample:

Notes:



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Classification: HEMP/CBD FLORIDA - FOOD - HEMP RULES FOR ALL PRODUCTS
OTHER THAN TOPICAL, FLOWER, AND SUPPOSITORIES.
Type: Beverage

Kaycha Labs

2503CWB0057.0218

Matrix: Edible

Production Method: Other - Not Listed

Harvest/Lot ID: MGOSTRA50_Lot02

Batch#: -

Harvest Date: 03/03/25

Sample Size Received: 11 units

Total Amount: 1 units

Retail Product Size: 1 gram

Retail Serving Size: 1 gram

Servings: 1

Ordered: 03/03/25

Sampled: 03/04/25

Completed: 03/06/25

Sampling Method: KP

Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50304014-004



Mar 06, 2025 | Clearwater Biotech, LLC

1327 Miller Road
Greenville, SC, 29607, US**PASSED**

Pages 1 of 4

SAFETY RESULTS**Pesticides
PASSED****Heavy Metals
PASSED****Microbials
PASSED****Mycotoxins
PASSED****Residuals
Solvents
PASSED****Filtration
NOT TESTED****Water Activity
NOT TESTED****Moisture
NOT TESTED****Terpenes
NOT
TESTED****MISC.**

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation, Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64E20-39 and F.S. Rule 56-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab DirectorState License # CMTL 0002
ISO 17025:2017 Accreditation # ISO/IEC
17025:2017 Accreditation # 17025-2017 Accredited
Signature
03/06/25

1327 Miller Rd Suite G
Greenville, SC
(864) 568-8940
<http://www.clearwaterbiotech.com>
Lic# 100737 L21-505



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by Clearwater Biotech using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Clearwater Biotech Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Clearwater Biotech.



Upstate Beverage Consultants

6 Whitlee Court
Greenville, SC 29607
billy@drinkrebelrabbit.com
(864) 434-9011
Lic. #

Sample: 2503CWB0057.0218

Strain: Amigos Strawberry 50mg MGOSTRA50_Lot02
Batch#: ; Batch Size: g
Sample Received: 03/03/2025; Report Created: 03/07/2025
Sampling: ; Environment:

Amigos Strawberry 50mg MGOSTRA50_Lot02

Ingestible, Beverage
Harvest Process Lot: ; METRC Batch: ; METRC Sample:

Notes:



Certificate of Analysis

PASSED

Clearwater Biotech, LLC

1327 Miller Road
Greenville, SC 29607, US
Telephone: (864) 256-5419
Email: info@clearwaterbiotech.com

Sample: DA50304014-004
Harvest/Lot ID: MGOSTRA50_Lot02
Batch#: ; Sample Size Received: 11 units
Sampled: 03/04/25 Total Amount: 1 units
Ordered: 03/04/25 Completed: 03/06/25 Expires: 03/06/25
Sample Method: 197

Page 3 of 4



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHANE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	400	TESTED	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by: 850, 585, 1440 Weight: 0.0226g Extraction date: 03/05/25 10:06:58 Extracted by: 850
 Analysis Method: SOP T.40.041.FL Analytical Batch: DA03097450L Instrument Used: DA-GCMS-003 Batch Date: 03/04/25 13:18:13
 Analyzed Date: 03/05/25 10:30:21
 Dilution: 1 Reagent: N/A Consumables: N/A Pipette: N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation, Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 56-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL 0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation # PLA-
Testing 97164

Signature
03/06/25

1327 Miller Rd Suite G
Greenville, SC
(864) 568-8940
http://www.clearwaterbiotech.com
Lic# 100737 L21-505



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by Clearwater Biotech using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Clearwater Biotech Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Clearwater Biotech.

Upstate Beverage Consultants

6 Whitlee Court
Greenville, SC 29607
billy@drinkrebelrabbit.com
(864) 434-9011
Lic. #

Sample: 2503CWB0057.0218

Strain: Amigos Strawberry 50mg MGOSTRA50_Lot02

Batch#: ; Batch Size: g

Sample Received: 03/03/2025; Report Created: 03/07/2025

Sampling: ; Environment:

Amigos Strawberry 50mg MGOSTRA50_Lot02

Ingestible, Beverage
Harvest Process Lot: ; METRC Batch: ; METRC Sample:

Notes:



Certificate of Analysis

PASSED

Clearwater Biotech, LLC

1327 Miller Road
Greenville, SC 29607, US
Telephone: (864) 256-9419
Email: info@clearwaterbiotech.com

Sample: DA50304014-004
Harvest/Lot ID: MGOSTRA50_Lot02
Batch#: ; Sample Size Received: 11 units
Sampled: 03/04/25 Total Amount: 1 units
Ordered: 03/04/25 Completed: 03/05/25 Expires: 03/06/26
Sample Method: ;

Page 4 of 4

Microbial						Mycotoxins					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OGRASTOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 4531, 4520, 585, 1440 Weight: 1.0481g Extraction date: 03/04/25 11:40:44 Extracted by: 4044 Analysis Method: SOP T.40.056C, SOP T.40.058 FL, SOP T.40.209 FL Analytical Batch: DA083947MTC Instrument Used: PathogenDx Scanner DA-111, Applied Biosystems 2720 Thermocycler DA-010 Fisher Scientific, IsoTemp Heat Block (95°C) DA-049, DA-402 Thermo Scientific Heat Block (55°C) Dilution: 10 Reagent: 013025.10; 013025.15; 021925.R61; 101624.13 Consumables: 7580002041 Pipette: N/A						Analyzed by: 4531, 585, 1440 Weight: 0.2525g Extraction date: N/A Extracted by: 4044 Analysis Method: SOP T.30.102 FL, SOP T.40.102 FL Analytical Batch: DA083927MTC Instrument Used: DA-ICMS-004 (HPLC) Analyzed Date: 03/05/25 08:20:04 Batch Date: 03/04/25 10:13:06 Dilution: 250 Reagent: 030325.R04, 022625.R32, 030325.R01, 022625.R36, 012925.R01, 022625.R03, 081023.01 Consumables: 22102100 Pipette: DA-093, DA-094, DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Heavy Metals						PASSED					
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	5						
ARSENIC	0.020	ppm	ND	PASS	1.5						
CADMIUM	0.020	ppm	ND	PASS	0.5						
MERCURY	0.020	ppm	ND	PASS	1						
LEAD	0.020	ppm	ND	PASS	0.5						
Analyzed by: 4531, 585, 1440 Weight: 0.2489g Extraction date: 03/04/25 13:11:47 Extracted by: 4056 Analysis Method: SOP T.30.082 FL, SOP T.40.082 FL Analytical Batch: DA083948MTC Instrument Used: DA-ICMS-004 Analyzed Date: 03/05/25 10:32:29 Batch Date: 03/04/25 10:35:05 Dilution: 50 Reagent: 012925.R32, 022425.R19, 030325.R08, 022425.R11, 030325.R06, 030325.R07, 120524.07, 022425.R18 Consumables: 040724CH01; 9509879-0193; 179436 Pipette: DA-061, DA-191, DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation, Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 56-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL 0002
ISO 17025 Accreditation # 0501EC
17025:2017 Accreditation # PLA-
Testing 97164

Signature
03/06/25

1327 Miller Rd Suite G
Greenville, SC
(864) 568-8940
http://www.clearwaterbiotech.com
Lic# 100737 L21-505



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by Clearwater Biotech using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Clearwater Biotech Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Clearwater Biotech.