



Certificate of Analysis

Compliance Test

Client Information:

USA HEMP SOLUTIONS
2630 W 81ST
HIALEAH, FL 33016

Batch # 20250328003
Batch Date: 2025-03-25
Extracted From: Hemp

Test Reg State: Georgia

Order # USA250327-280001
Order Date: 2025-03-27
Sample # AAGN902

Sampling Date: 2025-04-03
Lab Batch Date: 2025-04-03
Orig. Completion Date: 2025-05-13
Statement of Amendment: Updated Photo; Merging reports

Initial Gross Weight: 30.700 g

Number of Units: 2
Net Weight per Unit: 3000.000 mg
Sampling Method: MSP 7.3.1



Product Image



Potency Tested



HHCP Tested



Pathogenic Microbiology Passed



Heavy Metals Passed



Mycotoxins Passed



Pesticides Passed



Residual Solvents Passed



Microbiology Passed



Filtration and Foreign Passed

Potency (LCUV) (GA) + Potency 25 (LCUV)

Specimen Weight: 507.090 mg

Analyte	Dilution (1:n)	LOD (mg/g)	LOQ (%)	Result (mg/g)	(%)
Delta-8 THC	50.000	2.60E-5	0.015	712.8900	71.2890
Delta9-THCP *	50.000	1.17E-5	0.012	176.3900	17.6390
CBN	50.000	1.40E-5	0.015	11.2700	1.1270
Delta-8 THCV	50.000	4.00E-5	0.015	3.6800	0.3680
Delta8-THCP *	50.000	3.75E-4	0.015	3.1300	0.3130
CBG	50.000	2.48E-4	0.015	1.7800	0.1780
Delta-9 THC-O Acetate	50.000	7.70E-5	0.025	1.4600	0.1460
CBT	50.000	2.00E-4	0.015	1.3300	0.1330
THCV	50.000	7.00E-6	0.015	0.3500	0.0350
CBD	50.000	5.40E-5	0.015	<LOQ	<LOQ
CBDA	50.000	1.00E-5	0.015	<LOQ	<LOQ
CBGA	50.000	8.00E-5	0.015	<LOQ	<LOQ
Delta-10 THC	50.000	3.00E-6	0.015	<LOQ	<LOQ
Delta-9 THC	50.000	2.80E-4	0.075	<LOQ	<LOQ
Exo-THC	50.000	2.30E-4	0.015	<LOQ	<LOQ
CBC	50.000	2.76E-5	0.075	<LOQ	<LOQ
CBCA	50.000	1.07E-4	0.015	<LOQ	<LOQ
CBDV	50.000	6.50E-5	0.015	<LOQ	<LOQ
CBDVA	50.000	1.40E-5	0.015	<LOQ	<LOQ
CBL	50.000	3.50E-5	0.015	<LOQ	<LOQ
CBNA	50.000	9.50E-5	0.015	<LOQ	<LOQ
Delta-8 THC-O Acetate	50.000	2.70E-5	0.025	<LOQ	<LOQ
THCA-A	50.000	3.20E-5	0.015	<LOQ	<LOQ
THCB *	50.000	1.80E-4	0.0163	<LOQ	<LOQ
THCH *	50.000	3.50E-4	0.0163	<LOQ	<LOQ
THCVA	50.000	4.70E-5	0.015	<LOQ	<LOQ
Total Active CBD	50.000			<LOQ	<LOQ
Total Active THC	50.000			<LOQ	<LOQ

Tested

SOP13.001 (LCUV)



Potency Summary

Total HHC 0.114%	3.417 mg	Total Active THC None Detected
Total Active CBD None Detected	0.178%	Total CBG 5.34 mg
Total CBN 1.127%	33.81 mg	Total Cannabinoids 2740.26 mg

Summary Results determined from two distinct Potency Tests - Potency (LCUV) (GA) + Potency 25 (LCUV)

Aixia Sun

Aixia Sun Lab Director/Principal Scientist

D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.867), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram, Client supplied the net weight of ml The results apply to the sample as received. Revised report- see statement of amendment above.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.



Certificate of Analysis

Compliance Test

Client Information:

USA HEMP SOLUTIONS
2630 W 81ST
HIALEAH, FL 33016

Batch # 20250328003
Batch Date: 2025-03-25
Extracted From: Hemp

Test Reg State: Georgia

Order # USA250327-280001
Order Date: 2025-03-27
Sample # AAGN902

Sampling Date: 2025-04-03
Lab Batch Date: 2025-04-03
Orig. Completion Date: 2025-05-13

Initial Gross Weight: 30.700 g

Number of Units: 2
Net Weight per Unit: 3000.000 mg
Sampling Method: MSP 7.3.1



Microbiology Pathogenic AE qPCR - (GA)

Specimen Weight: 1031.900 mg

Passed
SOP13.029 (qPCR)

Dilution Factor: 1.000

Analyte	Result (cfu/g)	Analyte	Result (cfu/g)
Aspergillus (Flavus, Fumigatus, Niger, Terreus)	Passed	STEC	Passed



Microbiology AC TYM BTGN plating - (GA)

Specimen Weight: 1001.900 mg

Passed
SOP13.003 (Petrifilm)

Dilution Factor: 1.000

Analyte	LOQ (cfu/g)	Result (cfu/g)	Analyte	LOQ (cfu/g)	Result (cfu/g)
Bile tolerant gram-negative bacteria	100	<100	Total Yeast/Mold	1000	<1000
Total Aerobic Count	1000	<1000			



Filtration and Foreign Material - (GA)

Specimen Weight: N/A Dilution Factor: 1.000

Passed
SOP13.020 (Electronic Balance)

Analyte	Action Level (%)	Result (%)	Analyte	Action Level (%)	Result (%)
Covered Area	10	0.000	Weight %	1	0.000
Feces	0.5	0.000			

Aixa Sun

Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.





Certificate of Analysis

Compliance Test

Client Information:

USA HEMP SOLUTIONS
2630 W 81ST
HIALEAH, FL 33016

Batch # 20250328003
Batch Date: 2025-03-25
Extracted From: Hemp

Test Reg State: Georgia

Order # USA250327-280001
Order Date: 2025-03-27
Sample # AAGN902

Sampling Date: 2025-04-03
Lab Batch Date: 2025-04-03
Orig. Completion Date: 2025-05-13

Initial Gross Weight: 30.700 g

Number of Units: 2
Net Weight per Unit: 3000.000 mg
Sampling Method: MSP 7.3.1



Heavy Metals - (GA) (Inhalation)

Specimen Weight: 249.700 mg

Passed
SOP13.048 (ICP-MS)

Dilution Factor: 200.240

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Arsenic (As)	0.013	100	200	<LOQ	Lead (Pb)	0.007	100	500	<LOQ
Cadmium (Cd)	0.003	100	200	<LOQ	Mercury (Hg)	0.016	100	200	<LOQ



Residual Solvents (GA-4)

Specimen Weight: 17.200 mg

Passed
SOP13.039 (GCMS-HS)

Dilution Factor: 1.000

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Butane	0.4167	53.6	800000	<LOQ	Heptane	0.0013	29.8	500000	<LOQ
Ethanol	0.0021	59.5	5000000	<LOQ	Hexane	0.068	25	100000	<LOQ



Mycotoxins - (GA)

Specimen Weight: 609.550 mg

Passed
SOP13.007 (LCMS)

Dilution Factor: 2.460

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Aflatoxin B1	3.0400E-1	1.9	20	<LOQ	Aflatoxin G2	2.7100E-1	1.9	20	<LOQ
Aflatoxin B2	7.7000E-2	1.9	20	<LOQ	Ochratoxin A	7.5400E-1	3.8	20	<LOQ
Aflatoxin G1	3.0400E-1	1.9	20	<LOQ					

Aixia Sun

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.





Certificate of Analysis

Compliance Test

Client Information:

USA HEMP SOLUTIONS
2630 W 81ST
HIALEAH, FL 33016

Batch # 20250328003
Batch Date: 2025-03-25
Extracted From: Hemp

Test Reg State: Georgia

Order # USA250327-280001
Order Date: 2025-03-27
Sample # AAGN902

Sampling Date: 2025-04-03
Lab Batch Date: 2025-04-03
Orig. Completion Date: 2025-05-13

Initial Gross Weight: 30.700 g

Number of Units: 2
Net Weight per Unit: 3000.000 mg
Sampling Method: MSP 7.3.1

HHCP HHCP

Specimen Weight: 507.090 mg

Tested
SOP13.050 (LCMS)

Dilution Factor: 5000.000

Analyte	LOD (%)	LOQ (%)	Result (mg/g)	(%) Analyte	LOD (%)	LOQ (%)	Result (mg/g)	(%)
(9R)-HHC	3.6600E-6	0.075	<LOQ	<LOQ CBC	2.760000E-5	0.075	<LOQ	<LOQ
(9S)-HHC	6.6000E-6	0.075	<LOQ	<LOQ Delta-8 THC methyl ether	2.480000E-4	0.075	<LOQ	<LOQ
(±)-9β-hydroxy-HHC	7.7800E-6	0.075	<LOQ	<LOQ Delta-9 THC	2.8000E-4	0.075	<LOQ	<LOQ
1(R)-H4-CBD	7.330000E-7	0.15	<LOQ	<LOQ Delta-9 THC methyl ether	1.600000E-4	0.075	<LOQ	<LOQ
1(S)-H4-CBD	6.630000E-7	0.15	<LOQ	<LOQ H2-CBD	1.440000E-7	0.075	<LOQ	<LOQ
9(R)-HHCP	3.0900E-5	0.075	<LOQ	<LOQ Total HHC		0.075	1.1390	0.1139
9(S)-HHCP	2.5500E-5	0.075	<LOQ	<LOQ				

Aixia Sun

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.





Certificate of Analysis

Compliance Test

Client Information:

USA HEMP SOLUTIONS
2630 W 81ST
HIALEAH, FL 33016

Batch # 20250328003
Batch Date: 2025-03-25
Extracted From: Hemp

Test Reg State: Georgia

Order # USA250327-280001
Order Date: 2025-03-27
Sample # AAGN902

Sampling Date: 2025-04-03
Lab Batch Date: 2025-04-03
Orig. Completion Date: 2025-05-13

Initial Gross Weight: 30.700 g

Number of Units: 2
Net Weight per Unit: 3000.000 mg
Sampling Method: MSP 7.3.1



Pesticides - (GA)

Specimen Weight: 609.550 mg

Passed
SOP13.007 (LCMS)

Dilution Factor: 2.460

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Abamectin	3.9900E-1	9	100	<LOQ	Fludioxonil	3.6000E-1	9.6	100	<LOQ
Acephate	1.4100E-1	9.6	100	<LOQ	Hexythiazox	1.1300E-1	9.6	100	<LOQ
Acequinocyl	2.1780E+0	9.6	100	<LOQ	Imazalil	2.5800E-1	9.6	100	<LOQ
Acetamiprid	1.4000E-1	9.6	100	<LOQ	Imidacloprid	4.0200E-1	9.6	100	<LOQ
Aldicarb	2.0300E-1	9.6	100	<LOQ	Kresoxim Methyl	1.8200E-1	9.6	100	<LOQ
Azoxystrobin	1.8800E-1	9.6	100	<LOQ	Malathion	2.2300E-1	9.6	100	<LOQ
Bifenazate	8.6000E-2	9.6	100	<LOQ	Metalaxyl	2.7000E-1	9.6	100	<LOQ
Bifenthrin	1.0000E-1	9.6	100	<LOQ	Methiocarb	1.1800E-1	9.6	100	<LOQ
Boscalid	5.9500E-1	9.6	100	<LOQ	Methomyl	6.4000E-2	9.6	100	<LOQ
Carbaryl	1.2200E-1	9.6	100	<LOQ	Mevinphos	9.3000E-2	9.6	100	<LOQ
Carbofuran	8.6000E-2	9.6	100	<LOQ	Myclobutanil	5.7300E-1	9.6	100	<LOQ
Chlorantraniliprole	8.4000E-2	9.6	100	<LOQ	Oxamyl	4.1000E-2	9.6	100	<LOQ
Chlordane	1.9000E+0	9.6	100	<LOQ	Paclobutrazol	1.8600E-1	9.6	100	<LOQ
Chlorpyrifos	1.0900E-1	9.6	100	<LOQ	Permethrin	6.2400E-1	9.6	100	<LOQ
Coumaphos	2.0600E-1	9.6	100	<LOQ	Phosmet	1.2700E-1	9.6	100	<LOQ
Cyfluthrin	9.8000E-1	9.6	100	<LOQ	Piperonylbutoxide	1.4900E-1	9.6	100	<LOQ
Cypermethrin	9.8500E-1	9.6	100	<LOQ	Prallethrin	1.4760E+0	9.6	100	<LOQ
Daminozide	1.6550E+0	9.6	100	<LOQ	Propiconazole	2.9400E-1	9.6	100	<LOQ
Diazinon	2.1200E-1	9.6	100	<LOQ	Propoxur	1.0000E-1	9.6	100	<LOQ
Dichlorvos	1.1300E+0	9.6	100	<LOQ	Pyridaben	1.4000E-1	9.6	100	<LOQ
Dimethoate	6.3000E-2	9.6	100	<LOQ	Spinetoram	4.2400E-1	9.6	100	<LOQ
Dimethomorph	2.5810E+0	9.6	100	<LOQ	Spiromesifen	1.2000E-1	9.6	100	<LOQ
Ethoprophos	1.5100E-1	9.6	100	<LOQ	Spirotetramat	2.1100E-1	9.6	100	<LOQ
Etofenprox	1.7200E-1	9.6	100	<LOQ	Spiroxamine	5.3300E-1	9.6	100	<LOQ
Etoxadole	8.6600E-1	9.6	100	<LOQ	Tebuconazole	2.3000E-1	9.6	100	<LOQ
Fenhexamid	5.8800E-1	9.6	100	<LOQ	Thiacloprid	1.7000E-1	9.6	100	<LOQ
Fenoxycarb	2.7400E-1	9.6	100	<LOQ	Thiamethoxam	1.7900E-1	9.6	100	<LOQ
Fipronil	3.1700E-1	9.6	100	<LOQ	Trifloxystrobin	1.3400E-1	9.6	100	<LOQ
Flonicamid	4.6600E-1	9.6	100	<LOQ					

Aixa Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.

