

CERTIFICATE OF ANALYSIS

REGULATORY COMPLIANCE TESTING

(856) 316-0600

<http://www.trichomeanalytical.com>

1 of 5

D9P-10GR-001-25

Speedy Distribution / Higher Education Sample Size: 1 units
Lic. #: 2026-R-2179168
2342 Thomas St
Hollywood, FL 33020
Manufacturer: The Outlet Corporation
Doral, FL 33166

Received: 12/22/2025
Completed: 01/22/2026
Sampled by: Client

Sample ID: 251222TRI011.003
Sample Description: Green Apple

Matrix: Ingestible

Hemp Lic.: 2027-R-2228444; FL Food Entity: 390787. Facility meets sanitization requirements as documented by the regulatory entity.
Rev. 1.01/22/2026 Added additional manufacturer information per client request.



Summary

Test	Result
Cannabinoids	Complete
Residual Solvents	Pass
Microbials	Pass
Mycotoxins	Pass
Pesticides	Pass
Heavy Metals	Pass
Foreign Matter	Pass



Cannabinoids

Complete

7.737 mg/unit 0.1647% Total THC	0.1228 mg/unit 0.002613% Total CBD	ND ND Total CBG	8.981 mg/unit 0.1912% Total Cannabinoids
--	---	------------------------------	---

Analyte	LOD	LOQ	Result	Result
CBC	mg/unit 0.008701	mg/unit 0.02901	<LOQ	<LOQ
CBCa	0.01690	0.05633	ND	ND
CBD	0.008701	0.02901	0.1228	0.002613
CBDa	0.008701	0.02901	ND	ND
CBDV	0.008701	0.02901	ND	ND
CBDVa	0.008701	0.02901	ND	ND
CBG	0.008701	0.02901	ND	ND
CBGa	0.008701	0.02901	ND	ND
CBL	0.008701	0.02901	ND	ND
CBN	0.008701	0.02901	<LOQ	<LOQ
Δ8-THC	0.008701	0.02901	1.121	0.02386
Δ9-THC	0.008701	0.02901	7.737	0.1647
THCa	0.008701	0.02901	ND	ND
THCV	0.008701	0.02901	<LOQ	<LOQ
THCVa	0.008701	0.02901	ND	ND
Total			8.981	0.1912

Date Analyzed: 12/23/2025

1 Unit = 1 Gummy, 4.6979g

SOP.102, AOAC 2018.11 (Modified); UHPLC-PDA. Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; Total CBG =

CBGa * 0.878 + CBG.



ISO/IEC 17025:2017 A2LA
CERT# 5913.01 // DEA#
RT0581098 // NJ HEMP#
34_00077


Kristen Goedde
Quality Manager


Tom Barkley
Laboratory Director

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. Action levels reported for contaminants are in accordance with 5K-4.034 issued by the State of Florida. Values reported relate only to the product tested and batched under the batch number identified above. Trichome Analytical makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. All analytical work is performed using validated methods and in accordance with state and/or federal guidelines. This certificate may only be reproduced in full.

D9P-10GR-001-25

Speedy Distribution / Higher Education Sample Size: 1 units
Lic. #: 2026-R-2179168
2342 Thomas St
Hollywood, FL 33020
Manufacturer: The Outlet Corporation
Doral, FL 33166

Received: 12/22/2025
Completed: 01/22/2026
Sampled by: Client

Sample ID: 251222TRI011.003
Sample Description: Green Apple

Matrix: Ingestible

Hemp Lic.: 2027-R-2228444; FL Food Entity: 390787. Facility meets sanitization requirements as documented by the regulatory entity.

Rev. 1.01/22/2026 Added additional manufacturer information per client request.

Microbials

Analyte	LOD	Limit	Result	Status
	CFU/g	CFU/g	CFU/g	
Total Yeast & Mold Count	10	100000	<10	Pass
Total Aerobic Bacteria Count	10		<10	Tested
Total Enterobacteriaceae (BTGN) Count	10		<10	Tested
Shiga-toxin producing Escherichia coli (STEC)	1	Detected in 1g	Not Detected	Pass
Salmonella spp.	1	Detected in 1g	Not Detected	Pass
Aspergillus spp. (A. fumigatus, A. flavus, A. niger, A. terreus)	1	Detected in 1g	Not Detected	Pass

Date Analyzed: 12/29/2025

Pathogens: SOP.606, SOP.607; qPCR. Quality Indicators: SOP.605; MPN.

Mycotoxins

Analyte	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g	
Aflatoxin B1	0.00146	0.00487		ND	Tested
Aflatoxin B2	0.00146	0.00487		ND	Tested
Aflatoxin G1	0.00146	0.00487		ND	Tested
Aflatoxin G2	0.00146	0.00487		ND	Tested
Total Aflatoxins			0.02	ND	Pass
Ochratoxin A	0.00584	0.0195	0.02	ND	Pass

Date Analyzed: 12/26/2025

SOP.402; LC-MS/MS.

Foreign Matter

Pass

Date Analyzed: 12/23/2025

SOP.706; Microscopy. Screened for: mold, combustion by-products, cinders, sand, soil, dirt, hair, insect parts, rodent feces, and other foreign material. Pass/fail criteria determined by the laboratory based on the limit of detection of the method, which is as follows: 1% by weight, 10% visual area estimation, 1 foreign material particulate such as insect parts, hair, etc. per 3 grams of material.

ISO/IEC 17025:2017 A2LA
CERT# 5913.01 // DEA#
RT0581098 // NJ HEMP#
34_00077
CERT #5913.01


Kristen Goedde
Quality Manager


Tom Barkley
Laboratory Director

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



CERTIFICATE OF ANALYSIS

REGULATORY COMPLIANCE TESTING

(856) 316-0600

<http://www.trichomeanalytical.com>

3 of 5

D9P-10GR-001-25

Speedy Distribution / Higher Education Sample Size: 1 units
Lic. #: 2026-R-2179168
2342 Thomas St
Hollywood, FL 33020
Manufacturer: The Outlet Corporation
Doral, FL 33166

Received: 12/22/2025
Completed: 01/22/2026
Sampled by: Client

Sample ID: 251222TRI011.003
Sample Description: Green Apple

Matrix: Ingestible

Hemp Lic.: 2027-R-2228444; FL Food Entity: 390787. Facility meets sanitization requirements as documented by the regulatory entity.
Rev. 1. 01/22/2026 Added additional manufacturer information per client request.

Solvents

Analyte	LOD	LOQ	Limit	Result	Pass
	µg/g	µg/g	µg/g	µg/g	Status
1,1-Dichloroethene	0.0385	0.116	8	ND	Pass
1,2-Dichloroethane	0.154	0.462	2	ND	Pass
Acetone	15.4	46.2	750	ND	Pass
Acetonitrile	15.4	46.2	60	ND	Pass
Benzene	0.0385	0.116	1	ND	Pass
Butane	15.4	46.2	5000	ND	Pass
Chloroform	0.0385	0.116	2	ND	Pass
Ethanol	15.4	46.2	5000	ND	Pass
Ethyl acetate	15.4	46.2	400	ND	Pass
Ethyl ether	15.4	46.2	500	ND	Pass
Ethylene oxide	0.154	0.462	5	ND	Pass
Heptane	15.4	46.2	5000	ND	Pass
n-Hexane	7.70	23.1	250	<LOQ	Pass
Isopropyl alcohol	15.4	46.2	500	ND	Pass
Methanol	30.8	92.5	250	ND	Pass
Methylene chloride	0.0770	0.231	125	ND	Pass
Pentane	3.85	11.6	750	ND	Pass
Propane	7.70	23.1	5000	ND	Pass
Toluene	7.70	23.1	150	ND	Pass
Trichloroethylene	0.0385	0.116	25	ND	Pass
Xylenes	7.70	23.1	150	ND	Pass

Date Analyzed: 12/23/2025
SOP.204; HS-GC-MS.

ISO/IEC 17025:2017 A2LA
CERT# 5913.01 // DEA#
RT0581098 // NJ HEMP#
34_00077
ACCREDITED
CERT #5913.01


Kristen Goedde
Quality Manager


Tom Barkley
Laboratory Director

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



CERTIFICATE OF ANALYSIS

REGULATORY COMPLIANCE TESTING

(856) 316-0600

<http://www.trichomeanalytical.com>

4 of 5

D9P-10GR-001-25

Speedy Distribution / Higher Education Sample Size: 1 units
Lic. #: 2026-R-2179168
2342 Thomas St
Hollywood, FL 33020
Manufacturer: The Outlet Corporation
Doral, FL 33166

Received: 12/22/2025
Completed: 01/22/2026
Sampled by: Client

Sample ID: 251222TRI011.003
Sample Description: Green Apple

Matrix: Ingestible

Hemp Lic.: 2027-R-2228444; FL Food Entity: 390787. Facility meets sanitization requirements as documented by the regulatory entity.
Rev. 1. 01/22/2026 Added additional manufacturer information per client request.

Pesticides

Pass

Analyte	LOD	LOQ	Limit	Result	Status	Analyte	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.0183	0.0609	0.3	ND	Pass	Fludioxonil	0.0183	0.0609	3	ND	Pass
Acephate	0.0183	0.0609	3	ND	Pass	Hexythiazox	0.0183	0.0609	2	ND	Pass
Acequinoctyl	0.0183	0.0609	2	ND	Pass	Imazalil	0.0183	0.0609	0.1	ND	Pass
Acetamiprid	0.0183	0.0609	3	ND	Pass	Imidacloprid	0.0183	0.0609	3	ND	Pass
Aldicarb	0.0183	0.0609	0.1	ND	Pass	Kresoxim Methyl	0.0183	0.0609	1	ND	Pass
Azoxystrobin	0.0183	0.0609	3	ND	Pass	Malathion	0.0183	0.0609	2	ND	Pass
Bifenazate	0.0183	0.0609	3	ND	Pass	Metalaxyl	0.0183	0.0609	3	ND	Pass
Bifenthrin	0.0183	0.0609	0.5	ND	Pass	Methiocarb	0.0183	0.0609	0.1	ND	Pass
Boscalid	0.0183	0.0609	3	ND	Pass	Methomyl	0.0183	0.0609	0.1	ND	Pass
Captan	0.146	0.487	3	ND	Pass	Mevinphos	0.0183	0.0609	0.1	ND	Pass
Carbaryl	0.0183	0.0609	0.5	ND	Pass	MGK-264	0.0365	0.122		ND	Tested
Carbofuran	0.0183	0.0609	0.1	ND	Pass	Myclobutanil	0.0183	0.0609	3	ND	Pass
Chlorantraniliprole	0.0183	0.0609	3	ND	Pass	Naled	0.0183	0.0609	0.5	ND	Pass
Chlordane	0.0183	0.0609	0.1	ND	Pass	Oxamyl	0.0183	0.0609	0.5	ND	Pass
Chlorfenapyr	0.0183	0.0609	0.1	ND	Pass	Paclbutrazol	0.0183	0.0609	0.1	ND	Pass
Chloromequat chloride	0.0183	0.0609	3	ND	Pass	Parathion Methyl	0.0183	0.0609	0.1	ND	Pass
Chlorpyrifos	0.0183	0.0609	0.1	ND	Pass	Pentachloronitrobenzene	0.0183	0.0609	0.2	ND	Pass
Clofentezine	0.0183	0.0609	0.5	ND	Pass	Permethrins	0.0183	0.0609	1	ND	Pass
Coumaphos	0.0183	0.0609	0.1	ND	Pass	Phosmet	0.0183	0.0609	0.2	ND	Pass
Cyfluthrin	0.0183	0.0609	1	ND	Pass	Piperonyl Butoxide	0.0183	0.0609	3	ND	Pass
Cypermethrin	0.0365	0.122	1	ND	Pass	Prallethrin	0.0731	0.0609	0.4	ND	Pass
Daminozide	0.0183	0.0609	0.1	ND	Pass	Propiconazole	0.0183	0.0609	1	ND	Pass
Diazinon	0.0183	0.0609	0.2	ND	Pass	Propoxur	0.0183	0.0609	0.1	ND	Pass
Dichlorvos	0.0183	0.0609	0.1	ND	Pass	Pyrethrins	0.0731	0.244	1	ND	Pass
Dimethoate	0.0183	0.0609	0.1	ND	Pass	Pyridaben	0.0183	0.0609	3	ND	Pass
Dimethomorph	0.0183	0.0609	3	ND	Pass	Spinetoram	0.0183	0.0609	3	ND	Pass
Ethoprophos	0.0183	0.0609	0.1	ND	Pass	Spinosad	0.0183	0.0609	3	ND	Pass
Etofenprox	0.0183	0.0609	0.1	ND	Pass	Spiromesifen	0.0183	0.0609	3	ND	Pass
Etoxazole	0.0183	0.0609	1.5	ND	Pass	Spirotetramat	0.0183	0.0609	3	ND	Pass
Fenhexamid	0.0183	0.0609	3	ND	Pass	Spiroxamine	0.0183	0.0609	0.1	ND	Pass
Fenoxy carb	0.0183	0.0609	0.1	ND	Pass	Tebuconazole	0.0183	0.0609	1	ND	Pass
Fenpyroximate	0.0183	0.0609	2	ND	Pass	Thiacloprid	0.0183	0.0609	0.1	ND	Pass
Fipronil	0.0183	0.0609	0.1	ND	Pass	Thiamethoxam	0.0183	0.0609	0.1	ND	Pass
Flonicamid	0.0183	0.0609	2	ND	Pass	Trifloxystrobin	0.0183	0.0609	3	ND	Pass

Date Tested: 12/26/2025
SOP.402; LC-MS/MS & SOP.302; GC-MS



ISO/IEC 17025:2017 A2LA
CERT# 5913.01 // DEA#
RT0581098 // NJ HEMP#
34_00077
CERT #5913.01

Kristen Goedde
Quality Manager

Tom Barkley
Laboratory Director

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. Action levels reported for contaminants are in accordance with 5K-4.034 issued by the State of Florida. Values reported relate only to the product tested and batched under the batch number identified above. Trichome Analytical makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. All analytical work is performed using validated methods and in accordance with state and/or federal guidelines. This certificate may only be reproduced in full.

D9P-10GR-001-25

Speedy Distribution / Higher Education Sample Size: 1 units
Lic. #: 2026-R-2179168
2342 Thomas St
Hollywood, FL 33020
Manufacturer: The Outlet Corporation
Doral, FL 33166

Received: 12/22/2025
Completed: 01/22/2026
Sampled by: Client

Sample ID: 251222TRI011.003
Sample Description: Green Apple

Matrix: Ingestible

Hemp Lic.: 2027-R-2228444; FL Food Entity: 390787. Facility meets sanitization requirements as documented by the regulatory entity.
Rev. 1.01/22/2026 Added additional manufacturer information per client request.

Elemental

Pass

Heavy Metals

Analyte	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.00651	0.0482	1.5	ND	Pass
Cadmium	0.000512	0.0241	0.5	ND	Pass
Lead	0.00609	0.0241	0.5	<LOQ	Pass
Mercury	0.00276	0.00722	3	ND	Pass
Chromium	0.0259	0.0722		ND	Tested
Nickel	0.0266	0.0722		ND	Tested
Antimony	0.00805	0.0241		ND	Tested
Selenium	0.0126	0.0963		ND	Tested

Nutrients

Analyte	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g	
Copper	0.103	0.489		ND	Tested
Iron	1.67	5.00		ND	Tested
Manganese	0.0155	0.489		ND	Tested
Zinc	1.67	5.00		ND	Tested

Date Analyzed: 12/23/2025
SOP 502; ICPMS.



ISO/IEC 17025:2017 A2LA
CERT# 5913.01 // DEA#
RT0581098 // NJ HEMP#
34_00077


Kristen Goedde
Quality Manager


Tom Barkley
Laboratory Director

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

