



Trichome Analytical  
6000 Commerce Parkway Suite I  
Mount Laurel, NJ 08054

## CERTIFICATE OF ANALYSIS

REGULATORY COMPLIANCE TESTING

(856) 316-0600

<http://www.trichomeanalytical.com>

1 of 5

### D9P-10GR-001-25

Speedy Distribution / Higher Education Sample Size: 1 units  
Lic. #: 2026-R-2179168  
2342 Thomas St  
Hollywood, FL 33020  
Manufacturer: The Outlet Corporation  
Doral, FL 33166

Received: 12/22/2025  
Completed: 01/22/2026  
Sampled by: Client

Sample ID: 251222TRI011.004  
Sample Description: Strawnana

Matrix: Ingestible

Hemp Lic.: 2027-R-2228444; FL Food Entity: 390787. Facility meets sanitization requirements as documented by the regulatory entity.

Rev. 1. 01/22/2026 Added additional manufacturer information per client request.



### Summary

Test  
Cannabinoids  
Residual Solvents  
Microbials  
Mycotoxins  
Pesticides  
Heavy Metals  
Foreign Matter

Result  
Complete  
Pass  
Pass  
Pass  
Pass  
Pass  
Pass



### Cannabinoids

Complete

|                                       |                                          |                       |                                                |
|---------------------------------------|------------------------------------------|-----------------------|------------------------------------------------|
| 6.934 mg/unit<br>0.1610%<br>Total THC | 0.1112 mg/unit<br>0.002581%<br>Total CBD | ND<br>ND<br>Total CBG | 8.095 mg/unit<br>0.1880%<br>Total Cannabinoids |
|---------------------------------------|------------------------------------------|-----------------------|------------------------------------------------|

| Analyte | LOD      | LOQ     | Result  | Result    |
|---------|----------|---------|---------|-----------|
|         | mg/unit  | mg/unit | mg/unit | %         |
| CBC     | 0.008247 | 0.02750 | <LOQ    | <LOQ      |
| CBCa    | 0.01602  | 0.05340 | ND      | ND        |
| CBD     | 0.008247 | 0.02750 | 0.1112  | 0.002581  |
| CBDa    | 0.008247 | 0.02750 | ND      | ND        |
| CBDV    | 0.008247 | 0.02750 | ND      | ND        |
| CBDVa   | 0.008247 | 0.02750 | ND      | ND        |
| CBG     | 0.008247 | 0.02750 | ND      | ND        |
| CBGa    | 0.008247 | 0.02750 | ND      | ND        |
| CBL     | 0.008247 | 0.02750 | ND      | ND        |
| CBN     | 0.008247 | 0.02750 | 0.03185 | 0.0007395 |
| Δ8-THC  | 0.008247 | 0.02750 | 1.018   | 0.02363   |
| Δ9-THC  | 0.008247 | 0.02750 | 6.934   | 0.1610    |
| THCa    | 0.008247 | 0.02750 | ND      | ND        |
| THCV    | 0.008247 | 0.02750 | <LOQ    | <LOQ      |
| THCVa   | 0.008247 | 0.02750 | ND      | ND        |
| Total   |          |         | 8.095   | 0.1880    |

Date Analyzed: 12/23/2025

1 Unit = 1 Gummy, 4.3067g

SOP.102, AOAC 2018.11 (Modified); UHPLC-PDA. Total THC = THCa \* 0.877 + Δ9-THC; Total CBD = CBDa \* 0.877 + CBD; Total CBG = CBGa \* 0.878 + CBG.



ISO/IEC 17025:2017 A2LA  
CERT# 5913.01 // DEA#  
RT0581098 // NJ HEMP#  
34\_00077

Kristen Goedde  
Quality Manager

Tom Barkley  
Laboratory Director

Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. Action levels reported for contaminants are in accordance with 5K-4.034 issued by the State of Florida. Values reported relate only to the product tested and batched under the batch number identified above. Trichome Analytical makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. All analytical work is performed using validated methods and in accordance with state and/or federal guidelines. This certificate may only be reproduced in full.



Trichome Analytical  
6000 Commerce Parkway Suite I  
Mount Laurel, NJ 08054

## CERTIFICATE OF ANALYSIS

## REGULATORY COMPLIANCE TESTING

(856) 316-0600

<http://www.trichomeanalytical.com>

2 of 5

### D9P-10GR-001-25

Speedy Distribution / Higher Education Sample Size: 1 units  
Lic. #: 2026-R-2179168  
2342 Thomas St  
Hollywood, FL 33020  
Manufacturer: The Outlet Corporation  
Doral, FL 33166

Received: 12/22/2025  
Completed: 01/22/2026  
Sampled by: Client

Sample ID: 251222TRI011.004  
Sample Description: Strawnana

Matrix: Ingestible

Hemp Lic.: 2027-R-2228444; FL Food Entity: 390787. Facility meets sanitization requirements as documented by the regulatory entity.

Rev. 1. 01/22/2026 Added additional manufacturer information per client request.

### Microbials

Pass

| Analyte                                                          | LOD   | Limit          | Result       | Status |
|------------------------------------------------------------------|-------|----------------|--------------|--------|
|                                                                  | CFU/g | CFU/g          | CFU/g        |        |
| Total Yeast & Mold Count                                         | 10    | 100000         | <10          | Pass   |
| Total Aerobic Bacteria Count                                     | 10    |                | <10          | Tested |
| Total Enterobacteriaceae (BTGN) Count                            | 10    |                | <10          | Tested |
| Shiga-toxin producing Escherichia coli (STEC)                    | 1     | Detected in 1g | Not Detected | Pass   |
| Salmonella spp.                                                  | 1     | Detected in 1g | Not Detected | Pass   |
| Aspergillus spp. (A. fumigatus, A. flavus, A. niger, A. terreus) | 1     | Detected in 1g | Not Detected | Pass   |

Date Analyzed: 12/29/2025

Pathogens: SOP.606, SOP.607; qPCR. Quality Indicators: SOP.605; MPN.

### Mycotoxins

Pass

| Analyte          | LOD     | LOQ     | Limit | Result | Status |
|------------------|---------|---------|-------|--------|--------|
|                  | µg/g    | µg/g    | µg/g  | µg/g   |        |
| Aflatoxin B1     | 0.00136 | 0.00454 |       | ND     | Tested |
| Aflatoxin B2     | 0.00136 | 0.00454 |       | ND     | Tested |
| Aflatoxin G1     | 0.00136 | 0.00454 |       | ND     | Tested |
| Aflatoxin G2     | 0.00136 | 0.00454 |       | ND     | Tested |
| Total Aflatoxins |         |         | 0.02  | ND     | Pass   |
| Ochratoxin A     | 0.00544 | 0.0181  | 0.02  | ND     | Pass   |

Date Analyzed: 12/26/2025  
SOP.402; LC-MS/MS.

### Foreign Matter

Pass

Date Analyzed: 12/23/2025

SOP.706; Microscopy. Screened for: mold, combustion by-products, cinders, sand, soil, dirt, hair, insect parts, rodent feces, and other foreign material. Pass/fail criteria determined by the laboratory based on the limit of detection of the method, which is as follows: 1% by weight, 10% visual area estimation, 1 foreign material particulate such as insect parts, hair, etc. per 3 grams of material.



ISO/IEC 17025:2017 A2LA  
CERT# 5913.01 // DEA#  
RT0581098 // NJ HEMP#  
34\_00077

Kristen Goedde  
Quality Manager

Tom Barkley  
Laboratory Director

Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. Action levels reported for contaminants are in accordance with 5K-4.034 issued by the State of Florida. Values reported relate only to the product tested and batched under the batch number identified above. Trichome Analytical makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. All analytical work is performed using validated methods and in accordance with state and/or federal guidelines. This certificate may only be reproduced in full.



Trichome Analytical  
6000 Commerce Parkway Suite I  
Mount Laurel, NJ 08054

## CERTIFICATE OF ANALYSIS

REGULATORY COMPLIANCE TESTING

(856) 316-0600  
<http://www.trichomeanalytical.com>

3 of 5

### D9P-10GR-001-25

Speedy Distribution / Higher Education    Sample Size: 1 units  
Lic. #: 2026-R-2179168  
2342 Thomas St  
Hollywood, FL 33020  
Manufacturer: The Outlet Corporation  
Doral, FL 33166

Received: 12/22/2025  
Completed: 01/22/2026  
Sampled by: Client

Sample ID: 251222TRI011.004  
Sample Description: Strawnana

Matrix: Ingestible

Hemp Lic.: 2027-R-2228444; FL Food Entity: 390787. Facility meets sanitization requirements as documented by the regulatory entity.

Rev. 1. 01/22/2026 Added additional manufacturer information per client request.

### Solvents

Pass

| Analyte             | LOD    | LOQ   | Limit | Result | Status |
|---------------------|--------|-------|-------|--------|--------|
|                     | µg/g   | µg/g  | µg/g  | µg/g   |        |
| 1,1- Dichloroethene | 0.0349 | 0.105 | 8     | ND     | Pass   |
| 1,2-Dichloroethane  | 0.140  | 0.419 | 2     | ND     | Pass   |
| Acetone             | 14.0   | 41.9  | 750   | ND     | Pass   |
| Acetonitrile        | 14.0   | 41.9  | 60    | ND     | Pass   |
| Benzene             | 0.0349 | 0.105 | 1     | ND     | Pass   |
| Butane              | 14.0   | 41.9  | 5000  | ND     | Pass   |
| Chloroform          | 0.0349 | 0.105 | 2     | ND     | Pass   |
| Ethanol             | 14.0   | 41.9  | 5000  | ND     | Pass   |
| Ethyl acetate       | 14.0   | 41.9  | 400   | ND     | Pass   |
| Ethyl ether         | 14.0   | 41.9  | 500   | ND     | Pass   |
| Ethylene oxide      | 0.140  | 0.419 | 5     | ND     | Pass   |
| Heptane             | 14.0   | 41.9  | 5000  | ND     | Pass   |
| n-Hexane            | 6.99   | 21.0  | 250   | <LOQ   | Pass   |
| Isopropyl alcohol   | 14.0   | 41.9  | 500   | <LOQ   | Pass   |
| Methanol            | 28.0   | 83.9  | 250   | <LOQ   | Pass   |
| Methylene chloride  | 0.0699 | 0.210 | 125   | ND     | Pass   |
| Pentane             | 3.49   | 10.5  | 750   | ND     | Pass   |
| Propane             | 6.99   | 21.0  | 5000  | ND     | Pass   |
| Toluene             | 6.99   | 21.0  | 150   | ND     | Pass   |
| Trichloroethylene   | 0.0349 | 0.105 | 25    | ND     | Pass   |
| Xylenes             | 6.99   | 21.0  | 150   | ND     | Pass   |

Date Analyzed: 12/23/2025  
SOP.204; HS-GC-MS.



ISO/IEC 17025:2017 A2LA  
CERT# 5913.01 // DEA#  
RT0581098 // NJ HEMP#  
34\_00077

Kristen Goedde  
Quality Manager

Tom Barkley  
Laboratory Director

Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. Action levels reported for contaminants are in accordance with 5K-4.034 issued by the State of Florida. Values reported relate only to the product tested and batched under the batch number identified above. Trichome Analytical makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. All analytical work is performed using validated methods and in accordance with state and/or federal guidelines. This certificate may only be reproduced in full.



Trichome Analytical  
6000 Commerce Parkway Suite I  
Mount Laurel, NJ 08054

## CERTIFICATE OF ANALYSIS

## REGULATORY COMPLIANCE TESTING

(856) 316-0600

<http://www.trichomeanalytical.com>

4 of 5

### D9P-10GR-001-25

Speedy Distribution / Higher Education Sample Size: 1 units  
Lic. #: 2026-R-2179168  
2342 Thomas St  
Hollywood, FL 33020  
Manufacturer: The Outlet Corporation  
Doral, FL 33166

Received: 12/22/2025  
Completed: 01/22/2026  
Sampled by: Client

Sample ID: 251222TRI011.004  
Sample Description: Strawnana

Matrix: Ingestible

Hemp Lic.: 2027-R-2228444; FL Food Entity: 390787. Facility meets sanitization requirements as documented by the regulatory entity.

Rev. 1. 01/22/2026 Added additional manufacturer information per client request.

### Pesticides

Pass

| Analyte              | LOD    | LOQ    | Limit | Result | Status | Analyte                 | LOD    | LOQ    | Limit | Result | Status |
|----------------------|--------|--------|-------|--------|--------|-------------------------|--------|--------|-------|--------|--------|
|                      | µg/g   | µg/g   | µg/g  | µg/g   |        |                         | µg/g   | µg/g   | µg/g  | µg/g   |        |
| Abamectin            | 0.0170 | 0.0567 | 0.3   | ND     | Pass   | Fludioxonil             | 0.0170 | 0.0567 | 3     | ND     | Pass   |
| Acephate             | 0.0170 | 0.0567 | 3     | ND     | Pass   | Hexythiazox             | 0.0170 | 0.0567 | 2     | ND     | Pass   |
| Acequinocyl          | 0.0170 | 0.0567 | 2     | ND     | Pass   | Imazalil                | 0.0170 | 0.0567 | 0.1   | ND     | Pass   |
| Acetamiprid          | 0.0170 | 0.0567 | 3     | ND     | Pass   | Imidacloprid            | 0.0170 | 0.0567 | 3     | ND     | Pass   |
| Aldicarb             | 0.0170 | 0.0567 | 0.1   | ND     | Pass   | Kresoxim Methyl         | 0.0170 | 0.0567 | 1     | ND     | Pass   |
| Azoxystrobin         | 0.0170 | 0.0567 | 3     | ND     | Pass   | Malathion               | 0.0170 | 0.0567 | 2     | ND     | Pass   |
| Bifenazate           | 0.0170 | 0.0567 | 3     | ND     | Pass   | Metalaxyl               | 0.0170 | 0.0567 | 3     | ND     | Pass   |
| Bifenthrin           | 0.0170 | 0.0567 | 0.5   | ND     | Pass   | Methiocarb              | 0.0170 | 0.0567 | 0.1   | ND     | Pass   |
| Boscalid             | 0.0170 | 0.0567 | 3     | ND     | Pass   | Methomyl                | 0.0170 | 0.0567 | 0.1   | ND     | Pass   |
| Captan               | 0.136  | 0.454  | 3     | ND     | Pass   | Mevinphos               | 0.0170 | 0.0567 | 0.1   | ND     | Pass   |
| Carbaryl             | 0.0170 | 0.0567 | 0.5   | ND     | Pass   | MGK-264                 | 0.0340 | 0.113  |       | ND     | Tested |
| Carbofuran           | 0.0170 | 0.0567 | 0.1   | ND     | Pass   | Myclobutanil            | 0.0170 | 0.0567 | 3     | ND     | Pass   |
| Chlorantraniliprole  | 0.0170 | 0.0567 | 3     | ND     | Pass   | Naled                   | 0.0170 | 0.0567 | 0.5   | ND     | Pass   |
| Chloridane           | 0.0170 | 0.0567 | 0.1   | ND     | Pass   | Oxamyl                  | 0.0170 | 0.0567 | 0.5   | ND     | Pass   |
| Chlorfenapyr         | 0.0170 | 0.0567 | 0.1   | ND     | Pass   | Paclobutrazol           | 0.0170 | 0.0567 | 0.1   | ND     | Pass   |
| Chlormequat chloride | 0.0170 | 0.0567 | 3     | ND     | Pass   | Parathion Methyl        | 0.0170 | 0.0567 | 0.1   | ND     | Pass   |
| Chlorpyrifos         | 0.0170 | 0.0567 | 0.1   | ND     | Pass   | Pentachloronitrobenzene | 0.0170 | 0.0567 | 0.2   | ND     | Pass   |
| Clofentezine         | 0.0170 | 0.0567 | 0.5   | ND     | Pass   | Permethrins             | 0.0170 | 0.0567 | 1     | ND     | Pass   |
| Coumaphos            | 0.0170 | 0.0567 | 0.1   | ND     | Pass   | Phosmet                 | 0.0170 | 0.0567 | 0.2   | ND     | Pass   |
| Cyfluthrin           | 0.0170 | 0.0567 | 1     | ND     | Pass   | Piperonyl Butoxide      | 0.0170 | 0.0567 | 3     | ND     | Pass   |
| Cypermethrin         | 0.0340 | 0.113  | 1     | ND     | Pass   | Prallethrin             | 0.0681 | 0.0567 | 0.4   | ND     | Pass   |
| Daminozide           | 0.0170 | 0.0567 | 0.1   | ND     | Pass   | Propiconazole           | 0.0170 | 0.0567 | 1     | ND     | Pass   |
| Diazinon             | 0.0170 | 0.0567 | 0.2   | ND     | Pass   | Propoxur                | 0.0170 | 0.0567 | 0.1   | ND     | Pass   |
| Dichlorvos           | 0.0170 | 0.0567 | 0.1   | ND     | Pass   | Pyrethrins              | 0.0681 | 0.227  | 1     | ND     | Pass   |
| Dimethoate           | 0.0170 | 0.0567 | 0.1   | ND     | Pass   | Pyridaben               | 0.0170 | 0.0567 | 3     | ND     | Pass   |
| Dimethomorph         | 0.0170 | 0.0567 | 3     | ND     | Pass   | Spinetoram              | 0.0170 | 0.0567 | 3     | ND     | Pass   |
| Ethoprophos          | 0.0170 | 0.0567 | 0.1   | ND     | Pass   | Spinosad                | 0.0170 | 0.0567 | 3     | ND     | Pass   |
| Etofenprox           | 0.0170 | 0.0567 | 0.1   | ND     | Pass   | Spiromesifen            | 0.0170 | 0.0567 | 3     | ND     | Pass   |
| Etoxazole            | 0.0170 | 0.0567 | 1.5   | ND     | Pass   | Spirotetramat           | 0.0170 | 0.0567 | 3     | ND     | Pass   |
| Fenhexamid           | 0.0170 | 0.0567 | 3     | ND     | Pass   | Spiroxamine             | 0.0170 | 0.0567 | 0.1   | ND     | Pass   |
| Fenoxycarb           | 0.0170 | 0.0567 | 0.1   | ND     | Pass   | Tebuconazole            | 0.0170 | 0.0567 | 1     | ND     | Pass   |
| Fenpyroximate        | 0.0170 | 0.0567 | 2     | ND     | Pass   | Thiacloprid             | 0.0170 | 0.0567 | 0.1   | ND     | Pass   |
| Fipronil             | 0.0170 | 0.0567 | 0.1   | ND     | Pass   | Thiamethoxam            | 0.0170 | 0.0567 | 0.1   | ND     | Pass   |
| Flonicamid           | 0.0170 | 0.0567 | 2     | ND     | Pass   | Trifloxystrobin         | 0.0170 | 0.0567 | 3     | ND     | Pass   |

Date Tested: 12/26/2025  
SOP.402; LC-MS/MS & SOP.302; GC-MS



ISO/IEC 17025:2017 A2LA  
CERT# 5913.01 // DEA#  
RT0581098 // NJ HEMP#  
34\_00077

Kristen Goedde  
Quality Manager

Tom Barkley  
Laboratory Director

Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. Action levels reported for contaminants are in accordance with 5K-4.034 issued by the State of Florida. Values reported relate only to the product tested and batched under the batch number identified above. Trichome Analytical makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. All analytical work is performed using validated methods and in accordance with state and/or federal guidelines. This certificate may only be reproduced in full.



Trichome Analytical  
6000 Commerce Parkway Suite I  
Mount Laurel, NJ 08054

## CERTIFICATE OF ANALYSIS

REGULATORY COMPLIANCE TESTING

(856) 316-0600  
<http://www.trichomeanalytical.com>

5 of 5

### D9P-10GR-001-25

Speedy Distribution / Higher Education    Sample Size: 1 units  
Lic. #: 2026-R-2179168  
2342 Thomas St  
Hollywood, FL 33020  
Manufacturer: The Outlet Corporation  
Doral, FL 33166

Received: 12/22/2025  
Completed: 01/22/2026  
Sampled by: Client

Sample ID: 251222TRI011.004  
Sample Description: Strawnana

Matrix: Ingestible

Hemp Lic.: 2027-R-2228444; FL Food Entity: 390787. Facility meets sanitization requirements as documented by the regulatory entity.  
Rev. 1. 01/22/2026 Added additional manufacturer information per client request.

## Elemental

Pass

## Heavy Metals

| Analyte  | LOD      | LOQ     | Limit | Result | Status |
|----------|----------|---------|-------|--------|--------|
|          | µg/g     | µg/g    | µg/g  | µg/g   |        |
| Arsenic  | 0.00651  | 0.0482  | 1.5   | ND     | Pass   |
| Cadmium  | 0.000512 | 0.0241  | 0.5   | ND     | Pass   |
| Lead     | 0.00609  | 0.0241  | 0.5   | <LOQ   | Pass   |
| Mercury  | 0.00276  | 0.00722 | 3     | ND     | Pass   |
| Chromium | 0.0259   | 0.0722  |       | ND     | Tested |
| Nickel   | 0.0266   | 0.0722  |       | ND     | Tested |
| Antimony | 0.00805  | 0.0241  |       | ND     | Tested |
| Selenium | 0.0126   | 0.0963  |       | ND     | Tested |

## Nutrients

| Analyte   | LOD    | LOQ   | Limit | Result | Status |
|-----------|--------|-------|-------|--------|--------|
|           | µg/g   | µg/g  | µg/g  | µg/g   |        |
| Copper    | 0.103  | 0.489 |       | ND     | Tested |
| Iron      | 1.67   | 5.00  |       | ND     | Tested |
| Manganese | 0.0155 | 0.489 |       | ND     | Tested |
| Zinc      | 1.67   | 5.00  |       | ND     | Tested |

Date Analyzed: 12/23/2025  
SOP 502; ICPMS.



ISO/IEC 17025:2017 A2LA  
CERT# 5913.01 // DEA#  
RT0581098 // NJ HEMP#  
34\_00077

Kristen Goedde  
Quality Manager

Tom Barkley  
Laboratory Director

Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. Action levels reported for contaminants are in accordance with 5K-4.034 issued by the State of Florida. Values reported relate only to the product tested and batched under the batch number identified above. Trichome Analytical makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. All analytical work is performed using validated methods and in accordance with state and/or federal guidelines. This certificate may only be reproduced in full.