

THCA Budder

Sample ID: 2503AFL0466.2060
Strain: Pineapple Express
Matrix: Concentrates & Extracts
Type: Budder
Unit Weight: 1 g

Internal Lab ID: ATL-27810
Received: 03/14/2025
Completed: 03/25/2025
Batch#: ABD-001

Client
Higher Education
Lic. #
3924 N 29 Ave
Hollywood, FL 33020



Summary

| Test | Date Tested | Result |
|-------------------|-------------|----------|
| Batch | | Pass |
| Cannabinoids | 03/14/2025 | Complete |
| Residual Solvents | 03/20/2025 | Pass |
| Microbials | 03/17/2025 | Pass |
| Pesticides | 03/21/2025 | Pass |
| Heavy Metals | 03/24/2025 | Pass |
| Foreign Matter | 03/17/2025 | Pass |

Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020. Measures of uncertainty are considered when deciding PASS/FAIL results. Analysis Method: ATL-PHI-001

Basic Potency

Complete

80.77%

Total THC

ND

Total CBD

92.10%

Total Cannabinoids

| Analyte | LOQ | Result | Result | Analyte | LOQ | Result | Result |
|------------------|------|--------|---------|----------------|------|--------|---------|
| | % | % | mg/unit | | % | % | mg/unit |
| CBDVa | 0.01 | ND | ND | 9S-HHC | 0.01 | ND | ND |
| CBDV | 0.01 | ND | ND | 9R-HHC | 0.01 | ND | ND |
| CBDa | 0.01 | ND | ND | Δ9-THCH | 0.01 | ND | ND |
| CBGa | 0.01 | ND | ND | Δ8-THCH | 0.01 | ND | ND |
| CBG | 0.01 | ND | ND | Δ9-THCP | 0.01 | ND | ND |
| CBD | 0.01 | ND | ND | Δ8-THCP | 0.01 | ND | ND |
| THCV | 0.01 | ND | ND | Δ8-THCO | 0.01 | ND | ND |
| Δ8-THCV | 0.00 | ND | ND | Δ9-THCO | 0.01 | ND | ND |
| THCVa | 0.01 | ND | ND | 9(S)-HHCP | 0.01 | ND | ND |
| CBN | 0.01 | ND | ND | 9(R)-HHCP | 0.01 | ND | ND |
| Δ9-THC | 0.01 | ND | ND | 11-Hydroxy-THC | 0.01 | ND | ND |
| Δ8-THC | 0.01 | ND | ND | 1(S)-H4-CBD | 0.01 | ND | ND |
| (6aR,9S)-d10-THC | 0.01 | ND | ND | 1(R)-H4-CBD | 0.03 | ND | ND |
| (6aR,9R)-d10-THC | 0.00 | ND | ND | Δ9-THCB | 0.00 | ND | ND |
| CBC | 0.01 | ND | ND | Δ8-THCB | 0.01 | ND | ND |
| CBCa | 0.01 | ND | ND | CBDp | 0.01 | ND | ND |
| THCa | 0.01 | 92.10 | 921.0 | Total | | 92.10 | 921.0 |

Document ID: ATL-225, Rev 05, Effective Date: 03 October 2023; Date Tested: 03/14/2025

NT
Not Tested

Moisture Content


NT
Not Tested

Water Activity

Pass

Foreign Matter




Paulo Gonzalez
Laboratory Director
03/25/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





Accurate Test Labs
1305 NW 65th Pl
Fort Lauderdale, FL 33309

(954) 515-0200
http://accuratetestlab.com
Lic#

QA Testing

2 of 5

THCA Budder

| | | |
|---------------------------------|----------------------------|--------------------------------------|
| Sample ID: 2503AFL0466.2060 | Internal Lab ID: ATL-27810 | Client |
| Strain: Pineapple Express | | Higher Education |
| Matrix: Concentrates & Extracts | Received: 03/14/2025 | Lic. # |
| Type: Budder | Completed: 03/25/2025 | |
| Unit Weight: 1 g | Batch#: ABD-001 | 3924 N 29 Ave Hollywood, FL 33020 |

Pesticides

Pass

| Analyte | Limit | Result | Status | Analyte | Limit | Result | Status | |
|----------------------|-------|--------|--------|---------|-------------------------|--------|--------|------|
| Abamectin | 100.0 | PPB | ND | Pass | Fludioxonil | 100.0 | ND | Pass |
| Acephate | 100.0 | PPB | ND | Pass | Hexythiazox | 100.0 | ND | Pass |
| Acequinocyl | 100.0 | PPB | ND | Pass | Imazalil | 100.0 | ND | Pass |
| Acetamiprid | 100.0 | PPB | ND | Pass | Imidacloprid | 400.0 | ND | Pass |
| Aldicarb | 100.0 | PPB | ND | Pass | Kresoxim Methyl | 100.0 | ND | Pass |
| Azoxystrobin | 100.0 | PPB | ND | Pass | Malathion | 200.0 | ND | Pass |
| Bifenazate | 100.0 | PPB | ND | Pass | Metalaxyl | 100.0 | ND | Pass |
| Bifenthrin | 100.0 | PPB | ND | Pass | Methiocarb | 100.0 | ND | Pass |
| Boscalid | 100.0 | PPB | ND | Pass | Methomyl | 100.0 | ND | Pass |
| Captan | 700.0 | PPB | ND | Pass | Mevinphos | 100.0 | ND | Pass |
| Carbaryl | 500.0 | PPB | ND | Pass | Myclobutanil | 0 | ND | Pass |
| Carbofuran | 100.0 | PPB | ND | Pass | Naled | 250.00 | ND | Pass |
| Chlorantraniliprole | 1000 | PPB | ND | Pass | Oxamyl | 500.0 | ND | Pass |
| Chlordan | 100.0 | PPB | ND | Pass | Paclobutrazol | 100.0 | ND | Pass |
| Chlorfenapyr | 100.0 | PPB | ND | Pass | Parathion Methyl | 100.0 | ND | Pass |
| Chlormequat chloride | 1000 | PPB | ND | Pass | Pentachloronitrobenzene | 150.00 | ND | Pass |
| Chlorpyrifos | 100.0 | PPB | ND | Pass | Permethrin | 100.0 | ND | Pass |
| Clofentezine | 200.0 | PPB | ND | Pass | Phosmet | 100.0 | ND | Pass |
| Coumaphos | 100.0 | PPB | ND | Pass | Piperonyl Butoxide | 3000 | ND | Pass |
| Cyfluthrin | 500.0 | PPB | ND | Pass | Prallethrin | 100.0 | ND | Pass |
| Cypermethrin | 500.0 | PPB | ND | Pass | Propiconazole | 100.0 | ND | Pass |
| Daminozide | 100.0 | PPB | ND | Pass | Propoxur | 100.0 | ND | Pass |
| Diazinon | 100.0 | PPB | ND | Pass | Pyrethrins | 500.0 | ND | Pass |
| Dichlorvos | 100.0 | PPB | ND | Pass | Pyridaben | 200.0 | ND | Pass |
| Dimethoate | 100.0 | PPB | ND | Pass | Spinetoram | 200.0 | ND | Pass |
| Dimethomorph | 200.0 | PPB | ND | Pass | Spinosad | 100.0 | ND | Pass |
| Ethoprophos | 100.0 | PPB | ND | Pass | Spiromesifen | 100.0 | ND | Pass |
| Etofenprox | 100.0 | PPB | ND | Pass | Spirotetramat | 100.0 | ND | Pass |
| Etoxazole | 100.0 | PPB | ND | Pass | Spiroxamine | 100.0 | ND | Pass |
| Fenhexamid | 100.0 | PPB | ND | Pass | Tebuconazole | 100.0 | ND | Pass |
| Fenoxy carb | 100.0 | PPB | ND | Pass | Thiacloprid | 100.0 | ND | Pass |
| Fenpyroximate | 100.0 | PPB | ND | Pass | Thiamethoxam | 500.0 | ND | Pass |
| Fipronil | 100.0 | PPB | ND | Pass | Trifloxy strobin | 100.0 | ND | Pass |
| Flonicamid | 100.0 | PPB | Pass | | | | | |

Date Tested: 03/21/2025

Action limits based on Florida Department of Agriculture and Consumer Services, Rule 5K-4.034 § 5(b)



Paulo Gonzalez
Laboratory Director
03/25/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





Accurate Test Labs
1305 NW 65th Pl
Fort Lauderdale, FL 33309

(954) 515-0200
http://accuratetestlab.com
Lic#

QA Testing

3 of 5

THCA Budder

| | | |
|---------------------------------|----------------------------|--------------------------------------|
| Sample ID: 2503AFL0466.2060 | Internal Lab ID: ATL-27810 | Client Higher Education |
| Strain: Pineapple Express | | Lic. # |
| Matrix: Concentrates & Extracts | Received: 03/14/2025 | |
| Type: Budder | Completed: 03/25/2025 | |
| Unit Weight: 1 g | Batch#: ABD-001 | 3924 N 29 Ave Hollywood, FL 33020 |

Microbials

| Analyte | LOD | Limit | Result | Status |
|---|-------------|--------|--------------------|--------|
| Total Aerobic Count | CFU/g 10 | CFU/g | CFU/g ND | NT |
| Aspergillus (niger, fumigatus, flavus, terreus) | 1 | 1 | Not Detected in 1g | Pass |
| Bile-Tolerant Gram-Negative Bacteria | | | ND | NT |
| Shiga toxin-producing E. Coli | 1 | 1 | Not Detected in 1g | Pass |
| Salmonella | 1 | 1 | Not Detected in 1g | Pass |
| Staphylococcus aureus | 10 | | ND | NT |
| Total Combined Yeast and Mold | 10 | 100000 | ND | Pass |

Document ID: ATL-235, Rev 01, Effective Date: 13 May 2022

Date Tested: 03/17/2025

Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020. Measures of uncertainty are considered when deciding PASS/FAIL results. Analysis Method: ATL-PHI-002 and ATL-PHI-004.

Foreign Matter

| Analyte | Limit | Result | Status |
|------------------------|---------------------|-------------------|--------|
| Packaging Contaminants | % by weight 0.01 | % by weight ND | Pass |
| Insects | 0.01 | ND | Pass |
| Feces | 0.005 | ND | Pass |
| Mold | 0.01 | ND | Pass |
| FM Other | | ND | Pass |
| Hair | 0.01 | ND | Pass |

Document ID:

Date Tested: 03/17/2025

Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020. Measures of uncertainty are considered when deciding PASS/FAIL results. Analysis Method: ATL-PHI-001

Heavy Metals

| Analyte | LOQ | Limit | Result | Status |
|---------|-------------|-------------|------------|--------|
| Arsenic | µg/g 0.1 | µg/g 0.2 | µg/g ND | Pass |
| Cadmium | 0.1 | 0.2 | ND | Pass |
| Lead | 0.1 | 0.5 | ND | Pass |
| Mercury | 0.1 | 0.2 | ND | Pass |

Date Tested: 03/24/2025

Passed – Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed – Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034



Paulo Gonzalez
Laboratory Director
03/25/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



THCA Budder

Sample ID: 2503AFL0466.2060
Strain: Pineapple Express
Matrix: Concentrates & Extracts
Type: Budder
Unit Weight: 1 g

Internal Lab ID: ATL-27810
Received: 03/14/2025
Completed: 03/25/2025
Batch#: ABD-001

Client
Higher Education
Lic. #
3924 N 29 Ave
Hollywood, FL 33020

Residual Solvents

Pass


| Analyte | LOQ | Limit | Result | Status |
|---------------------|------|-------|---------|--------|
| 1,1 Dichloroethene | 0.7 | 8 | ND | Pass |
| Ethylene Dichloride | 0.2 | 2 | ND | Pass |
| 1,4-Dioxane | | | ND | Tested |
| 2-Butanol | | | ND | Tested |
| 2-Ethoxy-Ethanol | | | ND | Tested |
| Acetone | 59 | 750 | <59.000 | Pass |
| Acetonitrile | 5 | 60 | ND | Pass |
| Benzene | 0.08 | 1 | ND | Pass |
| Butanes | | 5000 | ND | Pass |
| Chloroform | 0.2 | 2 | ND | Pass |
| Cumene | | | ND | Tested |
| Cyclohexane | | | ND | Tested |
| Ethanol | 79 | 5000 | ND | Pass |
| Ethyl Acetate | 20 | 400 | ND | Pass |
| Ethyl-Benzene | | | ND | Tested |
| Ethyl Ether | 40 | 500 | ND | Pass |
| Ethylene Glycol | | | ND | Tested |
| Ethylene Oxide | 0.4 | 5 | ND | Pass |
| Heptane | 40 | 5000 | ND | Pass |
| Hexanes | 40 | 250 | ND | Pass |
| Isopropanol | | 500 | ND | Pass |
| Isopropyl-Acetate | | | ND | Tested |
| Methanol | 20 | 250 | ND | Pass |
| Methylene Chloride | 10 | 125 | ND | Pass |
| Pentanes | | 750 | ND | Pass |



Document ID: ATL-230, Rev 01, Effective Date: 13 May 2022

Date Tested: 03/20/2025

Action limits based on Florida Department of Agriculture and Consumer Services, Rule 5K-4.034 § 5(c); Expanded uncertainty = $\pm 25\%$ considered for PASS/FAIL; Test Method ATL-GCM-001



Paulo Gonzalez
Laboratory Director
03/25/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com




Accurate Test Labs
1305 NW 65th Pl
Fort Lauderdale, FL 33309

(954) 515-0200
http://accuratetestlab.com
Lic#

QA Testing

5 of 5

THCA Budder

Sample ID: 2503AFL0466.2060
Strain: Pineapple Express
Matrix: Concentrates & Extracts
Type: Budder
Unit Weight: 1 g

Internal Lab ID: ATL-27810
Received: 03/14/2025
Completed: 03/25/2025
Batch#: ABD-001

Client
Higher Education
Lic. #
3924 N 29 Ave
Hollywood, FL 33020

Residual Solvents

Pass

| Analyte | LOQ | Limit | Result | Status |
|-----------------|------|-------|--------|--------|
| Propane | μg/g | μg/g | μg/g | |
| Tetrahydrofuran | 165 | 5000 | ND | Pass |
| Toluene | 12 | 150 | ND | Tested |
| Trichloroethene | 2 | 25 | ND | Pass |
| Xylenes | 12 | 150 | ND | Pass |




Document ID: ATL-230, Rev 01, Effective Date: 13 May 2022

Date Tested: 03/20/2025

Action limits based on Florida Department of Agriculture and Consumer Services, Rule 5K-4.034 § 5(c); Expanded uncertainty = ±25% considered for PASS/FAIL; Test Method ATL-GCM-001




Paulo Gonzalez
Laboratory Director
03/25/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

