



Accurate Test Labs
1305 NW 65th Pl
Fort Lauderdale, FL 33309

(954) 515-0200
http://accuratetestlabs.com

Cherry Pie 30mg

Sample ID: 2511AFL2018.7614

Internal Lab ID: ATL-33256

Client

Strain: Cherry Pie

Tillmans Tranquils

Matrix: Ingestible

Received: 11/14/2025

Lot #

Type: Soft Chew

Completed: 11/18/2025

4757 sw 51st street Davie, FL 33314

Unit Weight: 12 g

Batch#: T60-CP-1

Davie, FL 33314



Summary

Test	Date Tested	Result
Batch	11/18/2025	Complete
Cannabinoids		Complete

Basic Potency

Complete

0.269%
Total THC

0.015%
Total CBD

0.285%
Total Cannabinoids

Analyte	LOD	LOQ	Result	Result	Analyte	LOD	LOQ	Result	Result
	%	%	%	mg/unit		%	%	%	mg/unit
CBDVa	0.001	0.004	ND	ND	CBN	0.001	0.004	ND	ND
CBDV	0.001	0.004	ND	ND	Δ ⁹ -THC	0.001	0.004	0.269	32.30
CBDa	0.001	0.004	ND	ND	Δ ⁸ -THC	0.001	0.004	ND	ND
CBGa	0.001	0.004	ND	ND	(6aR,9S)-Δ ¹⁰ -THC	0.001	0.004	ND	ND
CBG	0.001	0.004	ND	ND	(6aR,9R)-Δ ¹⁰ -THC	0.001	0.004	ND	ND
CBD	0.001	0.004	0.015	1.85	CBC	0.001	0.004	ND	ND
THCV	0.001	0.004	ND	ND	CBGa	0.001	0.004	ND	ND
Δ ⁸ -THCV	0.001	0.004	ND	ND	THCa	0.001	0.004	ND	ND
THCVa	0.001	0.004	ND	ND	Total			0.285	34.16

Document ID: CoA-1 Potency Rev 6, Test Method: TM-2

Date Tested: 11/18/2025

Equations: Total Active THC = 9THC + (0.877 * THCa), Total Active CBD = CBD + (0.877 * CBDa), Potency via HPLC

ISO/IEC 17025:2017 Accreditation No. 118038

NT
Not Tested
Document ID:
Moisture Content

NT
Not Tested
Document ID:
Water Activity

Not Tested
Document ID:
Foreign Matter



Paulo Gonzalez
Laboratory Director
11/18/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by user and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.