

# Tractor Fuel

Lab ID: 250190-MD11-ZAHR-1

METRC Batch: ; METRC Sample:  
Sample ID: 1235PHS0688.3317  
Strain: Tractor Fuel Pre-Roll  
Matrix: Plant  
Type: Flower  
Sample Size: ; Batch:

Produced: Collected:  
Received: 01/11/2026  
Completed: 01/16/2026  
Batch#:

Producer  
**Big Chief Extracts**  
Lic. #  
3504. E Olympic Blvd.  
LA CA 90023



## Summary

Test	Date Tested	Result
Cannabinoids	01/16/2026	Pass

## Cannabinoids

Pass

<b>28.311%</b>	<b>ND</b>	<b>33.283%</b>
Total THC	Total CBD	Total Cannabinoids

Analyte	LOD	LOQ	Results	Results
	mg/g	mg/g	%	mg/g
CBC	0.125	0.250	ND	ND
CBD	0.125	0.250	ND	ND
CBDa	0.125	0.250	ND	ND
CBDV	0.125	1.000	ND	ND
CBDVa	0.257	0.780	ND	ND
CBG	0.125	0.500	ND	ND
CBGa	0.125	0.250	ND	ND
CBN	0.125	0.250	ND	ND
Δ8-THC	0.125	0.500	ND	ND
Δ9-THC	0.125	0.500	.2371	2.371
THCa	0.250	0.500	32.0117	320.0117
THCV	0.250	0.500	ND	NA
<b>Total THC</b>			<b>28.3113</b>	<b>283.113</b>
<b>Total CBD</b>			<b>ND</b>	<b>ND</b>
<b>Total CBG</b>			<b>0.0000</b>	<b>0.0000</b>
<b>Total</b>			<b>33.2838</b>	<b>332.838</b>

Notes:  
Total THC = (THCa \* 0.877) + Δ9-THC; Total CBD = (CBDa \* 0.877) + CBD  
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Cannabinoids: UHPLC, PDA, SOP 6.0, 16 CCR §5724 Microbial: qPCR, SOP 6.05, 16 CCR §5720 Foreign Material: SOP 2.02 16 CCR §5722, %H2O and WA: Moisture Balance, Rotronic, SOP 6.07 §5717



*Rkeledj*

Rkeledy Keledjian  
Lab Director  
01/16/2026

Confident LIMS All Rights Reserved  
coa.support@confidentlim.com  
(866) 507-5966  
www.confidentlims.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by PH Solution using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. PH Solutions makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of PH Solution. Certified by Lab Director Dr. Rkeledy Keledjian