



Accurate Test Labs  
1305 NW 65th Pl  
Fort Lauderdale, FL 33309

(954) 515-0200  
http://accuratetestlab.com

Regulatory Compliance Testing

1 of 1

### Torch 2.5g THC-A Diamond Infused Disposable

<b>Sample ID:</b> 2603AFL0439.1478	<b>Internal Lab ID:</b> ATL-35361	<b>Client:</b>
<b>Strain:</b> Blue Cherry Gelato	<b>Received:</b> 03/24/2026	<b>Honest PPD</b>
<b>Matrix:</b> Concentrates & Extracts	<b>Completed:</b> 03/25/2026	<b>Lic. #</b>
<b>Type:</b> Distillate	<b>Batch#:</b> 030326-TOR-DIA-D-2.5G-BCG	<b>1038 Arlington St</b>
<b>Unit Weight:</b> 2.5 g		<b>Orlando, FL 32805</b>



#### Summary

<b>Test</b>	<b>Date Tested</b>	<b>Result</b>
<b>Batch</b>	03/24/2026	<b>Complete</b>
<b>Cannabinoids</b>		<b>Complete</b>

#### Expanded Potency - HPLC

Complete

10.825%		ND		95.373%					
Total THC		Total CBD		Total Cannabinoids					
Analyte	LOD	LOQ	Result	Result	Analyte	LOD	LOQ	Result	Result
	%	%	%	mg/unit		%	%	%	mg/unit
CBDVa	0.007	0.021	ND	ND	9S-HHC	0.009	0.028	26.041	651.03
CBDV	0.007	0.021	ND	ND	9R-HHC	0.009	0.028	55.127	1378.18
CBDa	0.007	0.021	ND	ND	Δ9-THCH	0.008	0.023	ND	ND
CBGa	0.007	0.021	ND	ND	Δ8-THCH	0.008	0.023	ND	ND
CBG	0.007	0.021	ND	ND	Δ9-THCP	0.007	0.021	1.862	46.55
CBD	0.007	0.021	ND	ND	Δ8-THCP	0.008	0.023	ND	ND
THCV	0.007	0.021	ND	ND	Δ8-THCO	0.007	0.021	ND	ND
Δ8-THCV	0.008	0.023	ND	ND	Δ9-THCO	0.007	0.021	ND	ND
THCVa	0.007	0.021	ND	ND	9(S)-HHCP	0.008	0.023	ND	ND
CBN	0.007	0.021	ND	ND	9(R)-HHCP	0.008	0.023	ND	ND
Δ9-THC	0.007	0.021	ND	ND	11-Hydroxy-THC	0.008	0.023	ND	ND
Δ8-THC	0.007	0.021	ND	ND	1(S)-H4-CBD	0.008	0.024	ND	ND
(6aR,9S)-d10-THC	0.008	0.023	ND	ND	1(R)-H4-CBD	0.008	0.024	ND	ND
(6aR,9R)-d10-THC	0.008	0.023	ND	ND	Δ9-THCB	0.007	0.022	ND	ND
CBC	0.007	0.021	ND	ND	Δ8-THCB	0.008	0.023	ND	ND
CBCa	0.007	0.021	ND	ND	CBDp	0.008	0.024	ND	ND
THCa	0.007	0.021	12.343	308.58	<b>Total</b>			<b>95.373</b>	<b>2384.33</b>

Document ID: CoA-1 Potency Rev. 6, Test Method: TM-2  
Date Tested: 03/24/2026  
Equations: Total Active THC = 9THC + (0.877 \* THCA), Total Active CBD = CBD + (0.877 \* CBDA), Potency via HPLC

<b>NT</b> Not Tested Document ID: <b>Moisture Content</b>	<b>NT</b> Not Tested Document ID: <b>Water Activity</b>	<b>Not Tested</b> Document ID: <b>Foreign Matter</b>
--	--	--



*Lise Berthe-Laurent*  
Lise Berthe-Laurent  
Laboratory Director  
03/25/2026

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.  
This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.