

Sample **FX - Microdose Mushroom Gummies - Watermelon Wonder**

Delta9 THC	ND	THCa	ND	Total THC (THCa * 0.877 + THC)	ND	Delta8 THC	ND
------------	----	------	----	--------------------------------	----	------------	----



Sample ID	SD260306-063 (134520)	Matrix	Edible	Batch ID	FXMG-WW1511
Tested for	TRÉ House				
Sampled	-	Received	Mar 06, 2026	Reported	Mar 26, 2026
Analyses executed	CAN+, RES, MIBNIG, MTO, PES, HME, FVI, 4AD, AMU, TRY, PSY	Unit Mass (g)	70.37	Num. of Servings	15
		Serving Size (g)			4.69

Laboratory note: COA Update: 3/11/26 - Batch ID/Lot ID updated per client request.

CAN+ - Cannabinoids

Analyzed Mar 10, 2026 | Instrument HPLC-VWD | Method SOP-001

The expanded Uncertainty of the Cannabinoids analysis is approximately ±7.81% at the 95% Confidence Level

Analyte	LOD mg/g	LOQ mg/g	Result %	Result mg/g	Result mg/Serving	Result mg/Unit	Sample photography
Cannabidiol (CBD)	0.039	0.16	ND	ND	ND	ND	
Cannabidiolol (CBDl)	0.011	0.03	ND	ND	ND	ND	
Cannabidiolol Acid (CBDA)	0.033	0.16	ND	ND	ND	ND	
Cannabigerol Acid (CBGA)	0.033	0.16	ND	ND	ND	ND	
Cannabigerol (CBG)	0.048	0.16	ND	ND	ND	ND	
Cannabidiol (CBD)	0.069	0.229	ND	ND	ND	ND	
Tetrahydrocannabinol (THCV)	0.049	0.16	ND	ND	ND	ND	
Cannabinol (CBN)	0.047	0.16	ND	ND	ND	ND	
Tetrahydrocannabinol (Δ9-THC)	0.092	0.307	ND	ND	ND	ND	
Δ8-tetrahydrocannabinol (Δ8-THC)	0.044	0.16	ND	ND	ND	ND	
Cannabicyclol (CBL)	0.0012	0.16	ND	ND	ND	ND	
Cannabichromene (CBC)	0.13	0.432	ND	ND	ND	ND	
Tetrahydrocannabinolol Acid (THCA)	0.117	0.389	ND	ND	ND	ND	
Total THC (THCa * 0.877 + Δ9THC)			ND	ND	ND	ND	
Total THC + Δ8THC (THCa * 0.877 + Δ9THC + Δ8THC)			ND	ND	ND	ND	
Total CBD (CBDA * 0.877 + CBD)			ND	ND	ND	ND	
Total CBG (CBGA * 0.877 + CBG)			ND	ND	ND	ND	
Total Cannabinoids Analyzed			ND	ND	ND	ND	

4AD - 4AD Tryptamines

Analyzed Mar 10, 2026 | Instrument HPLC-VWD | Method SOP-4AD

The expanded Uncertainty of the 4AD Tryptamines analysis is approximately ±7.81% at the 95% Confidence Level

Analyte	LOD ppm	LOQ ppm	Result %	Result mg/g	Result mg/Serving	Result mg/Unit
Mescaline (MESCL)	0.19	0.584	ND	ND	ND	ND
N-methyl Tryptamine (NMT)	0.004	0.013	ND	ND	ND	ND
4-Hydroxy-MET (4-HO-MET)	0.013	0.04	ND	ND	ND	ND
n,n Dimethyltryptamine (DMT)	0.015	0.048	ND	ND	ND	ND
Psilocetin (PSLA)	0.015	0.044	ND	ND	ND	ND
4-Hydroxy-DET (4-HO-DET)	0.014	0.042	ND	ND	ND	ND
4-Acetoxy-MET (4-AcO-MET)	0.018	0.053	ND	ND	ND	ND
4-Acetoxy-DET (4-AcO-DET)	0.004	0.011	ND	ND	ND	ND
4-Bromo-DMP (2C-B)	0.19	0.576	ND	ND	ND	ND

AMU - Amanita Muscaria

Analyzed Mar 10, 2026 | Instrument HPLC-VWD | Method SOP-039 AMU

The expanded Uncertainty of the Amanita Muscaria analysis is approximately ±7.81% at the 95% Confidence Level

Analyte	LOD ppm	LOQ ppm	Result %	Result mg/g	Result mg/Serving	Result mg/Unit
Ibotenic Acid (IBOA)	1.025	3.105	ND	ND	ND	ND
Muscimol (MUOL)	0.19	0.576	ND	ND	ND	ND

TRY - Tryptamine

Analyzed Mar 10, 2026 | Instrument HPLC-VWD | Method SOP-TRY

The expanded Uncertainty of the Tryptamine analysis is approximately ±7.81% at the 95% Confidence Level

Analyte	LOD ppm	LOQ ppm	Result %	Result mg/g	Result mg/Serving	Result mg/Unit
Norbaeocystin (NORB)	0.01	0.029	ND	ND	ND	ND
Baeocystin (BAEO)	0.01	0.029	ND	ND	ND	ND
Aeruginascin (AERU)	0.007	0.022	ND	ND	ND	ND
Norpsilocin (NORP)	0.003	0.009	ND	ND	ND	ND

PSY - Psilocybin & Psilocin

Analyzed Mar 10, 2026 | Instrument HPLC-VWD | Method SOP-PSY

The expanded Uncertainty of the Psilocybin & Psilocin analysis is approximately ±7.81% at the 95% Confidence Level

Analyte	LOD ppm	LOQ ppm	Result %	Result mg/g	Result mg/Serving	Result mg/Unit
Psilocybin (PSCY)	0.007	0.019	ND	ND	ND	ND
Psilocin (PSCI)	0.003	0.009	ND	ND	ND	ND

UI Unidentified
ND Not Detected
N/A Not Applicable
NT Not Reported
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colony Forming Units per 1 gram
TNTC Too Numerous to Count



DEA license: RP0611043
ISO/IEC 17025:2017 Acc. 85368



Scan the QR code to verify authenticity.

Authorized Signature

Brandon Starr

Brandon Starr, Quality Assurance Manager
Thu, 26 Mar 2026 12:03:29 -0700

PharmLabs San Diego | 6696 Mesa Ridge Rd #A, San Diego, CA 92121 | 619.356.0898 | ISO/IEC 17025:2017 Acc. 85368



PharmLabs hereby states that its Certificates of Analysis (COA) do not certify compliance with any federal, state, or local law or regulation, including but not limited to the 2018 Farm Bill. This COA is provided solely for informational purposes and is not intended for reliance by consumers or purchasers of a product. This report shall not be reproduced, except in full, without the prior written approval of PharmLabs. This report is not intended to diagnose, treat, cure, or prevent any disease. Results apply only to the specific sample(s) and batch(es) identified on this COA and do not represent any other lot, batch, or product from the client. Measurement of uncertainty is available upon request and, when legally required, has been reported on the certificate. PharmLabs makes no representation or warranty, express or implied, regarding the tested product's safety, efficacy, quality, merchantability, or fitness for a particular purpose. PharmLabs expressly disclaims any liability for damages, claims, costs, or expenses arising out of the use, misuse, or reliance upon this COA by any party. PharmLabs relies on information provided by the client regarding the identity, sampling, and chain of custody of the submitted material. PharmLabs assumes no responsibility for errors, omissions, or misrepresentations in such information. It is the sole responsibility of the client to determine and ensure the compliance of their product(s) with all applicable federal, state, and local laws and regulations. This COA may not be used in whole or in part for marketing, advertising, promotional, or labeling purposes without the prior written consent of PharmLabs. This COA is valid only as of the date of issuance and does not guarantee the stability or continued conformity of the tested product beyond that date. Any dispute arising out of or related to this COA shall be governed by the laws of the State of California, without regard to its conflict of laws principles.

HME - Heavy Metals

Analyzed Mar 18, 2026 | Instrument ICP/MSMS | Method SOP-005

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Arsenic (As)	0.0009	0.0027	ND	1.5
Cadmium (Cd)	0.0005	0.0015	0.00	0.5
Mercury (Hg)	0.0058	0.0174	ND	3
Lead (Pb)	0.0006	0.0018	ND	0.5

MIBNIG - Microbial

Analyzed Mar 18, 2026 | Instrument Plating | Method SOP-007

Analyte	LOD CFU/g	LOQ CFU/g	Result CFU/g	Limit CFU/g
Shiga toxin-producing Escherichia Coli	1.0	1.0	ND	1
Salmonella spp.	1.0	1.0	ND	1

MTO - Mycotoxin

Analyzed Mar 16, 2026 | Instrument LC/MSMS | Method SOP-004

Analyte	LOD ug/kg	LOQ ug/kg	Result ug/kg	Limit ug/kg	Analyte	LOD ug/kg	LOQ ug/kg	Result ug/kg	Limit ug/kg
Ochratoxin A	5.0	20.0	ND	20	Aflatoxin B1	2.5	5.0	ND	-
Aflatoxin B2	2.5	5.0	ND	-	Aflatoxin G1	2.5	5.0	ND	-
Aflatoxin G2	2.5	5.0	ND	-	Total Aflatoxins	10.0	20.0	ND	20

UI Unidentified
ND Not Detected
N/A Not Applicable
NT Not Reported
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colony Forming Units per 1 gram
TNTC Too Numerous to Count



DEA license: **RP0611043**
ISO/IEC 17025:2017 Acc. 85368



Scan the QR code to verify authenticity.

Authorized Signature

Brandon Starr

Brandon Starr, Quality Assurance Manager
Thu, 26 Mar 2026 12:03:29 -0700

PharmLabs San Diego | 6696 Mesa Ridge Rd #A, San Diego, CA 92121 | 619.356.0898 | ISO/IEC 17025:2017 Acc. 85368



PharmLabs hereby states that its Certificates of Analysis (COA) do not certify compliance with any federal, state, or local law or regulation, including but not limited to the 2016 Farm Bill. This COA is provided solely for informational purposes and is not intended for reliance by consumers or purchasers of a product. This report shall not be reproduced, except in full, without the prior written approval of PharmLabs. This report is not intended to diagnose, treat, cure, or prevent any disease. Results apply only to the specific sample(s) and batch(es) identified on this COA and do not represent any other lot, batch, or product from the client. Measurement of uncertainty is available upon request and, when legally required, has been reported on the certificate. PharmLabs makes no representation or warranty, express or implied, regarding the tested product's safety, efficacy, quality, merchantability, or fitness for a particular purpose. PharmLabs expressly disclaims any liability for damages, claims, costs, or expenses arising out of the use, misuse, or reliance upon this COA by any party. PharmLabs relies on information provided by the client regarding the identity, sampling, and chain of custody of the submitted material. PharmLabs assumes no responsibility for errors, omissions, or misrepresentations in such information. It is the sole responsibility of the client to determine and ensure the compliance of their product(s) with all applicable federal, state, and local laws and regulations. This COA may not be used in whole or in part for marketing, advertising, promotional, or labeling purposes without the prior written consent of PharmLabs. This COA is valid only as of the date of issuance and does not guarantee the stability or continued conformity of the tested product beyond that date. Any dispute arising out of or related to this COA shall be governed by the laws of the State of California, without regard to its conflict of laws principles.

PES - Pesticides

Analyzed Mar 16, 2026 | Instrument LC/MSMS GC/MSMS | Method SOP-003

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g	Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Aldicarb	0.01	0.02	ND		Carbofuran	0.01	0.02	ND	
Dimethoate	0.01	0.02	ND		Etofenprox	0.02	0.1	ND	
Fenoxycarb	0.01	0.02	ND		Thiachloprid	0.01	0.02	ND	
Daminozide	0.01	0.03	ND		Dichlorvos	0.02	0.07	ND	
Imazalil	0.02	0.07	ND		Methiocarb	0.01	0.02	ND	
Spiroxamine	0.01	0.02	ND		Coumaphos	0.01	0.02	ND	
Fipronil	0.01	0.1	ND		Paclobutrazol	0.01	0.03	ND	
Chlorpyrifas	0.01	0.04	ND		Ethoprophos (Prophos)	0.01	0.02	ND	
Baygon (Propoxur)	0.01	0.02	ND		Chlordane	0.04	0.1	ND	
Chlorfenapyr	0.03	0.1	ND		Methyl Parathion	0.02	0.1	ND	
Mevinphos	0.03	0.08	ND		Abamectin	0.03	0.08	ND	
Acephate	0.02	0.05	ND		Acetamiprid	0.01	0.05	ND	
Azoxystrobin	0.01	0.02	ND		Bifenazote	0.01	0.05	ND	
Bifenthrin	0.02	0.35	ND		Boscalid	0.01	0.03	ND	
Carbaryl	0.01	0.02	ND		Chlorantranilprole	0.01	0.04	ND	
Clofentezine	0.01	0.03	ND		Diazinon	0.01	0.02	ND	
Dimethomorph	0.02	0.06	ND		Etoxazole	0.01	0.05	ND	
Fenpyroximate	0.02	0.1	ND		Flonicamid	0.01	0.02	ND	
Fludioxonil	0.01	0.05	ND		Hexythiazox	0.01	0.03	ND	
Imidacloprid	0.01	0.05	ND		Kresoxim-methyl	0.01	0.03	ND	
Malathion	0.01	0.05	ND		Metaxalyl	0.01	0.02	ND	
Methomyl	0.02	0.05	ND		Myclobutanil	0.02	0.07	ND	
Naled	0.01	0.02	ND		Oxamyl	0.01	0.02	ND	
Permethrin	0.01	0.02	ND		Phosmet	0.01	0.02	ND	
Piperonyl Butoxide	0.02	0.06	ND		Propiconazole	0.03	0.08	ND	
Prallethrin	0.02	0.05	ND		Pyrethrin	0.05	0.41	ND	
Pyridaben	0.02	0.07	ND		Spinosad A	0.01	0.05	ND	
Spinosad D	0.01	0.05	ND		Spiromesifen	0.02	0.06	ND	
Spirotetramat	0.01	0.02	ND		Tebuconazole	0.01	0.02	ND	
Thiamethoxam	0.01	0.02	ND		Trifloxystrobin	0.01	0.02	ND	
Acequinocyl	0.02	0.09	ND		Captan	0.01	0.02	ND	
Cypermethrin	0.02	0.1	ND		Cyfluthrin	0.04	0.1	ND	
Fenhexamid	0.02	0.07	ND		Spinetoram J,L	0.02	0.07	ND	
Pentachloronitrobenzene	0.01	0.1	ND						

RES - Residual Solvents

Analyzed Mar 19, 2026 | Instrument GC/FID with Headspace Analyzer | Method SOP-006

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g	Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Propane (Prop)	0.044	0.4	ND	5000	Butane (But)	0.02	0.4	ND	5000
Methanol (Metha)	1.176	3.92	102.6	3000	Ethylene Oxide (EthOx)	0.08	0.4	ND	1
Pentane (Pen)	0.024	0.4	ND	5000	Ethanol (Ethanol)	0.048	0.4	ND	5000
Ethyl Ether (EthEt)	0.036	0.4	ND	5000	Acetone (Acet)	0.044	0.4	<LOQ	5000
Isopropanol (2-Pro)	1.16	3.868	ND	5000	Acetonitrile (Acetonit)	0.888	2.952	ND	410
Methylene Chloride (MetCh)	0.04	0.4	ND	1	Hexane (Hex)	0.012	0.4	ND	290
Ethyl Acetate (EthAc)	0.032	0.4	ND	5000	Chloroform (Clo)	0.028	0.4	ND	1
Benzene (Ben)	0.012	0.4	ND	1	1,2-Dichloroethane (12-Dich)	0.024	0.4	ND	1
Heptane (Hep)	0.012	0.4	ND	5000	Trichloroethylene (TriClEth)	0.072	0.4	ND	1
Toluene	0.036	0.4	ND	890	Xylenes (Xyl)	0.012	0.4	<LOQ	2170

FVI - Filth & Foreign Material Inspection

Analyzed Mar 13, 2026 | Instrument Microscope | Method SOP-010

Analyte / Limit	Result	Analyte / Limit	Result
> 1/4 of the total sample area covered by sand, soil, cinders, or dirt	ND	> 1/4 of the total sample area covered by mold	ND
> 1 insect fragment, 1 hair, or 1 count mammalian excreta per 3g	ND	> 1/4 of the total sample area covered by an imbedded foreign material	ND

MWA - Moisture Content & Water Activity

Analyzed Mar 18, 2026 | Instrument Chilled-mirror Dewpoint and Capacitance | Method SOP-008

Analyte	LOD a _w	LOQ a _w	Result	Limit	Analyte	LOD % M/w	LOQ % M/w	Result	Limit
Water Activity (WA)	0.03	0.03	0.73 a _w	0.85 a _w	Moisture (Moi)	0.0	0.0	12.2 % Mw	13 % Mw

UI Unidentified
ND Not Detected
N/A Not Applicable
NT Not Reported
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colony Forming Units per 1 gram
TNTC Too Numerous to Count



DEA license: **RP0611043**
ISO/IEC 17025:2017 Acc. 85368



Scan the QR code to verify authenticity.

Authorized Signature

Brandon Starr

Brandon Starr, Quality Assurance Manager
Thu, 26 Mar 2026 12:03:29 -0700

PharmLabs San Diego | 6696 Mesa Ridge Rd #A, San Diego, CA 92121 | 619.356.0898 | ISO/IEC 17025:2017 Acc. 85368



PharmLabs hereby states that its Certificates of Analysis (COA) do not certify compliance with any federal, state, or local law or regulation, including but not limited to the 2016 Farm Bill. This COA is provided solely for informational purposes and is not intended for reliance by consumers or purchasers of a product. This report shall not be reproduced, except in full, without the prior written approval of PharmLabs. This report is not intended to diagnose, treat, cure, or prevent any disease. Results apply only to the specific sample(s) and batch(es) identified on this COA and do not represent any other lot, batch, or product from the client. Measurement of uncertainty is available upon request and, when legally required, has been reported on the certificate. PharmLabs makes no representation or warranty, express or implied, regarding the tested product's safety, efficacy, quality, merchantability, or fitness for a particular purpose. PharmLabs expressly disclaims any liability for damages, claims, costs, or expenses arising out of the use, misuse, or reliance upon this COA by any party. PharmLabs relies on information provided by the client regarding the identity, sampling, and chain of custody of the submitted material. PharmLabs assumes no responsibility for errors, omissions, or misrepresentations in such information. It is the sole responsibility of the client to determine and ensure the compliance of their product(s) with all applicable federal, state, and local laws and regulations. This COA may not be used in whole or in part for marketing, advertising, promotional, or labeling purposes without the prior written consent of PharmLabs. This COA is valid only as of the date of issuance and does not guarantee the stability or continued conformity of the tested product beyond that date. Any dispute arising out of or related to this COA shall be governed by the laws of the State of California, without regard to its conflict of laws principles.